

750 Royal Oaks Drive, Suite 100
Monrovia, California 91016-3629
Tel: (626) 386-1100
Fax: (866) 988-3757
1 800 566 LABS (1 800 566 5227)

Laboratory Report

for

Honolulu Board of Water Supply
630 South Beretania Street
Public Service Bldg." Room 308
Honolulu, HI 96843
Attention: Erwin Kawata
Fax: 808-550-5018

Date of Issue
04/21/2022

Rinda Seddas
EUROFINS EATON
ANALYTICAL, LLC



Utah ELCP CA00006

DEB: Debbie L Frank
Project Manager

Report: 996833
Project: RED-HILL
Group: Weekly TPH-8015_RED-HILL (2022) - EMAX

* Accredited in accordance with TNI 2016 and ISO/IEC 17025:2017.

* Laboratory certifies that the test results meet all TNI 2016 and ISO/IEC 17025:2017 requirements unless noted under the individual analysis.

* As applicable, this report consists of the cover page, State Certification List, ISO 17025 Accredited Method List, Acknowledgement of Samples Received, Comments, Hits Report, Data Report, QC Summary, QC Report and Regulatory Forms.

* Test results relate only to the sample(s) tested.

* Test results apply to the sample(s) as received, unless otherwise noted in the comments report (ISO/IEC 17025:2017).

* This report shall not be reproduced except in full, without the written approval of the laboratory.

* This report includes ISO/IEC 17025 and non-ISO 17025 accredited methods.

STATE CERTIFICATION LIST

State	Certification Number	State	Certification Number
Alabama	41060	Montana	Cert 0035
Arizona	AZ0778	Nebraska	NE-OS-21-13
Arkansas	CA00006	Nevada	CA00006
California	2813	New Hampshire *	2959
Colorado	CA00006	New Jersey *	CA 008
Connecticut	PH-0107	New Mexico	CA00006
Delaware	CA 006	New York *	11320
Florida *	E871024	North Carolina	06701
Georgia	947	North Dakota	R-009
Guam	21-008R	Ohio - 537.1	87786
Hawaii	CA00006	Oregon *	4034
Idaho	CA00006	Pennsylvania *	68-00565
Illinois	200033	Puerto Rico	CA00006
Indiana	C-CA-01	Rhode Island	LAO00326
Iowa – Asbestos	413	South Carolina	87016
Kansas *	E-10268	South Dakota	CA11320
Kentucky	90107	Tennessee	TN02839
Louisiana *	LA008	Texas *	T104704230-20-18
Maine	CA00006	Utah (Primary AB) *	CA00006
Maryland	224	Vermont	VT0114
Marianas Islands	MP0004	Virginia *	460260
Massachusetts	M-CA006	Washington	C838
Michigan	9906	EPA Region 5	CA00006
Mississippi	CA00006	Los Angeles County Sanitation Districts	10264

* NELAP/TNI Recognized Accreditation Bodies

ISO/IEC 17025:2017 Accredited Method List

The test listed below are accredited and met the requirements of ISO/IEC 17025 as verify by A2LA.

Refer to our certificates and scope of accreditations (no. 5890-1 and 5890-2) found at:

<https://www.eurofinsus.com/Eaton>

Test(s)	Method(s)	Potable Water *	Waste Water	Test(s)	Method(s)	Potable Water *	Waste Water
Enterococci	Enterolert	x	x	Gross Alpha coprecipitation	SM 7110 C	x	x
<i>Escherichia coli</i> (Enumeration)	SM 9221 B.1 SM 9221 F	x		Hardness	SM 2340 B	x	x
Fecal Coliform (P/A and Enumeration)	SM 9221 C (MTF/EC), SM 9221 E (MTF/EC)	x	x	Hexavalent Chromium	EPA 218.6,	x	x
Fecal Streptococci and Enterococci	SM 9230 B	x	x	Hexavalent Chromium	EPA 218.7,	x	
Heterotrophic Bacteria	SM 9215 B	x		Hexavalent Chromium	SM 3500-Cr B		x
Legionella	Legiolert®	x		Inorganic Anions and DBPs	EPA 300.0	x	x
<i>Pseudomonas aeruginosa</i>	Idexx Pseudalart	x		Norganic Anions and DBPs	EPA 300.1	x	
Total Coliform (P/A and Enumeration)	SM 9221A, SM 9221B, SM 9221 C	x	x	Kjeldahl Nitrogen	EPA 351.2		x
Total Coliform, Total Coliform with Chlorine Present	SM 9221 B	x	x	Metals	EPA 200.7, EPA200.8	x	x
Total Coliform/ <i>E. coli</i> (P/A and Enumeration, Idexx Colilert, Idexx Colilert 18, Colisure)	SM 9223	x		Nitrosamines	EEA-Agilent 521.1 (GCMS-24250)	x	
Total Microcystins and Nodularins	EPA 546	X		Nitrate/Nitrite Nitrogen	EPA 353.2	x	x
Yeast and Mold	SM 9610	x		Odor	SM2150B	x	
1,2,3-Trichloropropane (TCP) at 5 PPT	CA SRL 524M-TCP	x		Organohalide Pesticides and PCB	EPA 505	x	
1,4-Dioxane	EPA 522	x		Ortho Phosphate	SM 4500P E	x	
2,3,7,8-TCDD	Modified EPA 1613 B	x		Oxyhalides Disinfect ion Byproducts	EPA 317.0	x	
Acrylamide	+ LCMS 2440)	x		Perchlorate	EPA 331.0	x	
Algal Toxins/Microcys in	+ LCMS 3570	x		Perchlorate (Low and High Levels)	EPA 314.0	x	
Alkalinity	SM 2320B	x	x	Perfluorinated Alkyl Acids	EPA 533, EPA 537, EPA 537.1	x	
Ammonia	EPA 350.1, SM 4500-NH3 H		x	PPCP and EDC	+ LCMS-2443	x	
Asbestos	EPA 100.2	x	x	pH	EPA 150.1 SM 4500-H+ B	x	x
Bicarbonate Alkalinity as HCO3	SM 2330 B	x	x	Phenolics – Low Level	+WC 2493 (EPA 420.2 and EPA 420.4 MOD)	x	x
BOD/CBOD	SM 5210 B		x	Phenylurea Pesticides/Herbicides	+ LCMS-2448	x	
Bromate	+ LCMS- 2447	x		Radium-226, Radium-228	GA Tech (Rad-2374)	x	
Carbonate as CO3	SM 2330 B	x	x	Radon-222	SM 7500RN	x	
Carbonyls	EPA 556	x	x	Residue (Filterable)	SM 2540C	x	x
Chemical Oxygen Demand	EPA 410.4, SM 5220D		x	Residue (Non-Filterable)	SM 2540D		x
Chlorinated Acids	EPA 515.4	x		Residue (Total)	SM 2540B		x
Chlorine Dioxide	Palin Test Chlordio X Plus, SM 4500-CLO2 D	x		Residue (Volatile)	EPA 160.4		x
Chlorine, Free, Combined, Total Residual, Chloramines	SM 4500-Cl G	x		Semi-Volatile Compounds	EPA 525.2	x	
Color	SM2120B	x		Silica	SM 4500-SiO2 C	x	x
Conductivity	EPA 120.1, SM 2510B	x	x	Sulfide	SM 4500-S D		x
Corrosivity (Langelier Index), Carbonate as CO3, Hydroxide as OH Calculated	SM 2330 B	x		Sulfite	SM 4500-SO3 B	x	x
Cyanide (Amenable)	SM 4500-CN G	x	x	Surfactants	SM 5540C	x	x
Cyanide (Free)	SM 4500CN F	x	x	Taste and Odor	SM 6040 E	x	
Cyanide (Total)	EPA 335.4	x	x	Total Organic Carbon	SM 5310 C	x	x
Cyanogen Chloride (Screen)	+ 335 Mod (WC-24467)	x		Total Phenols	EPA 420.1		x
Diquat and Paraquat	EPA 549.2	x		Total Phenols	EPA 420.4	x	x
DBP and HAA	SM 6251 B	x		Triazine Pesticides and their Degradates	+ LCMS-3617	x	
Dissolved Organic Carbon	SM 5310 C	x		Turbidity	EPA 180.1	x	x
Dissolved Oxygen	SM 4500-O G		x	Uranium by ICP/MS	EPA 200.8	x	
EDB/DCBP/TCP	EPA 504.1	x		UV 254 Organic Constituents	SM 5910B	x	
EDB/DBCP and Disinfection Byproducts	EPA 551.1	x		VOCs	EPA 524.2	x	
EDTA and NTA	+ WC-2454	x		VOCs	+ (GCMS 2412) by EPA 524.2 modified	x	
Endothall	EPA 548.1, +(LCMS-2445)	x					
Fluoride	SM 4500F C	x	x				
Glyphosate	EPA 547	x					
Glyphosate and AMPA	+ LCMS-3618	x					
Gross Alpha and Gross Beta	EPA 900.0	x	x				

(*) includes: Bottled Water, Drinking Water and Water as Component of Food & Beverage.

(+) In-House Method

Acknowledgement of Samples Received

Addr: **Honolulu Board of Water Supply**
 630 South Beretania Street
 Public Service Bldg." Room 308
 Honolulu, HI 96843

Attn: Erwin Kawata
 Phone: 808-748-5091

Client ID: HONOLULU

Folder #: 996833

Project: RED-HILL

Sample Group: Weekly TPH-8015_RED-HILL (2022)
 - EMAX

Project Manager: Debbie L Frank

Phone: (626) 386-1149

PO #: C20525101 exp 05312023

The following samples were received from you on **April 05, 2022 at 1231**. They have been scheduled for the tests listed below each sample. If this information is incorrect, please contact your service representative. Thank you for using Eurofins Eaton Analytical, LLC.

Sample #	Sample ID	Sample Date
<u>202204050422</u>	AIEA WELLS P2 (260)-331-004-WL103 SDWIS PWSID: HI0000331 SDWIS FACILITY ID: WL103 SDWIS SAMPLE POINT ID: 004 (SUB)Gas Fraction Hydrocarbons TPH 8015 Diesel and Motor Oil	04/04/2022 1041
<u>202204050423</u>	TB:AIEA WELLS P2 (260)-331-004-WL103 (SUB)Gas Fraction Hydrocarbons	04/04/2022 1041

Test Description



INTERNAL CHAIN OF CUSTODY RECORD

Eurofins Analytical

EEA Folder Number: 949589

SAMPLE TEMP RECEIVED:
Notes: If samples are out of temperature ranges, let the ASMs know. ASMs will determine whether to proceed with analysis or not.
SAMPLES REC'D DAY OF COLLECTION? Yes / No

IR Gun ID = 649A (Observation = 4.0 °C) (Corr. Factor -0.3 °C) (Final = 3.7 °C)

TYPE OF ICE: Real Synthetic No Ice Condition of ICE: Frozen Partially Frozen Thawed N/A

METHOD OF SHIPMENT: Pick-Up / Walk-In / FedEx / UPS / DHL / Area Fast / Top Line / Other: _____

Compliance Acceptance Criteria:

- 1) Chemistry: >0, ≤ 8°C, not frozen (NELAP) (If received after 24 hrs of sample collection)
- 2) Microbiology, Distribution: < 10°C, not frozen (can be ≥ 10°C if received on ice the same day as sample collection, within 8 hours)
- 3) Microbiology, Surface Water: < 10°C (if received after 2 hours of sample collection)

If out of temperature range for both Chemistry and Microbiology samples and temperature does not confirm, then measure the temperature of each quadrant and record each temperature of the quadrants

1 = (Observation = _____ °C) (Corr. Factor = _____ °C) (Final = _____ °C)	2 = (Observation = _____ °C) (Corr. Factor = _____ °C) (Final = _____ °C)
3 = (Observation = _____ °C) (Corr. Factor = _____ °C) (Final = _____ °C)	4 = (Observation = _____ °C) (Corr. Factor = _____ °C) (Final = _____ °C)

4 Dioxin (1613 or 2,3,7,8 TCDD): must be between 0-4 °C, not frozen (if received after 24 hrs of sample collection)

5) pH Check. Manufacturer: _____ Lot Number: _____ pH strip type: 0 - 14 or _____ Expiration Date: _____ Results: _____

6) Chlorine check. Manufacturer: Sansafe. Lot No.: _____ Expiration Date: _____ Results: _____


Samp ID	Bottle #	mm	None/<8	>8mm	Test	No Samples with Headspace:		Samples with Headspace (see below):	
						mm	Test	mm	Test

Note Sample IDs which have dissimilar headspace (i.e. potential sampling errors):

RECEIVED BY: _____ PRINT NAME: _____ COMPANY/TITLE: Eurofins Estion Analytical DATE: 04.05.2022 TIME: 12:31

SIGNATURE: [Signature] PRINT NAME: G. PEITNER COMPANY/TITLE: Eurofins Estion Analytical DATE: _____ TIME: _____

SAMPLES CHECKED AGAINST COC BY: _____



Eaton Analytical

INTERNAL CHAIN OF CUSTODY RECORD

EEA Folder Number: 4412893

SAMPLE TEMP RECEIVED:
Notes: If samples are out of temperature range, let the ASMs know. ASMs will determine whether to proceed with analysis or not.
SAMPLES REC'D DAY OF COLLECTION? Yes / No

IR Gun ID = 649A (Observation = 3.5 °C) (Corr. Factor -0.3 °C) (Final = 3.2 °C)

TYPE OF ICE: Real Synthetic No Ice Frozen Partially Frozen Thawed N/A

METHOD OF SHIPMENT: Pick-Up / Walk-In / FedEx / UPS / DHL / Area Fast / Top Line / Other: UPS

Compliance Acceptance Criteria:

- 1) Chemistry: >0, ≤6°C, not frozen (NELAP) (If received after 24 hrs of sample collection)
- 2) Microbiology, Distribution: < 10°C, not frozen (can be ≥10°C if received on ice the same day as sample collection, within 8 hours)
- 3) Microbiology, Surface Water: < 10°C (If received after 2 hours of sample collection)

If out of temperature range for both Chemistry and Microbiology samples and temperature does not confirm, then measure the temperature of each quadrant and record each temperature of the quadrants

1 = (Observation = °C) (Corr. Factor = °C) (Final = °C)	2 = (Observation = °C) (Corr. Factor = °C) (Final = °C)
3 = (Observation = °C) (Corr. Factor = °C) (Final = °C)	4 = (Observation = °C) (Corr. Factor = °C) (Final = °C)

- 4) Dioxin (1613 or 2,3,7,8 TCDD): must be between 0-4 °C, not frozen (if received after 24 hrs of sample collection)
- 5) pH Check. Manufacturer: Sansafe. Lot Number: pH strip type: 0 - 14 or Expiration Date: Results:
- 6) Chlorine check. Manufacturer: Sansafe. Lot No.: Expiration Date: Results:

VOA and Radon No Samples with Headspace: Samples with Headspace (see below):

7) Headspace: Headspace Documentation (use additional VOC and Radon Internal COFC for additional bottles)

Exempt from headspace concerns: Methods 815.4, HAA(8251,562), 609, SPME, @CH, 602LCMS, 558, 538, Anatoxin, LCMS methods using 40 ml vials, International clients:

Sample ID	Bottle #	None/<8	>6mm	Test	Sample ID	Bottle #	None/<8	>6mm	Test

Note Sample IDs which have dissimilar headspace (i.e. potential sampling errors):

SIGNATURE	PRINT NAME	COMPANY/TITLE	DATE	TIME
	G. REINER	Eurofins Eaton Analytical	04.05.2022	12:31
SIGNATURE	PRINT NAME	COMPANY/TITLE	DATE	TIME
		Eurofins Eaton Analytical		

ORIGIN:HIKA (808) 748-5840
BWS CHEM LAB
HONOLULU BOARD OF WATER SUPPLY
630 S. BERETANIA ST
CHEMICAL LABORATORY
HONOLULU, HI 96843
UNITED STATES US


SHIP DATE: 04APR22
ACTWGT: 78.00 LB
CAD: 100205419/NET4460

BILL RECIPIENT

TO

EUROFINS EATON ANALYTICAL, INC
750 ROYAL OAKS DR
SUITE 100
MONROVIA CA 91016
REF: (626) 386-1178

PO. DEPT.



56DJ2/BDF9/FE4A

TUE - 05 APR 10:30A

PRIORITY OVERNIGHT


1 of 2

TRK# 7764 8792 7214
0201

MASTER

WZ WHPA

91016
CA-US BUR



After printing this label:

1. Use the 'Print' button on this page to print your label to your laser or inkjet printer.
2. Fold the printed page along the horizontal line.
3. Place label in shipping pouch and affix it to your shipment so that the barcode portion of the label can be read and scanned.

Warning: Use only the printed original label for shipping. Using a photocopy of this label for shipping purposes is fraudulent and could result in additional billing charges, along with the cancellation of your FedEx account number.

Use of this system constitutes your agreement to the service conditions in the current FedEx Service Guide, available on fedex.com. FedEx will not be responsible for any claim in excess of \$100 per package, whether the result of loss, damage, delay, non-delivery, misdelivery, or misinformation, unless you declare a higher value, pay an additional charge, document your actual loss and file a timely claim. Limitations found in the current FedEx Service Guide apply. Your right to recover from FedEx for any loss, including intrinsic value of the package, loss of sales, income interest, profit, attorney's fees, costs, and other forms of damage whether direct, incidental, consequential, or special is limited to the greater of \$100 or the authorized declared value. Recovery cannot exceed actual documented loss. Maximum for items of extraordinary value is \$1,000, e.g. jewelry, precious metals, negotiable instruments and other items listed in our ServiceGuide. Written claims must be filed within strict time limits, see current FedEx Service Guide.

ORIGIN ID:HIKA (808) 748-5840
 BWS CHEMLAB
 HONOLULU BOARD OF WATER SUPPLY
 630 S. BERETANIA ST
 CHEMICAL LABORATORY
 HONOLULU, HI 96843
 UNITED STATES US


SHIP DATE: 04APR22
 ACT WGT: 38.00 LB
 CAD: 100205419/NET4460
 BILL RECIPIENT

TO

EUROFINS EATON ANALYTICAL, INC
750 ROYAL OAKS DR
SUITE 100
MONROVIA CA 91016

(626) 386-1178 REF
 NV
 PO.

DEPT



56D.J2/BDF9/FE4A

2 of 2


MPS# 7764 8792 7832
 0263

Mstr# 7764 8792 7214
 0201

TUE - 05 APR 10:30A
 PRIORITY OVERNIGHT

WZ WHPA

91016
 CA-US BUR



After printing this label:

1. Use the 'Print' button on this page to print your label to your laser or inkjet printer.
2. Fold the printed page along the horizontal line.
3. Place label in shipping pouch and affix it to your shipment so that the barcode portion of the label can be read and scanned.

Warning: Use only the printed original label for shipping. Using a photocopy of this label for shipping purposes is fraudulent and could result in additional billing charges, along with the cancellation of your FedEx account number. Use of this system constitutes your agreement to the service conditions in the current FedEx Service Guide, available on fedex.com. FedEx will not be responsible for any claim in excess of \$100 per package, whether the result of loss, damage, delay, non-delivery, misdelivery, or misinformation, unless you declare a higher value, pay an additional charge, document your actual loss and file a timely claim. Limitations found in the current FedEx Service Guide apply. Your right to recover from FedEx for any loss, including intrinsic value of the package, loss of sales, income interest, profit, attorney's fees, costs, and other forms of damage whether direct, incidental, consequential, or special is limited to the greater of \$100 or the authorized declared value. Recovery cannot exceed actual documented loss. Maximum for items of extraordinary value is \$1,000, e.g. jewelry, precious metals, negotiable instruments and other items listed in our ServiceGuide. Written claims must be filed within strict time limits, see current FedEx Service Guide.

Tel: (626) 386-1100
Fax: (866) 988-3757
1 800 566 LABS (1 800 566 5227)

Laboratory Comments

Report: 996833
Project: RED-HILL
Group: Weekly TPH-8015_RED-HILL (2022)
- EMAX

Honolulu Board of Water Supply
Erwin Kawata
630 South Beretania Street
Public Service Bldg." Room 308
Honolulu, HI 96843

Folder Comments

Analytical results for TPH 8015 Gas, Diesel and Motor Oil are submitted by Emax Laboratories, Inc. Torrance, CA



Eaton Analytical

Tel: (626) 386-1100
Fax: (866) 988-3757
1 800 566 LABS (1 800 566 5227)

Laboratory Hits

Report: 996833
Project: RED-HILL
Group: Weekly TPH-8015_RED-HILL (2022)
- EMAX

Honolulu Board of Water Supply
Erwin Kawata
630 South Beretania Street
Public Service Bldg." Room 308
Honolulu, HI 96843

Samples Received on:
04/05/2022 1231

Analyzed	Analyte	Sample ID	Result	HI Limit	Units	MRL
----------	---------	-----------	--------	----------	-------	-----

SUMMARY OF POSITIVE DATA ONLY

Tel: (626) 386-1100
 Fax: (626) 988-3757
 1 800 566 LABS (1 800 566 5227)

Laboratory Data

Report: 996833
Project: RED-HILL
Group: Weekly TPH-8015_RED-HILL (2022)
 - EMAX

Honolulu Board of Water Supply
 Erwin Kawata
 630 South Beretania Street
 Public Service Bldg." Room 308
 Honolulu, HI 96843

Samples Received on:
 04/05/2022 1231

Prepped	Analyzed	Prep Batch	Analytical Batch	Method	Analyte	Result	Units	MRL	Dilution
<u>AIEA WELLS P2 (260)-331-004-WL103 (202204050422)</u>						Sampled on 04/04/2022 1041			
Facility ID: WL103									
Sample Point ID: 004									
PWSID: HI0000331									
SW 8015B - (SUB)Gas Fraction Hydrocarbons									
04/06/22	04/06/22 19:46			(SW 8015B)	(SUB)Gas Fraction Hydrocarbons	ND	mg/L	0.02	1
SW 8015B - TPH 8015 Diesel and Motor Oil									
04/06/22	04/07/22 17:47			(SW 8015B)	TPH Diesel	ND	mg/L	0.025	1
04/06/22	04/07/22 17:47			(SW 8015B)	TPH Motor Oil	ND	mg/L	0.05	1
<u>TB:AIEA WELLS P2 (260)-331-004-WL103 (202204050423)</u>						Sampled on 04/04/2022 1041			
SW 8015B - (SUB)Gas Fraction Hydrocarbons									
04/06/22	04/06/22 19:10			(SW 8015B)	(SUB)Gas Fraction Hydrocarbons	ND	mg/L	0.02	1

Rounding on totals after summation.
 (c) - indicates calculated results. Analysis is a calculated result. Reported results are not rounded until the final step before reporting. Therefore methods that use a test result with further calculation may have slight differences in final result than the component analyses.



3051 Fujita Street
Torrance, CA 90505
Tel: (310)-618-8889

Date: 04-19-2022
EMAX Batch No.: 22D026

Attn: Jackie Contreras

Eurofins Eaton Analytical
750 Royal Oaks Dr., Suite 100
Monrovia, CA 91016-3629

Subject: Laboratory Report
Project: 996833

Enclosed is the Laboratory report for samples received on 04/06/22.
The data reported relate only to samples listed below :

Sample ID	Control #	Col Date	Matrix	Analysis
202204050422	D026-01	04/04/22	WATER	TPH GASOLINE TPH DIESEL & MOTOR OIL
202204050423	D026-02	04/04/22	WATER	TPH GASOLINE
202204050422MS	D026-01M	04/04/22	WATER	TPH GASOLINE TPH DIESEL
202204050422MSD	D026-01S	04/04/22	WATER	TPH GASOLINE TPH DIESEL

The results are summarized on the following pages.

Please feel free to call if you have any questions concerning these results.


Sincerely yours,

Caspar J. Pang
Laboratory Director

This report is confidential and intended solely for the use of the individual or entity to whom it is addressed. This report shall not be reproduced except in full or without the written approval of EMAX.

EMAX certifies that results included in this report meets all TNI & DOD requirements unless noted in the Case Narrative.

NELAP Accredited Certificate Number CA002912021-19
ANAB Accredited DoD ELAP and ISO/IEC 17025 Certificate Number L2278 Testing
California ELAP Accredited Certificate Number 2672



Eaton Analytical

Ship To:
EMAX Laboratories, Inc.
3051 Fujita St.
Torrance, CA 90505

Phone: 310-618-8889 Fax: 310-618-0818

Folder #: 996833 Report Due: 04/12/2022

Sample ID: 202204050422 Client Sample ID for reference onl
AIEA WELLS P2 (260)-331-004-WL103

Sample type: SW 8015B EPA 5030C EPA 3550B

Method: SW 8015B EPA 5030C EPA 3550B
Analysis Requested: (SUB)Gas Fraction Hydrocarbons
TPH 8015 Diesel and Motor Oil

Sample ID: 202204050423 Client Sample ID for reference onl
TB/AIEA WELLS P2 (260)-331-004-WL103

Sample type: SW 8015B EPA 5030C

Method: SW 8015B EPA 5030C
Analysis Requested: (SUB)Gas Fraction Hydrocarbons

Date: 4/6/2022

Submittal Form

*REPORTING REQUIREMENTS: Do Not Combine Reports with any other samples submitted under different Folder Numbers!
Report & Invoice must have the Folder # 996833 Job # 1000014

Report all quality control data according to Method, include dates analyzed, Date extracted (if extracted), and Method reference on the report.
Results must have Complete data & QC with Approval Signature

Reports: Jackie Contreras Sub-Contracting Administrator
EMAIL TO: Eaton-MonroviaSubContract@eurofins.com
Eurofins Eaton Analytical, LLC 750 Royal Oaks Drive, Suite 100, Monrovia, CA 91016
Phone (626) 386-1165 Fax (626) 386-1122
Invoices to: Eurofins Eaton Analytical, LLC
Accounts Payable 2425 New Holland Pike, Lancaster, PA 17605

Provide in each Report the
Specified State Certification # and
Exp Date for requested tests + matrix.

Samples from: HAWAII

EMAX - 4 or 3 containers per sample for MS/MSD batch QC. Low level RL reporting only

Sample Date & Time Matrix: 04/04/22 1041 DW
Clip Code: PWSID
Static ID: JLS

Sample Point ID: Static ID:

Sample Date & Time Matrix: 04/04/22 1041 DW
Clip Code: PWSID
Static ID: JLS

Sample Point ID: Static ID:

Relinquished by: *[Signature]* Sample Control Date: 4/6/22 Time: 12:11

Received by: *[Signature]* Sample Control Date: 4/6/22 Time: 12:11

Relinquished by: Sample Control Date: _____ Time: _____

Received by: Sample Control Date: _____ Time: _____

NOTIFICATION REQUIRED IF RECEIVED OUTSIDE OF 0-6 CELSIUS

An Acknowledgement of Receipt is requested to attain Jackie Contreras

TEMP ① 0.5/0.7

② 0.4/0.6

Type of Delivery <input type="checkbox"/> Fedex <input type="checkbox"/> UPS <input type="checkbox"/> GSO <input type="checkbox"/> Others	Airbill / Tracking Number	ECN <u>22D026</u>
<input type="checkbox"/> EMAX Courier <input checked="" type="checkbox"/> Client Delivery		Recipient <u>Alan Ramos</u>
		Date <u>4/6/22</u> Time <u>12:11</u>

COC INSPECTION

<input checked="" type="checkbox"/> Client Name	<input checked="" type="checkbox"/> Client PM/FC	<input type="checkbox"/> Sampler Name	<input checked="" type="checkbox"/> Sampling Date/Time	<input checked="" type="checkbox"/> Sample ID	<input checked="" type="checkbox"/> Matrix
<input checked="" type="checkbox"/> Address	<input checked="" type="checkbox"/> Tel # / Fax #	<input type="checkbox"/> Courier Signature	<input checked="" type="checkbox"/> Analysis Required	<input type="checkbox"/> Preservative (if any)	<input type="checkbox"/> TAT
Safety Issues (if any)	<input type="checkbox"/> High concentrations expected	<input type="checkbox"/> From Superfund Site	<input type="checkbox"/> Rad screening required		

Note: _____

PACKAGING INSPECTION

Container <u>Correction</u>	<input checked="" type="checkbox"/> Cooler	<input type="checkbox"/> Box	<input type="checkbox"/> Other
Condition <u>factor</u>	<input type="checkbox"/> Custody Seal	<input type="checkbox"/> Intact	<input type="checkbox"/> Damaged
Packaging <u>factor</u>	<input checked="" type="checkbox"/> Bubble Pack	<input type="checkbox"/> Styrofoam	<input type="checkbox"/> Popcorn
Temperatures <u>+0.2</u>	<input checked="" type="checkbox"/> Cooler 1 <u>0.3/0.7</u> °C	<input checked="" type="checkbox"/> Cooler 2 <u>0.4/0.4</u> °C	<input type="checkbox"/> Cooler 3 _____ °C
(Cool, ≤6 °C but not frozen)	<input type="checkbox"/> Cooler 6 _____ °C	<input type="checkbox"/> Cooler 7 _____ °C	<input type="checkbox"/> Cooler 4 _____ °C
Thermometer: <u>A-S/N 210533479</u>	<u>B-S/N _____</u>	<u>C-S/N 210271399</u>	<input type="checkbox"/> Cooler 5 _____ °C
			<input type="checkbox"/> Cooler 8 _____ °C
			<input type="checkbox"/> Cooler 9 _____ °C
			<input type="checkbox"/> Cooler 10 _____ °C

Comments: Temperature is out of range. PM was informed IMMEDIATELY.

Note: _____

DISCREPANCIES

LabSampleID	LabSampleContainerID	Code	ClientSample Label ID / Information	Corrective Action
1	4-9	D1	All Ambers mentioned Jet fuel 5, COC does not.	R1 ↓
<i>[Large handwritten signature/initials across the table]</i>				

pH holding time requirement for water samples is 15 mins. Water samples for pH analysis are received beyond 15 minutes from sampling time. MB 4/7/22

NOTES/OBSERVATIONS:

SAMPLE MATRIX IS DRINKING WATER? YES NO

- LEGEND:**
- | | | |
|--|---|--|
| <p>Code Description- Sample Management</p> <p><u>D1</u> Analysis is not indicated in <u>COC</u></p> <p>D2 Analysis mismatch COC vs label</p> <p>D3 Sample ID mismatch COC vs label</p> <p>D4 Sample ID is not indicated in _____</p> <p>D5 Container -[improper] [leaking] [broken]</p> <p>D6 Date/Time is not indicated in _____</p> <p>D7 Date/Time mismatch COC vs label</p> <p>D8 Sample listed in COC is not received</p> <p>D9 Sample received is not listed in COC</p> <p>D10 No initial/date on corrections in COC/label</p> <p>D11 Container count mismatch COC vs received</p> <p>D12 Container size mismatch COC vs received</p> | <p>Code Description-Sample Management</p> <p>D13 Out of Holding Time</p> <p>D14 Bubble is >6mm</p> <p>D15 No trip blank in cooler</p> <p>D16 Preservation not indicated in _____</p> <p>D17 Preservation mismatch COC vs label</p> <p>D18 Insufficient chemical preservative</p> <p>D19 Insufficient Sample</p> <p>D20 No filtration info for dissolved analysis</p> <p>D21 No sample for moisture determination</p> <p>D22 _____</p> <p>D23 _____</p> <p>D24 _____</p> | <p><input type="checkbox"/> Continue to next page.</p> <p>Code Description-Sample Management</p> <p>R1 Proceed as indicated in <input checked="" type="checkbox"/> COC <input type="checkbox"/> Label</p> <p>R2 Refer to attached instruction</p> <p>R3 Cancel the analysis</p> <p>R4 Use vial with smallest bubble first</p> <p>R5 Log-in with latest sampling date and time+1 min</p> <p>R6 Adjust pH as necessary</p> <p>R7 Filter and preserved as necessary</p> <p>R8 _____</p> <p>R9 _____</p> <p>R10 _____</p> <p>R11 _____</p> <p>R12 _____</p> |
|--|---|--|

REVIEWS:

Sample Labeling JHDWIN ZAMORA SRF [Signature] PM MB

Date 4/6/22 Date 4/6/22 Date 4/7/22

REPORTING CONVENTIONS

DATA QUALIFIERS:

Lab Qualifier	AFCEE Qualifier	Description
J	F	Indicates that the analyte is positively identified and the result is less than RL but greater than MDL.
N		Indicates presumptive evidence of a compound.
B	B	Indicates that the analyte is found in the associated method blank as well as in the sample at above QC level.
E	J	Indicates that the result is above the maximum calibration range or estimated value.
*	*	Out of QC limit.

Note: The above qualifiers are used to flag the results unless the project requires a different set of qualification criteria.

ACRONYMS AND ABBREVIATIONS:

CRDL	Contract Required Detection Limit
RL	Reporting Limit
MRL	Method Reporting Limit
PQL	Practical Quantitation Limit
MDL	Method Detection Limit
DO	Diluted out

DATES

The date and time information for leaching and preparation reflect the beginning date and time of the procedure unless the method, protocol, or project specifically requires otherwise.

LABORATORY REPORT FOR

EUROFINS EATON ANALYTICAL

996833

METHOD 5030B/8015B
TOTAL PETROLEUM HYDROCARBONS BY PURGE AND TRAP

SDG#: 22D026

CASE NARRATIVE

Client : EUROFINS EATON ANALYTICAL

Project: 996833

SDG : 22D026

METHOD 5030B/8015B
TOTAL PETROLEUM HYDROCARBONS BY PURGE AND TRAP

A total of two(2) water samples were received on 04/06/22 to be analyzed for Total Petroleum Hydrocarbons by Purge and Trap in accordance with Method 5030B/8015B and project specific requirements.

Holding Time

Samples were analyzed within the prescribed holding time.

Calibration

Multi-calibration points were generated to establish initial calibration (ICAL). ICAL was verified using a secondary source (ICV). Continuing calibration (CCV) verifications were carried out on a frequency specified by the project. All calibration requirements were within acceptance criteria. Refer to calibration summary forms of ICAL, ICV and CCV for details. MRL was analyzed as required by the project. Refer to MRL summary form for details.

Method Blank

Method blank was prepared and analyzed at the frequency required by the project. For this SDG, one(1) method blank was analyzed. VG55D02B - result was compliant to project requirement. Refer to sample result summary form for details.

Lab Control Sample

Lab control sample was prepared and analyzed at a frequency required by the project. For this SDG, one(1) set of LCS/LCD was analyzed. VG55D02L/VG55D02C were within LCS limits. Refer to LCS summary form for details.

Matrix QC Sample

Matrix spike sample was prepared and analyzed at a frequency required by the project. For this SDG, one(1) set of MS/MSD was analyzed. Gasoline was within MS QC limits in D026-01M/D026-01S. Refer to Matrix QC summary form for details.

Surrogate

Surrogate was added on QC and field samples. All surrogate recoveries were within QC limits. Refer to sample result summary forms for details.

Sample Analysis

Samples were analyzed according to prescribed analytical procedures. Results were evaluated in accordance to project requirements. For this SDG, all quality control requirements were met.

LAB CHRONICLE
TOTAL PETROLEUM HYDROCARBONS BY PURGE AND TRAP

```

=====
Client      : EUROFINS EATON ANALYTICAL
Project     : 996833
=====
SDG NO.    : 22D026
Instrument ID : GCT055
=====

```

Client Sample ID	Laboratory Sample ID	Dilution Factor	% Moist	WATER		Extraction Date/Time	Sample Data FN	Calibration Data FN	Prep. Batch	Notes
				Analysis Date/Time	Extraction Date/Time					
MBLK1W	VG55D02B	1	NA	04/06/2215:29	04/06/2215:29	UD06005A	UD06004A	22VG55D02	Method Blank	
LCS1W	VG55D02L	1	NA	04/06/2216:06	04/06/2216:06	UD06006A	UD06004A	22VG55D02	Lab Control Sample (LCS)	
LCD1W	VG55D02C	1	NA	04/06/2216:43	04/06/2216:43	UD06007A	UD06004A	22VG55D02	LCS Duplicate	
202204050423	D026-02	1	NA	04/06/2219:10	04/06/2219:10	UD06011A	UD06004A	22VG55D02	Field Sample	
202204050422	D026-01	1	NA	04/06/2219:46	04/06/2219:46	UD06012A	UD06004A	22VG55D02	Field Sample	
202204050422MS	D026-01M	1	NA	04/06/2220:23	04/06/2220:23	UD06013A	UD06004A	22VG55D02	Matrix Spike Sample (MS)	
202204050422MSD	D026-01S	1	NA	04/06/2220:59	04/06/2220:59	UD06014A	UD06004A	22VG55D02	MS Duplicate (MSD)	

```

=====
FN          - Filename
% Moist    - Percent Moisture
=====

```

SAMPLE RESULTS

METHOD 5030B/8015B
TOTAL PETROLEUM HYDROCARBONS BY PURGE AND TRAP

```

=====
Client      : EUROFINS EATON ANALYTICAL   Date Collected: 04/04/22 10:41
Project     : 996833                     Date Received: 04/06/22
Batch No.   : 22D026                     Date Extracted: 04/06/22 19:46
Sample ID   : 202204050422              Date Analyzed: 04/06/22 19:46
Lab Samp ID: D026-01                     Dilution Factor: 1
Lab File ID: UD06012A                    Matrix: WATER
Ext Btch ID: 22VG55D02                  % Moisture: NA
Calib. Ref.: UD06004A                   Instrument ID: 55
=====

```

PARAMETERS	RESULTS (mg/L)	RL (mg/L)	MDL (mg/L)	
GASOLINE	ND	0.020	0.010	
SURROGATE PARAMETERS	RESULT	SPK_AMT	%RECOVERY	QC LIMIT
Bromofluorobenzene	0.0346	0.0400	87	60-140

Notes:
Parameter H-C Range
Gasoline C6-C10
Reported ND at RL quantitated per pattern recognition.

Detection limits are reported relative to sample result significant figures.
Sample Amount : 5ml Final Volume : 5ml
Prepared by : SCerva Analyzed by : SCerva

METHOD 5030B/8015B
TOTAL PETROLEUM HYDROCARBONS BY PURGE AND TRAP

```

=====
Client      : EUROFINS EATON ANALYTICAL   Date Collected: 04/04/22 10:41
Project     : 996833                     Date Received: 04/06/22
Batch No.   : 22D026                     Date Extracted: 04/06/22 19:10
Sample ID   : 202204050423              Date Analyzed: 04/06/22 19:10
Lab Samp ID : D026-02                    Dilution Factor: 1
Lab File ID : UD06011A                   Matrix: WATER
Ext Btch ID : 22VG55D02                  % Moisture: NA
Calib. Ref. : UD06004A                   Instrument ID: 55
=====

```

PARAMETERS	RESULTS (mg/L)	RL (mg/L)	MDL (mg/L)	
GASOLINE	ND	0.020	0.010	
SURROGATE PARAMETERS	RESULT	SPK_AMT	%RECOVERY	QC LIMIT
Bromofluorobenzene	0.0341	0.0400	85	60-140

Notes:
Parameter H-C Range
Gasoline C6-C10
Reported ND at RL quantitated per pattern recognition.

Detection limits are reported relative to sample result significant figures.
Sample Amount : 5ml Final Volume : 5ml
Prepared by : SCerva Analyzed by : SCerva

QC SUMMARIES

METHOD 5030B/8015B
 TOTAL PETROLEUM HYDROCARBONS BY PURGE AND TRAP

```

=====
Client       : EUROFINS EATON ANALYTICAL   Date Collected: 04/06/22 15:29
Project      : 996833                       Date Received: 04/06/22
Batch No.    : 22D026                       Date Extracted: 04/06/22 15:29
Sample ID    : MBLK1W                       Date Analyzed: 04/06/22 15:29
Lab Samp ID  : VG55D02B                     Dilution Factor: 1
Lab File ID  : UD06005A                     Matrix: WATER
Ext Btch ID  : 22VG55D02                   % Moisture: NA
Calib. Ref.  : UD06004A                     Instrument ID: 55
=====
  
```

PARAMETERS	RESULTS (mg/L)	RL (mg/L)	MDL (mg/L)
GASOLINE	ND	0.020	0.010

SURROGATE PARAMETERS	RESULT	SPK_AMT	%RECOVERY	QC LIMIT
Bromofluorobenzene	0.0347	0.0400	87	60-140

Notes:
 Parameter H-C Range
 Gasoline C6-C10
 Reported ND at RL quantitated per pattern recognition.

Detection limits are reported relative to sample result significant figures.
 Sample Amount : 5ml Final Volume : 5ml
 Prepared by : SCerva Analyzed by : SCerva

EMAX QUALITY CONTROL DATA
LAB CONTROL SAMPLE ANALYSIS

CLIENT : EUROFINS EATON ANALYTICAL
PROJECT : 996833
BATCH NO. : 22D026
METHOD : 5030B/8015B

```

=====
MATRIX      : WATER                               % MOISTURE:NA
DILUTION FACTOR: 1                               1
SAMPLE ID   : MBLK1W                             LCS1W         LCD1W
LAB SAMPLE ID : VG55D02B                         VG55D02L     VG55D02C
LAB FILE ID  : UD06005A                         UD06006A     UD06007A
DATE PREPARED : 04/06/22 15:29                   04/06/22 16:06 04/06/22 16:43
DATE ANALYZED : 04/06/22 15:29                   04/06/22 16:06 04/06/22 16:43
PREP BATCH   : 22VG55D02                         22VG55D02     22VG55D02
CALIBRATION REF: UD06004A                       UD06004A     UD06004A
  
```

ACCESSION:

PARAMETERS	MBResult (mg/L)	SpikeAmt (mg/L)	LCSResult (mg/L)	LCSRec (%)	SpikeAmt (mg/L)	LCDResult (mg/L)	LCDRec (%)	RPD (%)	QCLimit (%)	MaxRPD (%)
Gasoline	ND	0.500	0.439	88	0.500	0.467	93	6	60-130	30

SURROGATE PARAMETER	SpikeAmt (mg/L)	LCSResult (mg/L)	LCSRec (%)	SpikeAmt (mg/L)	LCDResult (mg/L)	LCDRec (%)	QCLimit (%)
Bromofluorobenzene	0.0400	0.0432	108	0.0400	0.0442	111	70-130

MB: Method Blank sample LCS: Lab Control Sample LCD: Lab Control Sample Duplicate

EMAX QUALITY CONTROL DATA
MS/MSD ANALYSIS

CLIENT : EUROFINS EATON ANALYTICAL
PROJECT : 996833
BATCH NO. : 22D026
METHOD : 5030B/8015B

```

=====
MATRIX      : WATER                               % MOISTURE:NA
DILUTION FACTOR: 1                               1
SAMPLE ID   : 202204050422                       202204050422MSD
LAB SAMPLE ID : D026-01                           D026-01S
LAB FILE ID  : UD06012A                           UD06013A
DATE PREPARED : 04/06/22 19:46                     04/06/22 20:23
DATE ANALYZED : 04/06/22 19:46                     04/06/22 20:59
PREP BATCH   : 22VG55D02                           22VG55D02
CALIBRATION REF: UD06004A                           UD06004A
  
```

ACCESSION:

PARAMETERS	PSResult (mg/L)	SpikeAmt (mg/L)	MSResult (mg/L)	MSRec (%)	SpikeAmt (mg/L)	MSDResult (mg/L)	MSDRec (%)	RPD (%)	QCLimit (%)	MaxRPD (%)
Gasoline	ND	0.500	0.432	86	0.500	0.459	92	6	50-130	30

SURROGATE PARAMETER	SpikeAmt (mg/L)	MSResult (mg/L)	MSRec (%)	SpikeAmt (mg/L)	MSDResult (mg/L)	MSDRec (%)	QCLimit (%)
Bromofluorobenzene	0.0400	0.0417	104	0.0400	0.0436	109	60-140

PS: Parent Sample MS: Matrix Spike MSD: Matrix Spike Duplicate

LABORATORY REPORT FOR

EUROFINS EATON ANALYTICAL

996833

METHOD 3520C/8015B
TOTAL PETROLEUM HYDROCARBONS BY EXTRACTION

SDG#: 22D026

CASE NARRATIVE

Client : EUROFINS EATON ANALYTICAL

Project: 996833

SDG : 22D026

METHOD 3520C/8015B TOTAL PETROLEUM HYDROCARBONS BY EXTRACTION

One(1) water sample was received on 04/06/22 to be analyzed for Total Petroleum Hydrocarbons by Extraction in accordance with Method 3520C/8015B and project specific requirements.

Holding Time

The sample was analyzed within the prescribed holding time.

Calibration

Multi-calibration points were generated to establish initial calibration (ICAL). ICAL was verified using a secondary source (ICV). Continuing calibration (CCV) verifications were carried out on a frequency specified by the project. All calibration requirements were within acceptance criteria. Refer to calibration summary forms of ICAL, ICV and CCV for details. MRL was analyzed as required by the project. Refer to MRL summary form for details.

Method Blank

Method blank was prepared and analyzed at the frequency required by the project. For this SDG, one(1) method blank was analyzed. DSD006WB - result was compliant to project requirement. Refer to sample result summary form for details.

Lab Control Sample

Lab control sample was prepared and analyzed at a frequency required by the project. For this SDG, one(1) LCS was analyzed. Percent recovery for Diesel was within LCS QC limits in DSD006WL. Refer to LCS summary form for details.

Matrix QC Sample

Matrix spike sample was prepared and analyzed at a frequency required by the project. For this SDG, one(1) set of MS/MSD was analyzed. Diesel was within MS QC limits in 22D026-01M/22D026-01S. Refer to Matrix QC summary form for details.

Surrogate

Surrogates were added on QC and field samples. All surrogate recoveries were within QC limits. Refer to sample result summary forms for details.

Sample Analysis

The sample was analyzed according to prescribed analytical procedures. Results were evaluated in accordance to project requirements. For this SDG, all quality control requirements were met.

LAB CHRONICLE
TOTAL PETROLEUM HYDROCARBONS BY EXTRACTION

Client : EUROFINS EATON ANALYTICAL
Project : 996833

SDG NO. : 22D026
Instrument ID : D5

Client Sample ID	Laboratory Sample ID	Dilution Factor	% Moist	Analysis DateTime	Extraction DateTime	Sample Data FN	Calibration Data FN	Prep. Batch	Notes
MBLK1W	DSD006WB	1	NA	04/07/2214:06	04/06/2215:15	LD07010A	LD07004A	22DSD006W	Method Blank
LCS1W	DSD006WL	1	NA	04/07/2214:24	04/06/2215:15	LD07011A	LD07004A	22DSD006W	Lab Control Sample (LCS)
202204050422	D026-01	1	NA	04/07/2217:47	04/06/2215:15	LD07021A	LD07004A	22DSD006W	Field Sample
202204050422MS	D026-01M	1	NA	04/07/2218:06	04/06/2215:15	LD07022A	LD07004A	22DSD006W	Matrix Spike Sample (MS)
202204050422MSD	D026-01S	1	NA	04/07/2218:24	04/06/2215:15	LD07023A	LD07004A	22DSD006W	MS Duplicate (MSD)

FN - Filename
% Moist - Percent Moisture

SAMPLE RESULTS

METHOD 3520C/8015B
TOTAL PETROLEUM HYDROCARBONS BY EXTRACTION

```

=====
Client      : EUROFINS EATON ANALYTICAL   Date Collected: 04/04/22 10:41
Project     : 996833                     Date Received: 04/06/22
Batch No.   : 22D026                     Date Extracted: 04/06/22 15:15
Sample ID   : 202204050422              Date Analyzed: 04/07/22 17:47
Lab Samp ID : 22D026-01                 Dilution Factor: 1
Lab File ID : LD07021A                  Matrix: WATER
Ext Btch ID : 22DSD006W                 % Moisture: NA
Calib. Ref.: LD07004A                  Instrument ID: D5
=====

```

PARAMETERS	RESULTS (mg/L)	RL (mg/L)	MDL (mg/L)		
Diesel	ND	0.025	0.012		
Motor Oil	ND	0.050	0.025		
SURROGATE PARAMETERS	RESULT	SPK_AMT	%RECOVERY	QC LIMIT	
Bromobenzene	0.399	0.500	80	60-130	
Hexacosane	0.130	0.125	104	60-130	

Notes:

Parameter H-C Range
Diesel C10-C24
Motor Oil C24-C36

Reported ND at RL quantitated per pattern recognition.

Detection limits are reported relative to sample result significant figures.

Sample Amount : 1000ml Final Volume : 5ml
Prepared by : P0reto Analyzed by : SDeeso

QC SUMMARIES

METHOD 3520C/8015B
TOTAL PETROLEUM HYDROCARBONS BY EXTRACTION

```

=====
Client      : EUROFINS EATON ANALYTICAL   Date Collected: 04/06/22 15:15
Project     : 996833                      Date Received: 04/06/22
Batch No.   : 22D026                      Date Extracted: 04/06/22 15:15
Sample ID   : MBLK1W                      Date Analyzed: 04/07/22 14:06
Lab Samp ID: DSD006WB                    Dilution Factor: 1
Lab File ID: LD07010A                    Matrix: WATER
Ext Btch ID: 22DSD006W                   % Moisture: NA
Calib. Ref.: LD07004A                    Instrument ID: D5
=====

```

PARAMETERS	RESULTS (mg/L)	RL (mg/L)	MDL (mg/L)	
Diesel	ND	0.025	0.012	
Motor Oil	ND	0.050	0.025	
SURROGATE PARAMETERS	RESULT	SPK_AMT	%RECOVERY	QC LIMIT
Bromobenzene	0.426	0.500	85	60-130
Hexacosane	0.133	0.125	106	60-130

Notes:
Parameter H-C Range
Diesel C10-C24
Motor Oil C24-C36
Reported ND at RL quantitated per pattern recognition.

Detection limits are reported relative to sample result significant figures.
Sample Amount : 1000ml Final Volume : 5ml
Prepared by : P0reto Analyzed by : SDeeso

EMAX QUALITY CONTROL DATA
LAB CONTROL SAMPLE ANALYSIS

CLIENT : EUROFINS EATON ANALYTICAL
PROJECT : 996833
BATCH NO. : 22D026
METHOD : 3520C/8015B

MATRIX : WATER % MOISTURE:NA
DILUTION FACTOR: 1 1
SAMPLE ID : MBLK1W LCS1W
LAB SAMPLE ID : DSD006WB DSD006WL
LAB FILE ID : LD07010A LD07011A
DATE PREPARED : 04/06/22 15:15 04/06/22 15:15
DATE ANALYZED : 04/07/22 14:06 04/07/22 14:24
PREP BATCH : 22DSD006W 22DSD006W
CALIBRATION REF: LD07004A LD07004A

ACCESSION:

PARAMETERS	MBResult (mg/L)	SpikeAmt (mg/L)	LCSResult (mg/L)	LCSRec (%)	QCLimit (%)
Diesel	ND	2.50	2.95	118	50-130

SURROGATE PARAMETERS	SpikeAmt (mg/L)	LCSResult (mg/L)	LCSRec (%)	QCLimit (%)
Bromobenzene	0.500	0.468	94	60-130
Hexacosane	0.125	0.136	109	60-130

MB: Method Blank sample LCS: Lab Control Sample

EMAX QUALITY CONTROL DATA
MS/MSD ANALYSIS

CLIENT : EUROFINS EATON ANALYTICAL
PROJECT : 996833
BATCH NO. : 22D026
METHOD : 3520C/8015B

```

=====
MATRIX      : WATER                                % MOISTURE:NA
DILUTION FACTOR: 1                                1
SAMPLE ID   : 202204050422                        202204050422MSD
LAB SAMPLE ID : 22D026-01                          22D026-01S
LAB FILE ID  : LD07021A                           LD07022A
DATE PREPARED : 04/06/22 15:15                    04/06/22 15:15
DATE ANALYZED : 04/07/22 17:47                    04/07/22 18:24
PREP BATCH   : 22DSD006W                          22DSD006W
CALIBRATION REF: LD07004A                          LD07004A
=====
  
```

ACCESSION:

PARAMETERS	PSResult (mg/L)	SpikeAmt (mg/L)	MSResult (mg/L)	MSRec (%)	SpikeAmt (mg/L)	MSDResult (mg/L)	MSDRec (%)	RPD (%)	QCLimit (%)	MaxRPD (%)
Diesel	ND	2.62	3.07	117	2.58	2.93	114	5	50-130	30

SURROGATE PARAMETERS	SpikeAmt (mg/L)	MSResult (mg/L)	MSRec (%)	SpikeAmt (mg/L)	MSDResult (mg/L)	MSDRec (%)	QCLimit (%)
Bromobenzene	0.525	0.514	98	0.515	0.478	93	60-130
Hexacosane	0.131	0.151	115	0.129	0.143	111	60-130

PS: Parent Sample MS: Matrix Spike MSD: Matrix Spike Duplicate