

## ANALYTICAL REPORT

Eurofins Eaton Monrovia  
750 Royal Oaks Drive  
Suite 100  
Monrovia, CA 91016  
Tel: (626)386-1100

Laboratory Job ID: 380-1127-1  
Client Project/Site: RED-HILL

For:  
City & County of Honolulu  
630 South Beretania Street  
Public Service Bldg. Room 308  
Honolulu, Hawaii 96843

Attn: Mr. Erwin Kawata



---

Authorized for release by:  
10/19/2022 12:41:46 PM  
Debbie Frank, Project Manager  
[Debbie.Frank@et.eurofinsus.com](mailto:Debbie.Frank@et.eurofinsus.com)

Designee for  
Rachelle Arada, Manager of Project Management  
(626)386-1106  
[Rachelle.Arada@et.eurofinsus.com](mailto:Rachelle.Arada@et.eurofinsus.com)

### LINKS

Review your project  
results through



Have a Question?



Visit us at:

[www.eurofinsus.com/Env](http://www.eurofinsus.com/Env)

This report has been electronically signed and authorized by the signatory. Electronic signature is intended to be the legally binding equivalent of a traditionally handwritten signature.

Results relate only to the items tested and the sample(s) as received by the laboratory.

1. Laboratory is accredited in accordance with TNI 2016 Standards and ISO/IEC 17025:2017.
2. Laboratory certifies that the test results meet all TNI 2016 and ISO/IEC 17025:2017 requirements unless noted under the individual analysis
3. Test results relate only to the sample(s) tested.
4. This report shall not be reproduced except in full, without the written approval of the laboratory.
5. Unless otherwise noted, all analytes for this laboratory were covered under each accreditation/certification below. (DW,Water matrices)



---

Debbie Frank  
Project Manager  
10/19/2022 12:41:46 PM





# Table of Contents

Cover Page . . . . .	1
Table of Contents . . . . .	3
Definitions/Glossary . . . . .	4
Case Narrative . . . . .	5
Detection Summary . . . . .	6
Client Sample Results . . . . .	7
Action Limit Summary . . . . .	9
Surrogate Summary . . . . .	10
QC Sample Results . . . . .	11
QC Association Summary . . . . .	22
Lab Chronicle . . . . .	23
Certification Summary . . . . .	24
Method Summary . . . . .	26
Sample Summary . . . . .	27
Subcontract Data . . . . .	28
Chain of Custody . . . . .	66
Receipt Checklists . . . . .	74

# Definitions/Glossary

Client: City & County of Honolulu  
Project/Site: RED-HILL

Job ID: 380-1127-1

## Qualifiers

### GC/MS Semi VOA

Qualifier	Qualifier Description
*+	LCS and/or LCSD is outside acceptance limits, high biased.
^3+	Reporting Limit Check Standard is outside acceptance limits, high biased
F1	MS and/or MSD recovery exceeds control limits.

### GC/MS Semi VOA TICs

Qualifier	Qualifier Description
J	Indicates an Estimated Value for TICs
N	Presumptive evidence of material.
T	Result is a tentatively identified compound (TIC) and an estimated value.

## Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
α	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CFU	Colony Forming Unit
CNF	Contains No Free Liquid
DER	Duplicate Error Ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL	Detection Limit (DoD/DOE)
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision Level Concentration (Radiochemistry)
EDL	Estimated Detection Limit (Dioxin)
LOD	Limit of Detection (DoD/DOE)
LOQ	Limit of Quantitation (DoD/DOE)
MCL	EPA recommended "Maximum Contaminant Level"
MDA	Minimum Detectable Activity (Radiochemistry)
MDC	Minimum Detectable Concentration (Radiochemistry)
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
MPN	Most Probable Number
MQL	Method Quantitation Limit
NC	Not Calculated
ND	Not Detected at the reporting limit (or MDL or EDL if shown)
NEG	Negative / Absent
POS	Positive / Present
PQL	Practical Quantitation Limit
PRES	Presumptive
QC	Quality Control
RER	Relative Error Ratio (Radiochemistry)
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)
TNTC	Too Numerous To Count

# Case Narrative

Client: City & County of Honolulu  
Project/Site: RED-HILL

Job ID: 380-1127-1

---

## Job ID: 380-1127-1

---

### Laboratory: Eurofins Eaton Monrovia

#### Narrative

---

#### Job Narrative 380-1127-1

#### Comments

The sublab's data is not able to be imported into EEA TALS at the time of this submission. The detection summary report only applies to EEA data. See the attached sublab's data report for sample results. Subs Data is Non Detect.

#### Receipt

The samples were received on 5/4/2022 11:11 AM. Unless otherwise noted below, the samples arrived in good condition, and where required, properly preserved and on ice. The temperatures of the 5 coolers at receipt time were 1.6° C, 4.1° C, 4.5° C, 5.2° C and 5.3° C.

#### GC/MS Semi VOA

Method 525.2: The laboratory control sample (LCS) and / or laboratory control sample duplicate (LCSD) for preparation batch 380-3642 and analytical batch 380-3927 recovered outside control limits for the following analytes: Butachlor and Chlorobenzilate. These analytes were biased high in the LCS and were not detected in the associated samples; therefore, the data have been reported.

Method 525.2: The method reporting limit check (MRL) for preparation batch 380-3642 and analytical batch 380-3927 recovered outside control limits for the following analytes: Bromacil, Butylbenzylphthalate, Endrin and Pendimethalin (Penoxaline). These analytes were biased high in the MRL and were not detected in the associated samples; therefore, the data have been reported.

Method 525.2: The matrix spike (MS) recoveries for preparation batch 380-3642 and analytical batch 380-3927 was outside control limits. Compounds Bromacil, Chlorobenzilate, Endrin aldehyde, Parathion and Terbacil were outside control limits in the MS. Sample matrix interference and/or non-homogeneity is suspected.

Method 525.2: The Method Blank (MB) had hits above the detection limit but below the reporting limit for preparation batch 380-3642 and analytical batch 380-3927 .

Samples are ND for these compounds. Affected analytes: Di(2-ethylhexyl)adipate and Di-n-butyl phthalate.

No additional analytical or quality issues were noted, other than those described above or in the Definitions/Glossary page.

#### Subcontract non-Sister

See attached subcontract report.

#### Organic Prep

No analytical or quality issues were noted, other than those described in the Definitions/Glossary page.

#### Subcontract Work

Methods 8015 Diesel LL (EAL) and Motor Oil, 8015 Gas (Purgeable) LL (EAL): These methods were subcontracted to EMAX Laboratories Inc. The subcontract laboratory certifications are different from that of the facility issuing the final report.

# Detection Summary

Client: City & County of Honolulu  
Project/Site: RED-HILL

Job ID: 380-1127-1

---

**Client Sample ID: HALAWA WELLS P1 (331-023-WL065)**

**Lab Sample ID: 380-1127-1**

No Detections.

---

**Client Sample ID: TRAVEL BLANK**

**Lab Sample ID: 380-1127-2**

No Detections.

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14
- 15
- 16
- 17

This Detection Summary does not include radiochemical test results.

Eurofins Eaton Monrovia

# Client Sample Results

Client: City & County of Honolulu  
Project/Site: RED-HILL

Job ID: 380-1127-1

**Client Sample ID: HALAWA WELLS P1 (331-023-WL065)**

**Lab Sample ID: 380-1127-1**

Date Collected: 05/02/22 10:57

Matrix: Drinking Water

Date Received: 05/04/22 11:11

**Method: EPA 525.2 - Semivolatile Organic Compounds (GC/MS)**

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
2,4'-DDD	ND		0.099	ug/L		05/06/22 09:45	05/10/22 16:26	1
2,4'-DDE	ND		0.099	ug/L		05/06/22 09:45	05/10/22 16:26	1
2,4'-DDT	ND		0.099	ug/L		05/06/22 09:45	05/10/22 16:26	1
2,4-Dinitrotoluene	ND		0.099	ug/L		05/06/22 09:45	05/10/22 16:26	1
2,6-Dinitrotoluene	ND		0.099	ug/L		05/06/22 09:45	05/10/22 16:26	1
4,4'-DDD	ND		0.099	ug/L		05/06/22 09:45	05/10/22 16:26	1
4,4'-DDE	ND		0.099	ug/L		05/06/22 09:45	05/10/22 16:26	1
4,4'-DDT	ND		0.099	ug/L		05/06/22 09:45	05/10/22 16:26	1
Acenaphthene	ND		0.099	ug/L		05/06/22 09:45	05/10/22 16:26	1
Acenaphthylene	ND		0.099	ug/L		05/06/22 09:45	05/10/22 16:26	1
Acetochlor	ND		0.099	ug/L		05/06/22 09:45	05/10/22 16:26	1
Alachlor	ND		0.049	ug/L		05/06/22 09:45	05/10/22 16:26	1
alpha-BHC	ND		0.099	ug/L		05/06/22 09:45	05/10/22 16:26	1
alpha-Chlordane	ND		0.049	ug/L		05/06/22 09:45	05/10/22 16:26	1
Anthracene	ND		0.020	ug/L		05/06/22 09:45	05/10/22 16:26	1
Atrazine	ND		0.049	ug/L		05/06/22 09:45	05/10/22 16:26	1
Benz(a)anthracene	ND		0.049	ug/L		05/06/22 09:45	05/10/22 16:26	1
Benzo[a]pyrene	ND		0.020	ug/L		05/06/22 09:45	05/10/22 16:26	1
Benzo[b]fluoranthene	ND		0.020	ug/L		05/06/22 09:45	05/10/22 16:26	1
Benzo[g,h,i]perylene	ND		0.049	ug/L		05/06/22 09:45	05/10/22 16:26	1
Benzo[k]fluoranthene	ND		0.020	ug/L		05/06/22 09:45	05/10/22 16:26	1
beta-BHC	ND		0.099	ug/L		05/06/22 09:45	05/10/22 16:26	1
Bromacil	ND	^3+	0.099	ug/L		05/06/22 09:45	05/10/22 16:26	1
Butachlor	ND	*+	0.049	ug/L		05/06/22 09:45	05/10/22 16:26	1
Butylbenzylphthalate	ND	^3+	0.49	ug/L		05/06/22 09:45	05/10/22 16:26	1
Caffeine	ND		0.049	ug/L		05/06/22 09:45	05/10/22 16:26	1
Chlorobenzilate	ND	*+	0.099	ug/L		05/06/22 09:45	05/10/22 16:26	1
Chloroneb	ND		0.099	ug/L		05/06/22 09:45	05/10/22 16:26	1
Chlorothalonil (Draconil, Bravo)	ND		0.099	ug/L		05/06/22 09:45	05/10/22 16:26	1
Chlorpyrifos	ND		0.049	ug/L		05/06/22 09:45	05/10/22 16:26	1
Chrysene	ND		0.020	ug/L		05/06/22 09:45	05/10/22 16:26	1
delta-BHC	ND		0.099	ug/L		05/06/22 09:45	05/10/22 16:26	1
Di(2-ethylhexyl)adipate	ND		0.59	ug/L		05/06/22 09:45	05/10/22 16:26	1
Bis(2-ethylhexyl) phthalate	ND		0.59	ug/L		05/06/22 09:45	05/10/22 16:26	1
Diazinon (Qualitative)	ND		0.099	ug/L		05/06/22 09:45	05/10/22 16:26	1
Dibenz(a,h)anthracene	ND		0.049	ug/L		05/06/22 09:45	05/10/22 16:26	1
Diclorvos (DDVP)	ND		0.049	ug/L		05/06/22 09:45	05/10/22 16:26	1
Dieldrin	ND		0.20	ug/L		05/06/22 09:45	05/10/22 16:26	1
Diethylphthalate	ND		0.49	ug/L		05/06/22 09:45	05/10/22 16:26	1
Dimethoate	ND		0.099	ug/L		05/06/22 09:45	05/10/22 16:26	1
Dimethylphthalate	ND		0.49	ug/L		05/06/22 09:45	05/10/22 16:26	1
Di-n-butyl phthalate	ND		0.99	ug/L		05/06/22 09:45	05/10/22 16:26	1
Di-n-octyl phthalate	ND		0.099	ug/L		05/06/22 09:45	05/10/22 16:26	1
Endosulfan I (Alpha)	ND		0.099	ug/L		05/06/22 09:45	05/10/22 16:26	1
Endosulfan II (Beta)	ND		0.099	ug/L		05/06/22 09:45	05/10/22 16:26	1
Endosulfan sulfate	ND		0.099	ug/L		05/06/22 09:45	05/10/22 16:26	1
Endrin	ND	^3+	0.099	ug/L		05/06/22 09:45	05/10/22 16:26	1
Endrin aldehyde	ND		0.099	ug/L		05/06/22 09:45	05/10/22 16:26	1
EPTC	ND		0.099	ug/L		05/06/22 09:45	05/10/22 16:26	1

# Client Sample Results

Client: City & County of Honolulu  
Project/Site: RED-HILL

Job ID: 380-1127-1

**Client Sample ID: HALAWA WELLS P1 (331-023-WL065)**

**Lab Sample ID: 380-1127-1**

Date Collected: 05/02/22 10:57

Matrix: Drinking Water

Date Received: 05/04/22 11:11

**Method: EPA 525.2 - Semivolatile Organic Compounds (GC/MS) (Continued)**

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Fluoranthene	ND		0.099	ug/L		05/06/22 09:45	05/10/22 16:26	1
Fluorene	ND		0.049	ug/L		05/06/22 09:45	05/10/22 16:26	1
gamma-Chlordane	ND		0.049	ug/L		05/06/22 09:45	05/10/22 16:26	1
Heptachlor	ND		0.039	ug/L		05/06/22 09:45	05/10/22 16:26	1
Heptachlor epoxide (isomer B)	ND		0.049	ug/L		05/06/22 09:45	05/10/22 16:26	1
Hexachlorobenzene	ND		0.049	ug/L		05/06/22 09:45	05/10/22 16:26	1
Hexachlorocyclopentadiene	ND		0.049	ug/L		05/06/22 09:45	05/10/22 16:26	1
Indeno[1,2,3-cd]pyrene	ND		0.049	ug/L		05/06/22 09:45	05/10/22 16:26	1
Isophorone	ND		0.49	ug/L		05/06/22 09:45	05/10/22 16:26	1
Lindane	ND		0.039	ug/L		05/06/22 09:45	05/10/22 16:26	1
Malathion	ND		0.099	ug/L		05/06/22 09:45	05/10/22 16:26	1
Methoxychlor	ND		0.099	ug/L		05/06/22 09:45	05/10/22 16:26	1
Metolachlor	ND		0.049	ug/L		05/06/22 09:45	05/10/22 16:26	1
Metribuzin	ND		0.049	ug/L		05/06/22 09:45	05/10/22 16:26	1
Molinate	ND		0.099	ug/L		05/06/22 09:45	05/10/22 16:26	1
Naphthalene	ND		0.30	ug/L		05/06/22 09:45	05/10/22 16:26	1
Parathion	ND		0.099	ug/L		05/06/22 09:45	05/10/22 16:26	1
Pendimethalin (Penoxaline)	ND	^3+	0.099	ug/L		05/06/22 09:45	05/10/22 16:26	1
Total Permethrin (mixed isomers)	ND		0.20	ug/L		05/06/22 09:45	05/10/22 16:26	1
Phenanthrene	ND		0.039	ug/L		05/06/22 09:45	05/10/22 16:26	1
Propachlor	ND		0.049	ug/L		05/06/22 09:45	05/10/22 16:26	1
Pyrene	ND		0.049	ug/L		05/06/22 09:45	05/10/22 16:26	1
Simazine	ND		0.049	ug/L		05/06/22 09:45	05/10/22 16:26	1
Terbacil	ND		0.099	ug/L		05/06/22 09:45	05/10/22 16:26	1
Terbutylazine	ND		0.099	ug/L		05/06/22 09:45	05/10/22 16:26	1
Thiobencarb	ND		0.20	ug/L		05/06/22 09:45	05/10/22 16:26	1
trans-Nonachlor	ND		0.049	ug/L		05/06/22 09:45	05/10/22 16:26	1
Trifluralin	ND		0.099	ug/L		05/06/22 09:45	05/10/22 16:26	1

Tentatively Identified Compound	Est. Result	Qualifier	Unit	D	RT	CAS No.	Prepared	Analyzed	Dil Fac
Tentatively Identified Compound	None		ug/L				05/06/22 09:45	05/10/22 16:26	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
2-Nitro-m-xylene	103		70 - 130	05/06/22 09:45	05/10/22 16:26	1
Triphenylphosphate	104		70 - 130	05/06/22 09:45	05/10/22 16:26	1
Perylene-d12	93		70 - 130	05/06/22 09:45	05/10/22 16:26	1



# Action Limit Summary

Client: City & County of Honolulu  
Project/Site: RED-HILL

Job ID: 380-1127-1

**Client Sample ID: HALAWA WELLS P1 (331-023-WL065)**

**Lab Sample ID: 380-1127-1**

## Compliance Check

The results obtained from the analytical testing of this data set were checked against compliance limits received from the client. Any results at or above the compliance limits have been highlighted for your convenience.

Analyte	Result	Qualifier	Unit	EPAMCL	RL	Method	Prep Type
				Limit			
Alachlor	ND		ug/L	2	0.049	525.2	Total/NA
Atrazine	ND		ug/L	3	0.049	525.2	Total/NA
Benzo[a]pyrene	ND		ug/L	0.2	0.020	525.2	Total/NA
Di(2-ethylhexyl)adipate	ND		ug/L	400	0.59	525.2	Total/NA
Bis(2-ethylhexyl) phthalate	ND		ug/L	6	0.59	525.2	Total/NA
Endrin	ND	^3+	ug/L	2	0.099	525.2	Total/NA
Heptachlor	ND		ug/L	0.4	0.039	525.2	Total/NA
Heptachlor epoxide (isomer B)	ND		ug/L	0.2	0.049	525.2	Total/NA
Hexachlorobenzene	ND		ug/L	1	0.049	525.2	Total/NA
Hexachlorocyclopentadiene	ND		ug/L	50	0.049	525.2	Total/NA
Lindane	ND		ug/L	0.2	0.039	525.2	Total/NA
Methoxychlor	ND		ug/L	40	0.099	525.2	Total/NA
Simazine	ND		ug/L	4	0.049	525.2	Total/NA

# Surrogate Summary

Client: City & County of Honolulu  
 Project/Site: RED-HILL

Job ID: 380-1127-1

## Method: 525.2 - Semivolatile Organic Compounds (GC/MS)

Matrix: Drinking Water

Prep Type: Total/NA

### Percent Surrogate Recovery (Acceptance Limits)

Lab Sample ID	Client Sample ID	2NMX (70-130)	TPP (70-130)	PRY (70-130)
380-1127-1	HALAWA WELLS P1 (331-023-V)	103	104	93

#### Surrogate Legend

2NMX = 2-Nitro-m-xylene  
 TPP = Triphenylphosphate  
 PRY = Perylene-d12

## Method: 525.2 - Semivolatile Organic Compounds (GC/MS)

Matrix: Water

Prep Type: Total/NA

### Percent Surrogate Recovery (Acceptance Limits)

Lab Sample ID	Client Sample ID	2NMX (70-130)	TPP (70-130)	PRY (70-130)
380-760-E-1-A DU	Duplicate	103	106	93
380-875-B-1-A MS	Matrix Spike	102	107	97
LCS 380-3642/3-A	Lab Control Sample	104	103	96
LCSD 380-3642/4-A	Lab Control Sample Dup	103	106	97
MB 380-3642/1-A	Method Blank	102	106	96
MRL 380-3642/2-A	Lab Control Sample	103	107	94

#### Surrogate Legend

2NMX = 2-Nitro-m-xylene  
 TPP = Triphenylphosphate  
 PRY = Perylene-d12

# QC Sample Results

Client: City & County of Honolulu  
 Project/Site: RED-HILL

Job ID: 380-1127-1

## Method: 525.2 - Semivolatile Organic Compounds (GC/MS)

**Lab Sample ID: MB 380-3642/1-A**  
**Matrix: Water**  
**Analysis Batch: 3927**

**Client Sample ID: Method Blank**  
**Prep Type: Total/NA**  
**Prep Batch: 3642**

Analyte	MB Result	MB Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
2,4'-DDD	ND		0.099	ug/L		05/06/22 09:45	05/10/22 11:25	1
2,4'-DDE	ND		0.099	ug/L		05/06/22 09:45	05/10/22 11:25	1
2,4'-DDT	ND		0.099	ug/L		05/06/22 09:45	05/10/22 11:25	1
2,4-Dinitrotoluene	ND		0.099	ug/L		05/06/22 09:45	05/10/22 11:25	1
2,6-Dinitrotoluene	ND		0.099	ug/L		05/06/22 09:45	05/10/22 11:25	1
4,4'-DDD	ND		0.099	ug/L		05/06/22 09:45	05/10/22 11:25	1
4,4'-DDE	ND		0.099	ug/L		05/06/22 09:45	05/10/22 11:25	1
4,4'-DDT	ND		0.099	ug/L		05/06/22 09:45	05/10/22 11:25	1
Acenaphthene	ND		0.099	ug/L		05/06/22 09:45	05/10/22 11:25	1
Acenaphthylene	ND		0.099	ug/L		05/06/22 09:45	05/10/22 11:25	1
Acetochlor	ND		0.099	ug/L		05/06/22 09:45	05/10/22 11:25	1
Alachlor	ND		0.050	ug/L		05/06/22 09:45	05/10/22 11:25	1
alpha-BHC	ND		0.099	ug/L		05/06/22 09:45	05/10/22 11:25	1
alpha-Chlordane	ND		0.050	ug/L		05/06/22 09:45	05/10/22 11:25	1
Anthracene	ND		0.020	ug/L		05/06/22 09:45	05/10/22 11:25	1
Atrazine	ND		0.050	ug/L		05/06/22 09:45	05/10/22 11:25	1
Benz(a)anthracene	ND		0.050	ug/L		05/06/22 09:45	05/10/22 11:25	1
Benzo[a]pyrene	ND		0.020	ug/L		05/06/22 09:45	05/10/22 11:25	1
Benzo[b]fluoranthene	ND		0.020	ug/L		05/06/22 09:45	05/10/22 11:25	1
Benzo[g,h,i]perylene	ND		0.050	ug/L		05/06/22 09:45	05/10/22 11:25	1
Benzo[k]fluoranthene	ND		0.020	ug/L		05/06/22 09:45	05/10/22 11:25	1
beta-BHC	ND		0.099	ug/L		05/06/22 09:45	05/10/22 11:25	1
Bromacil	ND		0.099	ug/L		05/06/22 09:45	05/10/22 11:25	1
Butachlor	ND		0.050	ug/L		05/06/22 09:45	05/10/22 11:25	1
Butylbenzylphthalate	ND		0.50	ug/L		05/06/22 09:45	05/10/22 11:25	1
Caffeine	ND		0.050	ug/L		05/06/22 09:45	05/10/22 11:25	1
Chlorobenzilate	ND		0.099	ug/L		05/06/22 09:45	05/10/22 11:25	1
Chloroneb	ND		0.099	ug/L		05/06/22 09:45	05/10/22 11:25	1
Chlorothalonil (Draconil, Bravo)	ND		0.099	ug/L		05/06/22 09:45	05/10/22 11:25	1
Chlorpyrifos	ND		0.050	ug/L		05/06/22 09:45	05/10/22 11:25	1
Chrysene	ND		0.020	ug/L		05/06/22 09:45	05/10/22 11:25	1
delta-BHC	ND		0.099	ug/L		05/06/22 09:45	05/10/22 11:25	1
Di(2-ethylhexyl)adipate	ND		0.59	ug/L		05/06/22 09:45	05/10/22 11:25	1
Bis(2-ethylhexyl) phthalate	ND		0.59	ug/L		05/06/22 09:45	05/10/22 11:25	1
Diazinon (Qualitative)	ND		0.099	ug/L		05/06/22 09:45	05/10/22 11:25	1
Dibenz(a,h)anthracene	ND		0.050	ug/L		05/06/22 09:45	05/10/22 11:25	1
Diclorvos (DDVP)	ND		0.050	ug/L		05/06/22 09:45	05/10/22 11:25	1
Dieldrin	ND		0.20	ug/L		05/06/22 09:45	05/10/22 11:25	1
Diethylphthalate	ND		0.50	ug/L		05/06/22 09:45	05/10/22 11:25	1
Dimethoate	ND		0.099	ug/L		05/06/22 09:45	05/10/22 11:25	1
Dimethylphthalate	ND		0.50	ug/L		05/06/22 09:45	05/10/22 11:25	1
Di-n-butyl phthalate	ND		0.99	ug/L		05/06/22 09:45	05/10/22 11:25	1
Di-n-octyl phthalate	ND		0.099	ug/L		05/06/22 09:45	05/10/22 11:25	1
Endosulfan I (Alpha)	ND		0.099	ug/L		05/06/22 09:45	05/10/22 11:25	1
Endosulfan II (Beta)	ND		0.099	ug/L		05/06/22 09:45	05/10/22 11:25	1
Endosulfan sulfate	ND		0.099	ug/L		05/06/22 09:45	05/10/22 11:25	1
Endrin	ND		0.099	ug/L		05/06/22 09:45	05/10/22 11:25	1
Endrin aldehyde	ND		0.099	ug/L		05/06/22 09:45	05/10/22 11:25	1

Eurofins Eaton Monrovia

# QC Sample Results

Client: City & County of Honolulu  
Project/Site: RED-HILL

Job ID: 380-1127-1

## Method: 525.2 - Semivolatile Organic Compounds (GC/MS) (Continued)

**Lab Sample ID: MB 380-3642/1-A**  
**Matrix: Water**  
**Analysis Batch: 3927**

**Client Sample ID: Method Blank**  
**Prep Type: Total/NA**  
**Prep Batch: 3642**

Analyte	MB Result	MB Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
EPTC	ND		0.099	ug/L		05/06/22 09:45	05/10/22 11:25	1
Fluoranthene	ND		0.099	ug/L		05/06/22 09:45	05/10/22 11:25	1
Fluorene	ND		0.050	ug/L		05/06/22 09:45	05/10/22 11:25	1
gamma-Chlordane	ND		0.050	ug/L		05/06/22 09:45	05/10/22 11:25	1
Heptachlor	ND		0.040	ug/L		05/06/22 09:45	05/10/22 11:25	1
Heptachlor epoxide (isomer B)	ND		0.050	ug/L		05/06/22 09:45	05/10/22 11:25	1
Hexachlorobenzene	ND		0.050	ug/L		05/06/22 09:45	05/10/22 11:25	1
Hexachlorocyclopentadiene	ND		0.050	ug/L		05/06/22 09:45	05/10/22 11:25	1
Indeno[1,2,3-cd]pyrene	ND		0.050	ug/L		05/06/22 09:45	05/10/22 11:25	1
Isophorone	ND		0.50	ug/L		05/06/22 09:45	05/10/22 11:25	1
Lindane	ND		0.040	ug/L		05/06/22 09:45	05/10/22 11:25	1
Malathion	ND		0.099	ug/L		05/06/22 09:45	05/10/22 11:25	1
Methoxychlor	ND		0.099	ug/L		05/06/22 09:45	05/10/22 11:25	1
Metolachlor	ND		0.050	ug/L		05/06/22 09:45	05/10/22 11:25	1
Metribuzin	ND		0.050	ug/L		05/06/22 09:45	05/10/22 11:25	1
Molinate	ND		0.099	ug/L		05/06/22 09:45	05/10/22 11:25	1
Naphthalene	ND		0.30	ug/L		05/06/22 09:45	05/10/22 11:25	1
Parathion	ND		0.099	ug/L		05/06/22 09:45	05/10/22 11:25	1
Pendimethalin (Penoxaline)	ND		0.099	ug/L		05/06/22 09:45	05/10/22 11:25	1
Total Permethrin (mixed isomers)	ND		0.20	ug/L		05/06/22 09:45	05/10/22 11:25	1
Phenanthrene	ND		0.040	ug/L		05/06/22 09:45	05/10/22 11:25	1
Propachlor	ND		0.050	ug/L		05/06/22 09:45	05/10/22 11:25	1
Pyrene	ND		0.050	ug/L		05/06/22 09:45	05/10/22 11:25	1
Simazine	ND		0.050	ug/L		05/06/22 09:45	05/10/22 11:25	1
Terbacil	ND		0.099	ug/L		05/06/22 09:45	05/10/22 11:25	1
Terbutylazine	ND		0.099	ug/L		05/06/22 09:45	05/10/22 11:25	1
Thiobencarb	ND		0.20	ug/L		05/06/22 09:45	05/10/22 11:25	1
trans-Nonachlor	ND		0.050	ug/L		05/06/22 09:45	05/10/22 11:25	1
Trifluralin	ND		0.099	ug/L		05/06/22 09:45	05/10/22 11:25	1

<i>Tentatively Identified Compound</i>	MB Est. Result	MB Qualifier	Unit	D	RT	CAS No.	Prepared	Analyzed	Dil Fac
<i>Decane</i>	2.00	T J N	ug/L		2.34	124-18-5	05/06/22 09:45	05/10/22 11:25	1
<i>Unknown</i>	0.990	T J	ug/L		3.15		05/06/22 09:45	05/10/22 11:25	1
<i>Unknown</i>	2.04	T J	ug/L		3.63		05/06/22 09:45	05/10/22 11:25	1
<i>Silanamine, N-[2,6-dimethyl-4- [(trimethylsilyl)oxy]phenyl]-1</i>	0.559	T J N	ug/L		3.73	72088-09-6	05/06/22 09:45	05/10/22 11:25	1
<i>Octadecane</i>	0.883	T J N	ug/L		5.09	593-45-3	05/06/22 09:45	05/10/22 11:25	1
<i>n-Hexadecanoic acid</i>	1.86	T J N	ug/L		5.70	57-10-3	05/06/22 09:45	05/10/22 11:25	1
<i>Octadecanoic acid</i>	1.75	T J N	ug/L		6.37	57-11-4	05/06/22 09:45	05/10/22 11:25	1
<i>9-Octadecenamide, (Z)-</i>	0.592	T J N	ug/L		7.29	301-02-0	05/06/22 09:45	05/10/22 11:25	1

Surrogate	MB %Recovery	MB Qualifier	Limits	Prepared	Analyzed	Dil Fac
2-Nitro-m-xylene	102		70 - 130	05/06/22 09:45	05/10/22 11:25	1
Triphenylphosphate	106		70 - 130	05/06/22 09:45	05/10/22 11:25	1
Perylene-d12	96		70 - 130	05/06/22 09:45	05/10/22 11:25	1

Eurofins Eaton Monrovia

# QC Sample Results

Client: City & County of Honolulu  
Project/Site: RED-HILL

Job ID: 380-1127-1

## Method: 525.2 - Semivolatile Organic Compounds (GC/MS) (Continued)

**Lab Sample ID: LCS 380-3642/3-A**  
**Matrix: Water**  
**Analysis Batch: 3927**

**Client Sample ID: Lab Control Sample**  
**Prep Type: Total/NA**  
**Prep Batch: 3642**

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
2,4'-DDD	1.99	2.01		ug/L		101	70 - 130
2,4'-DDE	1.99	2.05		ug/L		103	70 - 130
2,4'-DDT	1.99	2.10		ug/L		105	70 - 130
2,4-Dinitrotoluene	1.99	2.28		ug/L		114	70 - 130
2,6-Dinitrotoluene	1.99	2.26		ug/L		114	70 - 130
4,4'-DDD	1.99	2.18		ug/L		110	70 - 130
4,4'-DDE	1.99	1.96		ug/L		99	70 - 130
4,4'-DDT	1.99	2.10		ug/L		106	70 - 130
Acenaphthene	1.99	1.98		ug/L		100	70 - 130
Acenaphthylene	1.99	2.06		ug/L		103	70 - 130
Acetochlor	1.99	2.27		ug/L		114	70 - 130
Alachlor	1.99	2.23		ug/L		112	70 - 130
alpha-BHC	1.99	2.14		ug/L		108	70 - 130
alpha-Chlordane	1.99	1.93		ug/L		97	70 - 130
Anthracene	1.99	2.01		ug/L		101	70 - 130
Atrazine	1.99	2.09		ug/L		105	70 - 130
Benz(a)anthracene	1.99	2.12		ug/L		107	70 - 130
Benzo[a]pyrene	1.99	2.12		ug/L		107	70 - 130
Benzo[b]fluoranthene	1.99	2.18		ug/L		110	70 - 130
Benzo[g,h,i]perylene	1.99	2.16		ug/L		109	70 - 130
Benzo[k]fluoranthene	1.99	2.01		ug/L		101	70 - 130
beta-BHC	1.99	2.05		ug/L		103	70 - 130
Bromacil	1.99	2.40		ug/L		121	70 - 130
Butachlor	1.99	2.47		ug/L		124	70 - 130
Butylbenzylphthalate	1.99	2.26		ug/L		114	70 - 130
Caffeine	1.99	2.00		ug/L		101	70 - 130
Chlorobenzilate	1.99	2.68	*+	ug/L		135	70 - 130
Chloroneb	1.99	2.10		ug/L		106	70 - 130
Chlorothalonil (Draconil, Bravo)	1.99	2.02		ug/L		102	70 - 130
Chlorpyrifos	1.99	2.12		ug/L		107	70 - 130
Chrysene	1.99	2.05		ug/L		103	70 - 130
delta-BHC	1.99	2.05		ug/L		103	70 - 130
Di(2-ethylhexyl)adipate	1.99	2.28		ug/L		115	70 - 130
Bis(2-ethylhexyl) phthalate	1.99	2.02		ug/L		101	70 - 130
Diazinon (Qualitative)	1.99	2.12		ug/L		107	70 - 130
Dibenz(a,h)anthracene	1.99	2.16		ug/L		109	70 - 130
Diclorvos (DDVP)	1.99	2.38		ug/L		120	70 - 130
Dieldrin	1.99	2.09		ug/L		105	70 - 130
Diethylphthalate	1.99	2.18		ug/L		110	70 - 130
Dimethoate	1.99	2.17		ug/L		109	70 - 130
Dimethylphthalate	1.99	2.19		ug/L		110	70 - 130
Di-n-butyl phthalate	3.98	4.11		ug/L		103	70 - 130
Di-n-octyl phthalate	1.99	2.06		ug/L		104	70 - 130
Endosulfan I (Alpha)	1.99	2.09		ug/L		105	70 - 130
Endosulfan II (Beta)	1.99	2.11		ug/L		106	70 - 130
Endosulfan sulfate	1.99	2.15		ug/L		108	70 - 130
Endrin	1.99	2.42		ug/L		122	70 - 130
Endrin aldehyde	1.99	2.02		ug/L		101	70 - 130

Eurofins Eaton Monrovia

# QC Sample Results

Client: City & County of Honolulu  
Project/Site: RED-HILL

Job ID: 380-1127-1

## Method: 525.2 - Semivolatile Organic Compounds (GC/MS) (Continued)

**Lab Sample ID: LCS 380-3642/3-A**  
**Matrix: Water**  
**Analysis Batch: 3927**

**Client Sample ID: Lab Control Sample**  
**Prep Type: Total/NA**  
**Prep Batch: 3642**

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
EPTC	1.99	2.22		ug/L		111	70 - 130
Fluoranthene	1.99	2.11		ug/L		106	70 - 130
Fluorene	1.99	2.13		ug/L		107	70 - 130
gamma-Chlordane	1.99	2.01		ug/L		101	70 - 130
Heptachlor	1.99	2.17		ug/L		109	70 - 130
Heptachlor epoxide (isomer B)	1.99	2.03		ug/L		102	70 - 130
Hexachlorobenzene	1.99	1.92		ug/L		97	70 - 130
Hexachlorocyclopentadiene	1.99	2.32		ug/L		117	70 - 130
Indeno[1,2,3-cd]pyrene	1.99	2.21		ug/L		111	70 - 130
Isophorone	1.99	2.24		ug/L		113	70 - 130
Lindane	1.99	2.10		ug/L		106	70 - 130
Malathion	1.99	2.29		ug/L		115	70 - 130
Methoxychlor	1.99	2.27		ug/L		114	70 - 130
Metolachlor	1.99	2.29		ug/L		115	70 - 130
Metribuzin	1.99	2.36		ug/L		119	70 - 130
Molinate	1.99	2.25		ug/L		113	70 - 130
Naphthalene	1.99	2.06		ug/L		103	70 - 130
Parathion	1.99	2.35		ug/L		118	70 - 130
Pendimethalin (Penoxaline)	1.99	2.11		ug/L		106	70 - 130
Phenanthrene	1.99	1.99		ug/L		100	70 - 130
Propachlor	1.99	2.42		ug/L		121	70 - 130
Pyrene	1.99	2.15		ug/L		108	70 - 130
Simazine	1.99	2.36		ug/L		119	70 - 130
Terbacil	1.99	2.36		ug/L		118	70 - 130
Terbutylazine	1.99	2.23		ug/L		112	70 - 130
Thiobencarb	1.99	2.29		ug/L		115	70 - 130
trans-Nonachlor	1.99	1.98		ug/L		100	70 - 130
Trifluralin	1.99	2.06		ug/L		104	70 - 130

Surrogate	LCS %Recovery	LCS Qualifier	Limits
2-Nitro-m-xylene	104		70 - 130
Triphenylphosphate	103		70 - 130
Perylene-d12	96		70 - 130

**Lab Sample ID: LCSD 380-3642/4-A**  
**Matrix: Water**  
**Analysis Batch: 3927**

**Client Sample ID: Lab Control Sample Dup**  
**Prep Type: Total/NA**  
**Prep Batch: 3642**

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
2,4'-DDD	1.98	2.08		ug/L		105	70 - 130	3	20
2,4'-DDE	1.98	2.06		ug/L		104	70 - 130	0	20
2,4'-DDT	1.98	2.16		ug/L		109	70 - 130	3	20
2,4-Dinitrotoluene	1.98	2.42		ug/L		122	70 - 130	6	20
2,6-Dinitrotoluene	1.98	2.39		ug/L		120	70 - 130	6	20
4,4'-DDD	1.98	2.30		ug/L		116	70 - 130	5	20
4,4'-DDE	1.98	2.07		ug/L		104	70 - 130	5	20
4,4'-DDT	1.98	2.20		ug/L		111	70 - 130	4	20
Acenaphthene	1.98	2.03		ug/L		103	70 - 130	2	20

Eurofins Eaton Monrovia

# QC Sample Results

Client: City & County of Honolulu  
Project/Site: RED-HILL

Job ID: 380-1127-1

## Method: 525.2 - Semivolatile Organic Compounds (GC/MS) (Continued)

**Lab Sample ID: LCSD 380-3642/4-A**  
**Matrix: Water**  
**Analysis Batch: 3927**

**Client Sample ID: Lab Control Sample Dup**  
**Prep Type: Total/NA**  
**Prep Batch: 3642**

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Acenaphthylene	1.98	2.09		ug/L		106	70 - 130	2	20
Acetochlor	1.98	2.36		ug/L		119	70 - 130	4	20
Alachlor	1.98	2.33		ug/L		118	70 - 130	4	20
alpha-BHC	1.98	2.20		ug/L		111	70 - 130	3	20
alpha-Chlordane	1.98	1.97		ug/L		99	70 - 130	2	20
Anthracene	1.98	2.12		ug/L		107	70 - 130	5	20
Atrazine	1.98	2.20		ug/L		111	70 - 130	5	20
Benz(a)anthracene	1.98	2.29		ug/L		115	70 - 130	8	20
Benzo[a]pyrene	1.98	2.24		ug/L		113	70 - 130	5	20
Benzo[b]fluoranthene	1.98	2.22		ug/L		112	70 - 130	2	20
Benzo[g,h,i]perylene	1.98	2.06		ug/L		104	70 - 130	5	20
Benzo[k]fluoranthene	1.98	2.17		ug/L		110	70 - 130	8	20
beta-BHC	1.98	2.14		ug/L		108	70 - 130	5	20
Bromacil	1.98	2.50		ug/L		126	70 - 130	4	20
Butachlor	1.98	2.59	*+	ug/L		131	70 - 130	5	20
Butylbenzylphthalate	1.98	2.39		ug/L		121	70 - 130	6	20
Caffeine	1.98	2.21		ug/L		112	70 - 130	10	20
Chlorobenzilate	1.98	2.83	*+	ug/L		143	70 - 130	5	20
Chloroneb	1.98	2.14		ug/L		108	70 - 130	2	20
Chlorothalonil (Draconil, Bravo)	1.98	2.14		ug/L		108	70 - 130	5	20
Chlorpyrifos	1.98	2.22		ug/L		112	70 - 130	5	20
Chrysene	1.98	2.10		ug/L		106	70 - 130	3	20
delta-BHC	1.98	2.12		ug/L		107	70 - 130	3	20
Di(2-ethylhexyl)adipate	1.98	2.35		ug/L		119	70 - 130	3	20
Bis(2-ethylhexyl) phthalate	1.98	2.10		ug/L		106	70 - 130	4	20
Diazinon (Qualitative)	1.98	2.18		ug/L		110	70 - 130	2	20
Dibenz(a,h)anthracene	1.98	2.18		ug/L		110	70 - 130	1	20
Diclorvos (DDVP)	1.98	2.49		ug/L		126	70 - 130	5	20
Dieldrin	1.98	2.13		ug/L		107	70 - 130	2	20
Diethylphthalate	1.98	2.27		ug/L		115	70 - 130	4	20
Dimethoate	1.98	2.22		ug/L		112	70 - 130	2	20
Dimethylphthalate	1.98	2.26		ug/L		114	70 - 130	3	20
Di-n-butyl phthalate	3.96	4.20		ug/L		106	70 - 130	2	20
Di-n-octyl phthalate	1.98	2.08		ug/L		105	70 - 130	1	20
Endosulfan I (Alpha)	1.98	2.17		ug/L		109	70 - 130	3	20
Endosulfan II (Beta)	1.98	2.24		ug/L		113	70 - 130	6	20
Endosulfan sulfate	1.98	2.28		ug/L		115	70 - 130	6	20
Endrin	1.98	2.58		ug/L		130	70 - 130	7	20
Endrin aldehyde	1.98	2.12		ug/L		107	70 - 130	5	20
EPTC	1.98	2.31		ug/L		116	70 - 130	4	20
Fluoranthene	1.98	2.22		ug/L		112	70 - 130	5	20
Fluorene	1.98	2.22		ug/L		112	70 - 130	4	20
gamma-Chlordane	1.98	2.03		ug/L		103	70 - 130	1	20
Heptachlor	1.98	2.26		ug/L		114	70 - 130	4	20
Heptachlor epoxide (isomer B)	1.98	2.14		ug/L		108	70 - 130	5	20
Hexachlorobenzene	1.98	1.97		ug/L		99	70 - 130	2	20
Hexachlorocyclopentadiene	1.98	2.44		ug/L		123	70 - 130	5	20
Indeno[1,2,3-cd]pyrene	1.98	2.17		ug/L		110	70 - 130	2	20
Isophorone	1.98	2.32		ug/L		117	70 - 130	4	20

Eurofins Eaton Monrovia

# QC Sample Results

Client: City & County of Honolulu  
Project/Site: RED-HILL

Job ID: 380-1127-1

## Method: 525.2 - Semivolatile Organic Compounds (GC/MS) (Continued)

**Lab Sample ID: LCSD 380-3642/4-A**  
**Matrix: Water**  
**Analysis Batch: 3927**

**Client Sample ID: Lab Control Sample Dup**  
**Prep Type: Total/NA**  
**Prep Batch: 3642**

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Lindane	1.98	2.19		ug/L		111	70 - 130	4	20
Malathion	1.98	2.38		ug/L		120	70 - 130	4	20
Methoxychlor	1.98	2.46		ug/L		124	70 - 130	8	20
Metolachlor	1.98	2.41		ug/L		122	70 - 130	5	20
Metribuzin	1.98	2.32		ug/L		117	70 - 130	2	20
Molinate	1.98	2.31		ug/L		117	70 - 130	3	20
Naphthalene	1.98	2.07		ug/L		104	70 - 130	0	20
Parathion	1.98	2.45		ug/L		124	70 - 130	4	20
Pendimethalin (Penoxaline)	1.98	2.29		ug/L		115	70 - 130	8	20
Phenanthrene	1.98	2.04		ug/L		103	70 - 130	2	20
Propachlor	1.98	2.50		ug/L		126	70 - 130	3	20
Pyrene	1.98	2.23		ug/L		113	70 - 130	4	20
Simazine	1.98	2.52		ug/L		127	70 - 130	7	20
Terbacil	1.98	2.54		ug/L		128	70 - 130	7	20
Terbutylazine	1.98	2.43		ug/L		123	70 - 130	8	20
Thiobencarb	1.98	2.37		ug/L		120	70 - 130	3	20
trans-Nonachlor	1.98	2.06		ug/L		104	70 - 130	4	20
Trifluralin	1.98	2.14		ug/L		108	70 - 130	4	20

Surrogate	LCSD		Limits
	%Recovery	Qualifier	
2-Nitro-m-xylene	103		70 - 130
Triphenylphosphate	106		70 - 130
Perylene-d12	97		70 - 130

**Lab Sample ID: MRL 380-3642/2-A**  
**Matrix: Water**  
**Analysis Batch: 3927**

**Client Sample ID: Lab Control Sample**  
**Prep Type: Total/NA**  
**Prep Batch: 3642**

Analyte	Spike Added	MRL Result	MRL Qualifier	Unit	D	%Rec	%Rec Limits
2,4'-DDD	0.0996	0.129		ug/L		130	50 - 150
2,4'-DDE	0.0996	0.102		ug/L		103	50 - 150
2,4'-DDT	0.0996	0.127		ug/L		128	50 - 150
2,4-Dinitrotoluene	0.0996	0.132		ug/L		133	50 - 150
2,6-Dinitrotoluene	0.0996	0.104		ug/L		104	50 - 150
4,4'-DDD	0.0996	0.112		ug/L		113	50 - 150
4,4'-DDE	0.0996	ND		ug/L		96	50 - 150
4,4'-DDT	0.0996	0.124		ug/L		124	50 - 150
Acenaphthene	0.0996	ND		ug/L		100	50 - 150
Acenaphthylene	0.0996	ND		ug/L		91	50 - 150
Acetochlor	0.0498	ND		ug/L		104	50 - 150
Alachlor	0.0498	0.0586		ug/L		118	50 - 150
alpha-BHC	0.0996	0.118		ug/L		118	50 - 150
alpha-Chlordane	0.0498	0.0514		ug/L		103	50 - 150
Anthracene	0.0199	ND		ug/L		97	50 - 150
Atrazine	0.0498	ND		ug/L		96	50 - 150
Benz(a)anthracene	0.0498	0.0528		ug/L		106	50 - 150
Benzo[a]pyrene	0.0199	0.0218		ug/L		110	50 - 150
Benzo[b]fluoranthene	0.0199	0.0216		ug/L		108	50 - 150

Eurofins Eaton Monrovia



# QC Sample Results

Client: City & County of Honolulu  
Project/Site: RED-HILL

Job ID: 380-1127-1

## Method: 525.2 - Semivolatile Organic Compounds (GC/MS) (Continued)

**Lab Sample ID: MRL 380-3642/2-A**  
**Matrix: Water**  
**Analysis Batch: 3927**

**Client Sample ID: Lab Control Sample**  
**Prep Type: Total/NA**  
**Prep Batch: 3642**

Analyte	Spike Added	MRL Result	MRL Qualifier	Unit	D	%Rec	%Rec Limits
Benzo[g,h,i]perylene	0.0498	ND		ug/L		82	50 - 150
Benzo[k]fluoranthene	0.0199	0.0216		ug/L		109	50 - 150
beta-BHC	0.0996	0.107		ug/L		108	50 - 150
Bromacil	0.0996	0.160	^3+	ug/L		161	50 - 150
Butachlor	0.0498	0.0722		ug/L		145	50 - 150
Butylbenzylphthalate	0.149	ND	^3+	ug/L		151	50 - 150
Caffeine	0.0498	ND		ug/L		99	50 - 150
Chlorobenzilate	0.0996	0.137		ug/L		138	50 - 150
Chloroneb	0.0996	0.106		ug/L		106	50 - 150
Chlorothalonil (Draconil, Bravo)	0.0996	0.132		ug/L		133	50 - 150
Chlorpyrifos	0.0498	0.0551		ug/L		111	50 - 150
Chrysene	0.0199	0.0212		ug/L		107	50 - 150
delta-BHC	0.0996	0.134		ug/L		135	50 - 150
Di(2-ethylhexyl)adipate	0.299	ND		ug/L		126	50 - 150
Bis(2-ethylhexyl) phthalate	0.597	0.671		ug/L		112	50 - 150
Diazinon (Qualitative)	0.0996	0.110		ug/L		111	50 - 150
Dibenz(a,h)anthracene	0.0498	ND		ug/L		80	50 - 150
Diclorvos (DDVP)	0.0498	0.0589		ug/L		118	50 - 150
Dieldrin	0.0996	ND		ug/L		112	50 - 150
Diethylphthalate	0.149	ND		ug/L		130	50 - 150
Dimethoate	0.0996	0.148		ug/L		149	50 - 150
Dimethylphthalate	0.299	ND		ug/L		104	50 - 150
Di-n-butyl phthalate	0.299	ND		ug/L		137	50 - 150
Di-n-octyl phthalate	0.0996	0.123		ug/L		124	50 - 150
Endosulfan I (Alpha)	0.0996	0.115		ug/L		116	50 - 150
Endosulfan II (Beta)	0.0996	0.135		ug/L		136	50 - 150
Endosulfan sulfate	0.0996	0.100		ug/L		100	50 - 150
Endrin	0.0996	0.155	^3+	ug/L		156	50 - 150
Endrin aldehyde	0.0996	ND		ug/L		87	50 - 150
EPTC	0.0996	0.106		ug/L		106	50 - 150
Fluoranthene	0.0498	ND		ug/L		107	50 - 150
Fluorene	0.0498	0.0519		ug/L		104	50 - 150
gamma-Chlordane	0.0498	ND		ug/L		96	50 - 150
Heptachlor	0.0398	0.0581		ug/L		146	50 - 150
Heptachlor epoxide (isomer B)	0.0498	ND		ug/L		98	50 - 150
Hexachlorobenzene	0.0498	0.0574		ug/L		115	50 - 150
Hexachlorocyclopentadiene	0.0498	0.0545		ug/L		109	50 - 150
Indeno[1,2,3-cd]pyrene	0.0498	ND		ug/L		81	50 - 150
Isophorone	0.0996	ND		ug/L		104	50 - 150
Lindane	0.0498	0.0459		ug/L		92	50 - 150
Malathion	0.0996	0.110		ug/L		111	50 - 150
Methoxychlor	0.0996	0.108		ug/L		108	50 - 150
Metolachlor	0.0498	0.0568		ug/L		114	50 - 150
Metribuzin	0.0498	0.0568		ug/L		114	50 - 150
Molinate	0.0996	0.117		ug/L		117	50 - 150
Naphthalene	0.0996	ND		ug/L		105	50 - 150
Parathion	0.0996	0.138		ug/L		139	50 - 150
Pendimethalin (Penoxaline)	0.0996	0.153	^3+	ug/L		154	50 - 150
Phenanthrene	0.0199	ND		ug/L		112	50 - 150

Eurofins Eaton Monrovia

# QC Sample Results

Client: City & County of Honolulu  
Project/Site: RED-HILL

Job ID: 380-1127-1

## Method: 525.2 - Semivolatile Organic Compounds (GC/MS) (Continued)

**Lab Sample ID: MRL 380-3642/2-A**  
**Matrix: Water**  
**Analysis Batch: 3927**

**Client Sample ID: Lab Control Sample**  
**Prep Type: Total/NA**  
**Prep Batch: 3642**

Analyte	Spike Added	MRL Result	MRL Qualifier	Unit	D	%Rec	%Rec Limits
Propachlor	0.0498	0.0614		ug/L		123	50 - 150
Pyrene	0.0498	0.0536		ug/L		108	50 - 150
Simazine	0.0498	0.0606		ug/L		122	50 - 150
Terbacil	0.0996	0.118		ug/L		118	50 - 150
Terbutylazine	0.0996	0.107		ug/L		108	50 - 150
Thiobencarb	0.0996	ND		ug/L		126	50 - 150
trans-Nonachlor	0.0498	ND		ug/L		94	50 - 150
Trifluralin	0.0996	0.128		ug/L		129	50 - 150

  

Surrogate	MRL %Recovery	MRL Qualifier	Limits
2-Nitro-m-xylene	103		70 - 130
Triphenylphosphate	107		70 - 130
Perylene-d12	94		70 - 130

**Lab Sample ID: 380-875-B-1-A MS**  
**Matrix: Water**  
**Analysis Batch: 3927**

**Client Sample ID: Matrix Spike**  
**Prep Type: Total/NA**  
**Prep Batch: 3642**

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits
2,4'-DDD	ND		1.96	2.01		ug/L		103	70 - 130
2,4'-DDE	ND		1.96	1.99		ug/L		102	70 - 130
2,4'-DDT	ND		1.96	2.05		ug/L		105	70 - 130
2,4-Dinitrotoluene	ND		1.96	2.48		ug/L		127	70 - 130
2,6-Dinitrotoluene	ND		1.96	2.40		ug/L		123	70 - 130
4,4'-DDD	ND		1.96	2.21		ug/L		113	70 - 130
4,4'-DDE	ND		1.96	1.91		ug/L		98	70 - 130
4,4'-DDT	ND		1.96	2.11		ug/L		108	70 - 130
Acenaphthene	ND		1.96	1.95		ug/L		100	70 - 130
Acenaphthylene	ND		1.96	2.13		ug/L		109	70 - 130
Acetochlor	ND		1.96	2.38		ug/L		122	70 - 130
Alachlor	ND		1.96	2.36		ug/L		120	70 - 130
alpha-BHC	ND		1.96	2.16		ug/L		110	70 - 130
alpha-Chlordane	ND		1.96	1.89		ug/L		96	70 - 130
Anthracene	ND		1.96	2.00		ug/L		102	70 - 130
Atrazine	ND		1.96	2.00		ug/L		102	70 - 130
Benz(a)anthracene	ND		1.96	2.25		ug/L		115	70 - 130
Benzo[a]pyrene	ND		1.96	2.20		ug/L		112	70 - 130
Benzo[b]fluoranthene	ND		1.96	2.16		ug/L		110	70 - 130
Benzo[g,h,i]perylene	ND		1.96	2.08		ug/L		106	70 - 130
Benzo[k]fluoranthene	ND		1.96	2.14		ug/L		109	70 - 130
beta-BHC	ND		1.96	2.09		ug/L		107	70 - 130
Bromacil	ND	F1	1.96	2.64	F1	ug/L		135	70 - 130
Butachlor	ND	*+	1.96	2.54		ug/L		130	70 - 130
Butylbenzylphthalate	ND		1.96	2.37		ug/L		121	70 - 130
Caffeine	ND		1.96	2.18		ug/L		111	70 - 130
Chlorobenzilate	ND	*+ F1	1.96	2.84	F1	ug/L		145	70 - 130
Chloroneb	ND		1.96	2.09		ug/L		107	70 - 130
Chlorothalonil (Draconil, Bravo)	ND		1.96	2.05		ug/L		105	70 - 130

# QC Sample Results

Client: City & County of Honolulu  
 Project/Site: RED-HILL

Job ID: 380-1127-1

## Method: 525.2 - Semivolatile Organic Compounds (GC/MS) (Continued)

**Lab Sample ID: 380-875-B-1-A MS**

**Matrix: Water**

**Analysis Batch: 3927**

**Client Sample ID: Matrix Spike**

**Prep Type: Total/NA**

**Prep Batch: 3642**

Analyte	Sample	Sample	Spike	MS	MS	Unit	D	%Rec	%Rec Limits
	Result	Qualifier	Added	Result	Qualifier				
Chlorpyrifos	ND		1.96	2.17		ug/L		111	70 - 130
Chrysene	ND		1.96	2.06		ug/L		105	70 - 130
delta-BHC	ND		1.96	2.06		ug/L		105	70 - 130
Di(2-ethylhexyl)adipate	ND		1.96	2.03		ug/L		104	70 - 130
Bis(2-ethylhexyl) phthalate	ND		1.96	1.79		ug/L		92	70 - 130
Diazinon (Qualitative)	ND		1.96	2.17		ug/L		111	70 - 130
Dibenz(a,h)anthracene	ND		1.96	2.13		ug/L		109	70 - 130
Diclorvos (DDVP)	ND		1.96	2.42		ug/L		124	70 - 130
Dieldrin	ND		1.96	2.07		ug/L		106	70 - 130
Diethylphthalate	ND		1.96	2.23		ug/L		114	70 - 130
Dimethoate	ND		1.96	2.43		ug/L		124	70 - 130
Dimethylphthalate	ND		1.96	2.22		ug/L		113	70 - 130
Di-n-butyl phthalate	ND		3.91	4.64		ug/L		109	70 - 130
Di-n-octyl phthalate	ND		1.96	1.64		ug/L		84	70 - 130
Endosulfan I (Alpha)	ND		1.96	2.17		ug/L		111	70 - 130
Endosulfan II (Beta)	ND		1.96	2.31		ug/L		118	70 - 130
Endosulfan sulfate	ND		1.96	2.24		ug/L		114	70 - 130
Endrin	ND		1.96	2.34		ug/L		120	70 - 130
Endrin aldehyde	ND	F1	1.96	0.708	F1	ug/L		36	70 - 130
EPTC	ND		1.96	2.21		ug/L		113	70 - 130
Fluoranthene	ND		1.96	2.17		ug/L		111	70 - 130
Fluorene	ND		1.96	2.13		ug/L		109	70 - 130
gamma-Chlordane	ND		1.96	1.93		ug/L		98	70 - 130
Heptachlor	ND		1.96	2.25		ug/L		115	70 - 130
Heptachlor epoxide (isomer B)	ND		1.96	2.04		ug/L		104	70 - 130
Hexachlorobenzene	ND		1.96	1.95		ug/L		100	70 - 130
Hexachlorocyclopentadiene	ND		1.96	2.37		ug/L		121	70 - 130
Indeno[1,2,3-cd]pyrene	ND		1.96	2.14		ug/L		109	70 - 130
Isophorone	ND		1.96	2.25		ug/L		115	70 - 130
Lindane	ND		1.96	2.12		ug/L		108	70 - 130
Malathion	ND		1.96	2.41		ug/L		123	70 - 130
Methoxychlor	ND		1.96	2.50		ug/L		128	70 - 130
Metolachlor	ND		1.96	2.52		ug/L		129	70 - 130
Metribuzin	ND		1.96	2.06		ug/L		105	70 - 130
Molinate	ND		1.96	2.33		ug/L		119	70 - 130
Naphthalene	ND		1.96	2.01		ug/L		103	70 - 130
Parathion	ND	F1	1.96	2.71	F1	ug/L		138	70 - 130
Pendimethalin (Penoxaline)	ND		1.96	2.36		ug/L		121	70 - 130
Phenanthrene	ND		1.96	2.01		ug/L		103	70 - 130
Propachlor	ND		1.96	2.47		ug/L		126	70 - 130
Pyrene	ND		1.96	2.24		ug/L		114	70 - 130
Simazine	ND		1.96	2.32		ug/L		119	70 - 130
Terbacil	ND	F1	1.96	2.56	F1	ug/L		131	70 - 130
Terbutylazine	ND		1.96	2.30		ug/L		118	70 - 130
Thiobencarb	ND		1.96	2.33		ug/L		119	70 - 130
trans-Nonachlor	ND		1.96	1.86		ug/L		95	70 - 130
Trifluralin	ND		1.96	2.22		ug/L		114	70 - 130

Eurofins Eaton Monrovia

# QC Sample Results

Client: City & County of Honolulu  
Project/Site: RED-HILL

Job ID: 380-1127-1

## Method: 525.2 - Semivolatile Organic Compounds (GC/MS) (Continued)

**Lab Sample ID: 380-875-B-1-A MS**  
**Matrix: Water**  
**Analysis Batch: 3927**

**Client Sample ID: Matrix Spike**  
**Prep Type: Total/NA**  
**Prep Batch: 3642**

Surrogate	%Recovery	MS MS Qualifier	Limits
2-Nitro-m-xylene	102		70 - 130
Triphenylphosphate	107		70 - 130
Perylene-d12	97		70 - 130

**Lab Sample ID: 380-760-E-1-A DU**  
**Matrix: Water**  
**Analysis Batch: 3927**

**Client Sample ID: Duplicate**  
**Prep Type: Total/NA**  
**Prep Batch: 3642**

Analyte	Sample Result	Sample Qualifier	DU Result	DU Qualifier	Unit	D	RPD	Limit
2,4'-DDD	ND		ND		ug/L		NC	20
2,4'-DDE	ND		ND		ug/L		NC	20
2,4'-DDT	ND		ND		ug/L		NC	20
2,4-Dinitrotoluene	ND		ND		ug/L		NC	20
2,6-Dinitrotoluene	ND		ND		ug/L		NC	20
4,4'-DDD	ND		ND		ug/L		NC	20
4,4'-DDE	ND		ND		ug/L		NC	20
4,4'-DDT	ND		ND		ug/L		NC	20
Acenaphthene	ND		ND		ug/L		NC	20
Acenaphthylene	ND		ND		ug/L		NC	20
Acetochlor	ND		ND		ug/L		NC	20
Alachlor	ND		ND		ug/L		NC	20
alpha-BHC	ND		ND		ug/L		NC	20
alpha-Chlordane	ND		ND		ug/L		NC	20
Anthracene	ND		ND		ug/L		NC	20
Atrazine	ND		ND		ug/L		NC	20
Benz(a)anthracene	ND		ND		ug/L		NC	20
Benzo[a]pyrene	ND		ND		ug/L		NC	20
Benzo[b]fluoranthene	ND		ND		ug/L		NC	20
Benzo[g,h,i]perylene	ND		ND		ug/L		NC	20
Benzo[k]fluoranthene	ND		ND		ug/L		NC	20
beta-BHC	ND		ND		ug/L		NC	20
Bromacil	ND		ND		ug/L		NC	20
Butachlor	ND	*+	ND	*+	ug/L		NC	20
Butylbenzylphthalate	ND		ND		ug/L		NC	20
Caffeine	ND		ND		ug/L		NC	20
Chlorobenzilate	ND	*+	ND	*+	ug/L		NC	20
Chloroneb	ND		ND		ug/L		NC	20
Chlorothalonil (Draconil, Bravo)	ND		ND		ug/L		NC	20
Chlorpyrifos	ND		ND		ug/L		NC	20
Chrysene	ND		ND		ug/L		NC	20
delta-BHC	ND		ND		ug/L		NC	20
Di(2-ethylhexyl)adipate	ND		ND		ug/L		NC	20
Bis(2-ethylhexyl) phthalate	ND		ND		ug/L		NC	20
Diazinon (Qualitative)	ND		ND		ug/L		NC	20
Dibenz(a,h)anthracene	ND		ND		ug/L		NC	20
Diclorvos (DDVP)	ND		ND		ug/L		NC	20
Dieldrin	ND		ND		ug/L		NC	20
Diethylphthalate	ND		ND		ug/L		NC	20

# QC Sample Results

Client: City & County of Honolulu  
 Project/Site: RED-HILL

Job ID: 380-1127-1

## Method: 525.2 - Semivolatile Organic Compounds (GC/MS) (Continued)

**Lab Sample ID: 380-760-E-1-A DU**  
**Matrix: Water**  
**Analysis Batch: 3927**

**Client Sample ID: Duplicate**  
**Prep Type: Total/NA**  
**Prep Batch: 3642**

Analyte	Sample Result	Sample Qualifier	DU Result	DU Qualifier	Unit	D	RPD	Limit
Dimethoate	ND		ND		ug/L		NC	20
Dimethylphthalate	ND		ND		ug/L		NC	20
Di-n-butyl phthalate	ND		ND		ug/L		NC	20
Di-n-octyl phthalate	ND		ND		ug/L		NC	20
Endosulfan I (Alpha)	ND		ND		ug/L		NC	20
Endosulfan II (Beta)	ND		ND		ug/L		NC	20
Endosulfan sulfate	ND		ND		ug/L		NC	20
Endrin	ND		ND		ug/L		NC	20
Endrin aldehyde	ND		ND		ug/L		NC	20
EPTC	ND		ND		ug/L		NC	20
Fluoranthene	ND		ND		ug/L		NC	20
Fluorene	ND		ND		ug/L		NC	20
gamma-Chlordane	ND		ND		ug/L		NC	20
Heptachlor	ND		ND		ug/L		NC	20
Heptachlor epoxide (isomer B)	ND		ND		ug/L		NC	20
Hexachlorobenzene	ND		ND		ug/L		NC	20
Hexachlorocyclopentadiene	ND		ND		ug/L		NC	20
Indeno[1,2,3-cd]pyrene	ND		ND		ug/L		NC	20
Isophorone	ND		ND		ug/L		NC	20
Lindane	ND		ND		ug/L		NC	20
Malathion	ND		ND		ug/L		NC	20
Methoxychlor	ND		ND		ug/L		NC	20
Metolachlor	ND		ND		ug/L		NC	20
Metribuzin	ND		ND		ug/L		NC	20
Molinate	ND		ND		ug/L		NC	20
Naphthalene	ND		ND		ug/L		NC	20
Parathion	ND		ND		ug/L		NC	20
Pendimethalin (Penoxaline)	ND		ND		ug/L		NC	20
Total Permethrin (mixed isomers)	ND		ND		ug/L		NC	20
Phenanthrene	ND		ND		ug/L		NC	20
Propachlor	ND		ND		ug/L		NC	20
Pyrene	ND		ND		ug/L		NC	20
Simazine	ND		ND		ug/L		NC	20
Terbacil	ND		ND		ug/L		NC	20
Terbutylazine	ND		ND		ug/L		NC	20
Thiobencarb	ND		ND		ug/L		NC	20
trans-Nonachlor	ND		ND		ug/L		NC	20
Trifluralin	ND		ND		ug/L		NC	20

Surrogate	DU %Recovery	DU Qualifier	Limits
2-Nitro-m-xylene	103		70 - 130
Triphenylphosphate	106		70 - 130
Perylene-d12	93		70 - 130

# QC Association Summary

Client: City & County of Honolulu  
 Project/Site: RED-HILL

Job ID: 380-1127-1

## GC/MS Semi VOA

### Prep Batch: 3642

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
380-1127-1	HALAWA WELLS P1 (331-023-WL065)	Total/NA	Drinking Water	525.2	
MB 380-3642/1-A	Method Blank	Total/NA	Water	525.2	
LCS 380-3642/3-A	Lab Control Sample	Total/NA	Water	525.2	
LCSD 380-3642/4-A	Lab Control Sample Dup	Total/NA	Water	525.2	
MRL 380-3642/2-A	Lab Control Sample	Total/NA	Water	525.2	
380-875-B-1-A MS	Matrix Spike	Total/NA	Water	525.2	
380-760-E-1-A DU	Duplicate	Total/NA	Water	525.2	

### Analysis Batch: 3927

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
380-1127-1	HALAWA WELLS P1 (331-023-WL065)	Total/NA	Drinking Water	525.2	3642
MB 380-3642/1-A	Method Blank	Total/NA	Water	525.2	3642
LCS 380-3642/3-A	Lab Control Sample	Total/NA	Water	525.2	3642
LCSD 380-3642/4-A	Lab Control Sample Dup	Total/NA	Water	525.2	3642
MRL 380-3642/2-A	Lab Control Sample	Total/NA	Water	525.2	3642
380-875-B-1-A MS	Matrix Spike	Total/NA	Water	525.2	3642
380-760-E-1-A DU	Duplicate	Total/NA	Water	525.2	3642



# Lab Chronicle

Client: City & County of Honolulu  
Project/Site: RED-HILL

Job ID: 380-1127-1

**Client Sample ID: HALAWA WELLS P1 (331-023-WL065)**

**Lab Sample ID: 380-1127-1**

**Date Collected: 05/02/22 10:57**

**Matrix: Drinking Water**

**Date Received: 05/04/22 11:11**

<u>Prep Type</u>	<u>Batch Type</u>	<u>Batch Method</u>	<u>Run</u>	<u>Dilution Factor</u>	<u>Batch Number</u>	<u>Analyst</u>	<u>Lab</u>	<u>Prepared or Analyzed</u>
Total/NA	Prep	525.2			3642	OTM3	EA MON	05/06/22 09:45
Total/NA	Analysis	525.2		1	3927	UPAC	EA MON	05/10/22 16:26

**Laboratory References:**

= EMAX Laboratories Inc, 3051 Fujita Street, Torrance, CA 90505

EA MON = Eurofins Eaton Monrovia, 750 Royal Oaks Drive, Suite 100, Monrovia, CA 91016, TEL (626)386-1100



# Accreditation/Certification Summary

Client: City & County of Honolulu  
 Project/Site: RED-HILL

Job ID: 380-1127-1

## Laboratory: Eurofins Eaton Monrovia

Unless otherwise noted, all analytes for this laboratory were covered under each accreditation/certification below.

Authority	Program	Identification Number	Expiration Date
Hawaii	State	CA00006	01-31-23

The following analytes are included in this report, but the laboratory is not certified by the governing authority. This list may include analytes for which the agency does not offer certification.

Analysis Method	Prep Method	Matrix	Analyte
525.2	525.2	Drinking Water	2,4'-DDD
525.2	525.2	Drinking Water	2,4'-DDE
525.2	525.2	Drinking Water	2,4'-DDT
525.2	525.2	Drinking Water	2,4-Dinitrotoluene
525.2	525.2	Drinking Water	2,6-Dinitrotoluene
525.2	525.2	Drinking Water	4,4'-DDD
525.2	525.2	Drinking Water	4,4'-DDE
525.2	525.2	Drinking Water	4,4'-DDT
525.2	525.2	Drinking Water	Acenaphthene
525.2	525.2	Drinking Water	Acenaphthylene
525.2	525.2	Drinking Water	Acetochlor
525.2	525.2	Drinking Water	alpha-BHC
525.2	525.2	Drinking Water	alpha-Chlordane
525.2	525.2	Drinking Water	Anthracene
525.2	525.2	Drinking Water	Benz(a)anthracene
525.2	525.2	Drinking Water	Benzo[b]fluoranthene
525.2	525.2	Drinking Water	Benzo[g,h,i]perylene
525.2	525.2	Drinking Water	Benzo[k]fluoranthene
525.2	525.2	Drinking Water	beta-BHC
525.2	525.2	Drinking Water	Bromacil
525.2	525.2	Drinking Water	Butylbenzylphthalate
525.2	525.2	Drinking Water	Caffeine
525.2	525.2	Drinking Water	Chlorobenzilate
525.2	525.2	Drinking Water	Chloroneb
525.2	525.2	Drinking Water	Chlorothalonil (Draconil, Bravo)
525.2	525.2	Drinking Water	Chlorpyrifos
525.2	525.2	Drinking Water	Chrysene
525.2	525.2	Drinking Water	delta-BHC
525.2	525.2	Drinking Water	Diazinon (Qualitative)
525.2	525.2	Drinking Water	Dibenz(a,h)anthracene
525.2	525.2	Drinking Water	Diclorvos (DDVP)
525.2	525.2	Drinking Water	Diethylphthalate
525.2	525.2	Drinking Water	Dimethoate
525.2	525.2	Drinking Water	Dimethylphthalate
525.2	525.2	Drinking Water	Di-n-butyl phthalate
525.2	525.2	Drinking Water	Di-n-octyl phthalate
525.2	525.2	Drinking Water	Endosulfan I (Alpha)
525.2	525.2	Drinking Water	Endosulfan II (Beta)
525.2	525.2	Drinking Water	Endosulfan sulfate
525.2	525.2	Drinking Water	Endrin aldehyde
525.2	525.2	Drinking Water	EPTC
525.2	525.2	Drinking Water	Fluoranthene
525.2	525.2	Drinking Water	Fluorene
525.2	525.2	Drinking Water	gamma-Chlordane
525.2	525.2	Drinking Water	Indeno[1,2,3-cd]pyrene



# Accreditation/Certification Summary

Client: City & County of Honolulu  
Project/Site: RED-HILL

Job ID: 380-1127-1

## Laboratory: Eurofins Eaton Monrovia (Continued)

Unless otherwise noted, all analytes for this laboratory were covered under each accreditation/certification below.

Authority	Program	Identification Number	Expiration Date
-----------	---------	-----------------------	-----------------

The following analytes are included in this report, but the laboratory is not certified by the governing authority. This list may include analytes for which the agency does not offer certification.

Analysis Method	Prep Method	Matrix	Analyte
525.2	525.2	Drinking Water	Isophorone
525.2	525.2	Drinking Water	Malathion
525.2	525.2	Drinking Water	Molinate
525.2	525.2	Drinking Water	Naphthalene
525.2	525.2	Drinking Water	Parathion
525.2	525.2	Drinking Water	Pendimethalin (Penoxaline)
525.2	525.2	Drinking Water	Phenanthrene
525.2	525.2	Drinking Water	Pyrene
525.2	525.2	Drinking Water	Terbacil
525.2	525.2	Drinking Water	Terbutylazine
525.2	525.2	Drinking Water	Thiobencarb
525.2	525.2	Drinking Water	Total Permethrin (mixed isomers)
525.2	525.2	Drinking Water	trans-Nonachlor
525.2	525.2	Drinking Water	Trifluralin

# Method Summary

Client: City & County of Honolulu  
Project/Site: RED-HILL

Job ID: 380-1127-1

Method	Method Description	Protocol	Laboratory
525.2	Semivolatile Organic Compounds (GC/MS)	EPA	EA MON
8015	8015 - TPH DRO/ORO	EPA	
8015B	SW846 8015B Gasoline Range Organics	SW846	
525.2	Extraction of Semivolatile Compounds	EPA	EA MON

#### Protocol References:

EPA = US Environmental Protection Agency

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

#### Laboratory References:

= EMAX Laboratories Inc, 3051 Fujita Street, Torrance, CA 90505

EA MON = Eurofins Eaton Monrovia, 750 Royal Oaks Drive, Suite 100, Monrovia, CA 91016, TEL (626)386-1100

# Sample Summary

Client: City & County of Honolulu  
Project/Site: RED-HILL

Job ID: 380-1127-1

---

Lab Sample ID	Client Sample ID	Matrix	Collected	Received
380-1127-1	HALAWA WELLS P1 (331-023-WL065)	Drinking Water	05/02/22 10:57	05/04/22 11:11
380-1127-2	TRAVEL BLANK	Water	05/02/22 10:57	05/04/22 11:11

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14
- 15
- 16
- 17



3051 Fujita Street  
Torrance, CA 90505  
Tel: (310)-618-8889

Date: 05-13-2022  
EMAX Batch No.: 22E049

Attn: Jackie Contreras

Eurofins Eaton Analytical  
750 Royal Oaks Dr., Suite 100  
Monrovia, CA 91016-3629

Subject: Laboratory Report  
Project: 38001111

Enclosed is the Laboratory report for samples received on 05/05/22.  
The data reported relate only to samples listed below :

Sample ID	Control #	Col Date	Matrix	Analysis
380-1106-1	E049-01	05/02/22	WATER	TPH GASOLINE
380-1106-2	E049-02	05/02/22	WATER	TPH
380-1124-1	E049-03	05/02/22	WATER	TPH GASOLINE
380-1124-2	E049-04	05/02/22	WATER	TPH
380-1130-1	E049-05	05/02/22	WATER	TPH GASOLINE
380-1130-2	E049-06	05/02/22	WATER	TPH
380-1127-1	E049-07	05/02/22	WATER	TPH GASOLINE
380-1127-2	E049-08	05/02/22	WATER	TPH GASOLINE
380-1106-1MS	E049-01M	05/02/22	WATER	TPH GASOLINE
380-1106-1MSD	E049-01S	05/02/22	WATER	TPH GASOLINE
380-1130-1MS	E049-05M	05/02/22	WATER	TPH
380-1130-1MSD	E049-05S	05/02/22	WATER	TPH

The results are summarized on the following pages.

Please feel free to call if you have any questions concerning these results.

Sincerely yours,

Caspar J. Pang  
Laboratory Director

This report is confidential and intended solely for the use of the individual or entity to whom it is addressed. This report shall not be reproduced except in full or without the written approval of EMAX.

EMAX certifies that results included in this report meets all TNI & DOD requirements unless noted in the Case Narrative.

NELAP Accredited Certificate Number CA002912021-19  
ANAB Accredited DoD ELAP and ISO/IEC 17025 Certificate Number L2278 Testing  
California ELAP Accredited Certificate Number 2672

**Monrovia, CA (Suite 100)**  
 750 Royal Oaks Drive Suite 100  
 Monrovia, CA 91016  
 Phone: 626-386-1100

**Chain of Custody Record**



Environment Testing  
 Analytica



22E049

Client Information (Sub Contract Lab)		Sampler:	Lab PM:	Carrier Tracking No(s):	IQC No:					
Client Contact: Shipping/Receiving		Frank, Debbie L	Frank, Debbie L	380-475-1	380-475-1					
Company: EMAX Laboratories Inc		E-Mail: Debbie.Frank@et.eurofins.com	State of Origin: Hawaii	Page: Page 1 of 1	Job #: 380-1106-1					
Address: 3051 Fujita Street, Torrance, CA, 90505		PO #:	Due Date Requested: 5/11/2022	Preservation Codes: M - Hexane N - None O - AsNaO2 P - Na2OAS Q - Na2SO3 R - Na2S2O3 S - H2SO4 T - TSP Dodecahydrate U - Acetone V - MCAA W - pH 4-5 Z - other (specify) Other:						
Project Name: RED-HILL		WO #:	TAT Requested (days):	Analysis Requested						
Site: Honolulu Compliance		Project #: 38001111	SSOW #:	Total Number of Containers						
Sample Identification - Client ID (Lab ID)	Sample Date	Sample Time	Sample Type (O=comp, G=grab)	Matrix (W=water, S=solid, O=waste/oil, BT=Tissue, A=Air)	Field Filtered Sample (Yes or No)	Perform IHS/D (Yes or No)	SUB (8015 Gas (Purgeable) LL (EAL)/ 8015 Gas (Purgeable) LL (EAL))	SUB (8015 Diesel LL (EAL) and Motor Oil)	SUB (8015 Diesel LL (EAL) and Motor Oil)	Special Instructions/Note:
HALAWA SHAFT VIEWING POOL (380-1106-1)	5/2/22	09:30 Hawaiian	Water	Water	X	X	X	X	X	GRO, DRO (LL EAL 20 ug/L) and ORO
TRAVEL BLANK (380-1106-2)	5/2/22	09:30 Hawaiian	Water	Water	X	X	X	X	X	GRO
<p>Note: Since laboratory accreditations are subject to change, Eurofins Eaton Analytical, LLC places the ownership of method, analyte &amp; accreditation compliance upon our subcontract laboratories. This sample shipment is forwarded under chain-of-custody. If the laboratory does not currently maintain accreditation in the State of Origin listed above for analysis/tests/matrix being analyzed, the samples must be shipped back to the Eurofins Eaton Analytical, LLC laboratory or other instructions will be provided. Any changes to accreditation status should be brought to Eurofins Eaton Analytical, LLC attention immediately. If all requested accreditations are current to date, return the signed Chain of Custody attesting to said compliance to Eurofins Eaton Analytical, LLC.</p>										
<p><b>Possible Hazard Identification</b>          Unconfirmed          Deliverable Requested: I, II, III, IV, Other (specify)          Primary Deliverable Rank: 2          Empty Kit Relinquished by: _____ Date: _____          Relinquished by: _____ Date/Time: 5/5/22 10:54          Relinquished by: _____ Date/Time: _____          Relinquished by: _____ Date/Time: _____</p>										
<p>REPORT ID: 22E049          Custody Seals Intact: <input type="checkbox"/> Yes <input type="checkbox"/> No          Cooler Temperature(s) °C and Other Remarks: ① 5.7/5.4 ② 4.9/5.1 ③ 4.7/4.4 ④ 5.7/5.9          CF-10-2</p>										



**Monrovia, CA (Suite 100)**  
750 Royal Oaks Drive Suite 100  
Monrovia, CA 91016  
Phone: 626-386-1100

# Chain of Custody Record



Environment Testing  
America

22E049



<b>Client Information (Sub Contract Lab)</b> Lab PM: Frank, Debbie L State of Origin: Hawaii		Carrier Tracking No(s): 380-474-1 Page: Page 1 of 1	
Client Contact: Shipping/Receiving E-Mail: Debbie.Frank@et.eurofins.com Phone: State - Hawaii		Accredited/Required (See note): State - Hawaii	
Due Date Requested: 5/11/2022 TAT Requested (days): PO #: WO #: Project #: 38001111 SSOW#: Site: Honolulu Compliance			
Address: 3051 Fujita Street, Torrance CA, 90505 Phone: Email:		Project Name: RED-HILL Site: Honolulu Compliance	
Sample Identification - Client ID (Lab ID)		Matrix (W=water, S=solid, O=wastewater, BT=tissue, A=air)	
AIEA WELLS P2 (260)-331-004-W L103 (380-1124-1)	Sample Date	Sample Time	Sample Type (C=comp, G=grab)
TRAVEL BLANK (380-1124-2)	5/2/22	10:23 Hawaiian	Water
	5/2/22	10:23 Hawaiian	Water
Sample Identification - Client ID (Lab ID)		Special Instructions/Note: GRO, DRO (LL EAL 20 ug/L) and ORO GRO	
Note: Since laboratory accreditations are subject to change, Eurofins Eaton Analytical, LLC places the ownership of method, analyte & accreditation compliance upon our subcontract laboratories. This sample shipment is forwarded under chain-of-custody. If the laboratory does not currently maintain accreditation in the State of Origin listed above for analysis/test/matrix being analyzed, the samples must be shipped back to the Eurofins Eaton Analytical, LLC laboratory or other instructions will be provided. Any changes to accreditation status should be brought to Eurofins Eaton Analytical, LLC attention immediately. If all requested accreditations are current to date, return the signed Chain of Custody attesting to said compliance to Eurofins Eaton Analytical, LLC.			
Possible Hazard Identification Unconfirmed Deliverable Requested: I, II, III, IV, Other (specify)			
Primary Deliverable Rank: 2 Method of Shipment: Special Instructions/QC Requirements: Sample Disposal (A fee may be assessed if samples are retained longer than 1 month) <input type="checkbox"/> Return To Client <input type="checkbox"/> Disposal By Lab <input type="checkbox"/> Archive For _____ Months			
Empty Kit Relinquished by: Relinquished by:		Date: 5/5/22 10:54 PM Company:	
Relinquished by:		Date/Time: 5/5/22 10:54 PM Company:	
Relinquished by:		Date/Time:	
Relinquished by:		Date/Time:	
REPORT ID: 22E049 Custody Seals Intact: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Cooler Temperature(s) °C and Other Remarks:			

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14
- 15
- 16
- 17

**Monrovia, CA (Suite 100)**  
 750 Royal Oaks Drive Suite 100  
 Monrovia, CA 91016  
 Phone: 626-386-1100

# Chain of Custody Record



Environment Testing  
 America



22E049

<b>Client Information (Sub Contract Lab)</b>		Lab PM: Frank, Debbie L.	Carrier Tracking No(s): 380-472-1					
Client Contact: Shipping/Receiving		Phone: Debbie.Frank@et.eurofins.com	Page: Page 1 of 1					
Company: EMAX Laboratories Inc		Address: 3051 Fujita Street, Torrance State, Zip: CA, 90505	Job #: 380-1130-1					
City: Torrance		State: California	Preservation Codes: M - Hexane N - None O - AsNaO2 P - Na2CO3 Q - Na2SO3 R - Na2S2O3 S - H2SO4 T - TSP Dodecahydrate U - Acetone V - MCAA W - pH 4-5 X - EDTA Y - EDA Z - other (specify)					
Due Date Requested: 5/11/2022		Analysis Requested						
TAT Requested (days):		Total Number of Containers						
PO #:		GRO, DRO (LL EAL 20 ug/L) and ORO						
WO #:		GRO						
Project #: 38001111		Special Instructions/Note:						
SSOW#:		GRO						
Site: Honolulu Compliance								
Sample Identification - Client ID (Lab ID)	Sample Date	Sample Time	Sample Type (C=comp, G=grab)	Matrix (W=water, S=solid, O=waste/oil, BT=tissue, A=air)	Field Filtered Sample (Yes or No)	Perform MS/MS (Yes or No)	SUB (6015 Gas Furgeable) LL (EAL) / 8015 Gas (Furgeable) LL (EAL)	SUB (6015 Diesel LL (EAL) and Motor Oil) / 8015 Diesel LL (EAL) and Motor Oil
MOANALUA WELLS (331-223-TP202) (380-1130-1)	5/2/22	10:30 Hawaiian	Water	Water	X	X	X	X
TRAVEL BLANK (380-1130-2)	5/2/22	10:30 Hawaiian	Water	Water	X	X		

Note: Since laboratory accreditations are subject to change, Eurofins Eaton Analytical, LLC places the ownership of method, analyte & accreditation compliance upon out subcontract laboratories. This sample shipment is forwarded under chain-of-custody. If the laboratory does not currently maintain accreditation in the State of Origin listed above for analysis/tests/matrix being analyzed, the samples must be shipped back to the Eurofins Eaton Analytical, LLC laboratory or other instructions will be provided. Any changes to accreditation status should be brought to Eurofins Eaton Analytical, LLC attention immediately. If all requested accreditations are current to date, return the signed Chain of Custody attesting to said compliance to Eurofins Eaton Analytical, LLC.

**Possible Hazard Identification**

Unconfirmed  Return To Client  Disposal By Lab  Archive For \_\_\_\_\_ Months

Deliverable Requested: I, II, III, IV, Other (specify) Primary Deliverable Rank: 2

Empty Kit Relinquished by: \_\_\_\_\_ Date: \_\_\_\_\_ Time: \_\_\_\_\_ Method of Shipment: \_\_\_\_\_

Relinquished by: *XAN* Date/Time: *5/5/22 10:54* Company: *EMAX*

Relinquished by: *Alar* Date/Time: \_\_\_\_\_ Company: \_\_\_\_\_

Relinquished by: \_\_\_\_\_ Date/Time: \_\_\_\_\_ Company: \_\_\_\_\_

REPORT ID: 22E049  
 Custody Seals Intact:  Yes  No  
 Cooler Temperature(s) °C and Other Remarks: \_\_\_\_\_

Monrovia, CA (Suite 100)  
750 Royal Oaks Drive Suite 100  
Monrovia, CA 91016  
Phone: 626-386-1100

## Chain of Custody Record



Environment Testing  
America



22E049

Client Information (Sub Contract Lab)		Sampler:	Lab PM:	Carrier Tracking No(s):	COC No:					
Client Contact: Shipping/Receiving		Frank, Debbie L	Frank, Debbie L	380-476.1	380-476.1					
Company: EMAX Laboratories Inc		Phone:	E-Mail: Debbie.Frank@et.eurofins.com	State of Origin: Hawaii	Page: Page 1 of 1					
Address: 3051 Fujita Street, Torrance, CA, 90505		PO #:	State - Hawaii	Accreditations Required (See note):	Job #: 380-1127-1					
City: Torrance		WO #:	<b>Analysis Requested</b>							
State, Zip: CA, 90505		Project #: 38001111	<b>Preservation Codes:</b>							
Phone:		SSOW#:	M - Hexane N - None O - AsNaO2 P - Na2O4S Q - Na2SO3 R - Na2S2O3 S - H2SO4 T - TSP Dodecahydrate U - Acetone V - MCAA W - pH 4-5 L - EDA Z - other (specify)							
Email:		Other:								
Project Name: RED-HILL		Total Number of Containers:								
Site: Honolulu Compliance		Special Instructions/Note:								
Sample Identification - Client ID (Lab ID)	Sample Date	Sample Time	Sample Type (O=comp, G=grab)	Matrix (W=water, S=solid, O=wastewater, BT=tissue, A=air)	Field Filtered Sample (Yes or No)	Perform MSD (Yes or No)	SNB (8015 Gas (Purgeable) LL (EAL)) 8015 Gas	SNB (8015 Diesel LL (EAL) and Motor Oil) 8015	Diels LL (EAL) and Motor Oil	Total Number of Containers
HALAWA WELLS P1 (331-023-WL065) (380-1127-1)	5/2/22	10:57 Hawaiian	Water	Water			X	X		9
TRAVEL BLANK (380-1127-2)	5/2/22	10:57 Hawaiian	Water	Water			X			2
<p><b>Sample Disposal ( A fee may be assessed if samples are retained longer than 1 month)</b></p> <p>Return To Client <input type="checkbox"/> Disposal By Lab <input type="checkbox"/> Archive For _____ Months</p> <p>Special Instructions/QC Requirements:</p>										
<p><b>Possible Hazard Identification</b></p> <p>Unconfirmed</p> <p>Deliverable Requested: I, II, III, IV, Other (specify)</p> <p>Primary Deliverable Rank: 2</p>		<p>Date:</p> <p>Received by: <i>Alan R.</i></p> <p>Date/Time: 5/5/22 10:54</p>		<p>Company: EMAX</p> <p>Company: EMAX</p>						
<p>Empty Kit Relinquished by:</p> <p>Relinquished by: <i>AM</i></p> <p>Date/Time: 5/5/22 10:54</p>		<p>Date:</p> <p>Received by: <i>Alan R.</i></p> <p>Date/Time: 5/5/22 10:54</p>		<p>Company: EMAX</p> <p>Company: EMAX</p>						
<p>Relinquished by:</p> <p>REPORT ID: 22E049</p> <p>Custody Seals Intact: <input type="checkbox"/> Yes <input type="checkbox"/> No</p>		<p>Date:</p> <p>Received by: <i>Alan R.</i></p> <p>Date/Time: 5/5/22 10:54</p>		<p>Company: EMAX</p> <p>Company: EMAX</p>						
<p>Relinquished by:</p> <p>REPRINT ID: 22E049</p> <p>Custody Seals Intact: <input type="checkbox"/> Yes <input type="checkbox"/> No</p>		<p>Date:</p> <p>Received by: <i>Alan R.</i></p> <p>Date/Time: 5/5/22 10:54</p>		<p>Company: EMAX</p> <p>Company: EMAX</p>						
<p>Cooler Temperature(s) °C and Other Remarks:</p>		<p>Date:</p> <p>Received by: <i>Alan R.</i></p> <p>Date/Time: 5/5/22 10:54</p>		<p>Company: EMAX</p> <p>Company: EMAX</p>						





# Shipping Order Form



Environment Testing  
America

Monrovia, CA (Suite 100)  
750 Royal Oaks Drive Suite 100  
Monrovia, CA 91016  
Phone (626) 386-1100



Shipping Order ID: 3574

Due On: 5/5/2022 11:59:00PM

Ship Via: FedEx

Sales Representative

Project Manager:

Company Name: EMAX Laboratories Inc

Attention: Shipping/Receiving

Address 1: 3051 Fujita Street

Address 2:

Address 3:

City: Torrance

State: CA

Zip: 90505

Phone #:

Project Ref:

Notes to Eohts/Shipping Department

### Shipping Method: Standard packing

- Ready to Fill
- Preprinted COC
- Number of COC Copies
- Seals on Bottle
- Seals on Coolers
- Priority
- Return Shipment Labels
- Prepaid Return
- Monrovia, CA (Suite 100)
- Short Hold Times
- Temperature Control
- Rush

Please notify your PM immediately if an error is found in shipment. When returning samples, please return all provided QC samples.

REPORT ID: 22E049

Shipping Order ID: 3574

Page 6 of 38

Page 1 of 3

Printed on 5/5/2022 8:05:10AM



Please notify your PM immediately if an error is found in shipment. When returning samples, please return all provided QC samples.

REPORT ID: 22E049

Shipping Order ID: 3574

Page 7 of 38

Page 2 of 3

Printed on 5/5/2022 8:05:10AM

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14
- 15
- 16
- 17

**Bottle Order Information**

Bottle Order:  
Bottle Order #: Request From Client: 5/5/2022  
Date Order Posted: Ready To Process  
Order Status:  
Prepared By:  
**Deliver By Date: 5/5/2022 11:59:00PM**  
Lab Project Number:  
PWSID:

**Order Completion Information**

Creator: Joseph Sanchez  
Filled by:  
Sent Date:  
Sent Via:  
Tracking #:

Seal	Bottles/Seal	Qty	Bottle Type/Description	Preservative	Method	Matrix	Sample Type	Comments	Lot#
------	--------------	-----	-------------------------	--------------	--------	--------	-------------	----------	------

**Health and Safety Notes**

Preservative \_\_\_\_\_ Comment \_\_\_\_\_



Scan QR code for field sampler instructions

Relinquished By	Company	Date	Time	Received By	Company	Seal #:
Relinquished By	Company	Date	Time	Received By	Company	Seal #:

Please notify your PM immediately if an error is found in shipment. When returning samples, please return all provided QC samples.

REPORT ID: 22E049

Shipping Order ID: 3574





Type of Delivery <input type="checkbox"/> Fedex <input type="checkbox"/> UPS <input type="checkbox"/> GSO <input type="checkbox"/> Others <input type="checkbox"/> EMAX Courier <input checked="" type="checkbox"/> Client Delivery	Airbill / Tracking Number	ECN 22E049 Recipient Alan Ramos Date 05/05/22 Time 10:54
---	---------------------------	--

**COC INSPECTION**

<input checked="" type="checkbox"/> Client Name	<input type="checkbox"/> Client PM/FC	<input type="checkbox"/> Sampler Name	<input checked="" type="checkbox"/> Sampling Date/Time	<input checked="" type="checkbox"/> Sample ID	<input checked="" type="checkbox"/> Matrix
<input checked="" type="checkbox"/> Address	<input checked="" type="checkbox"/> Tel # / Fax #	<input type="checkbox"/> Courier Signature	<input checked="" type="checkbox"/> Analysis Required	<input type="checkbox"/> Preservative (if any)	<input checked="" type="checkbox"/> TAT
Safety Issues (if any) Note:	<input type="checkbox"/> High concentrations expected	<input type="checkbox"/> From Superfund Site	<input type="checkbox"/> Rad screening required		

**PACKAGING INSPECTION**

Container	<input type="checkbox"/> Cooler	<input type="checkbox"/> Box	<input type="checkbox"/> Other
Condition	<input type="checkbox"/> Custody Seal	<input type="checkbox"/> Intact	<input type="checkbox"/> Damaged
Packaging	<input checked="" type="checkbox"/> Bubble Pack	<input type="checkbox"/> Styrofoam	<input type="checkbox"/> Popcorn
Temperatures (Cool, ≤6 °C but not frozen)	<input checked="" type="checkbox"/> Cooler 1 5.7/5.9 °C	<input checked="" type="checkbox"/> Cooler 2 4.9/5.1 °C	<input checked="" type="checkbox"/> Cooler 3 4.7/4.9 °C
Thermometer:	<input checked="" type="checkbox"/> Cooler 4 5.7/5.9 °C	<input type="checkbox"/> Cooler 5 _____ °C	<input type="checkbox"/> Cooler 6 _____ °C
	<input type="checkbox"/> Cooler 7 _____ °C	<input type="checkbox"/> Cooler 8 _____ °C	<input type="checkbox"/> Cooler 9 _____ °C
	<input type="checkbox"/> Cooler 10 _____ °C		

Comments:  Temperature is out of range. PM was informed IMMEDIATELY.  
Note:

**DISCREPANCIES**

LabSampleID	LabSampleContainerID	Code	ClientSample Label ID / Information	Corrective Action
1,3,5	1-9,12-20,27-29,32,33	D10		R8
1,3,5,7	5,7-9,15,16,17,19,20,26,30,31,34,40,42,44,45	D2	Jet Fuel 5 is also listed on label, not indicated on COC	R1, R8
2,4,6	11,21,22,35,36	D7	Two dates on label - 2/2/22 and 5/2/22	R8
7	37,39-45	D10		

pH holding time requirement for water samples is 15 mins. Water samples for pH analysis are received beyond 15 minutes from sampling time.

**NOTES/OBSERVATIONS:**  
 SAMPLE MATRIX IS DRINKING WATER?  YES  NO  
 @COC states Diesel U + Motor Oil only

- LEGEND:**
- |   |   |   |
|---|---|---|
| Code Description- Sample Management             | Code Description-Sample Management            | Code Description-Sample Management                            |
| D1 Analysis is not indicated in _____           | D13 Out of Holding Time                       | R1 Proceed as indicated in COC <input type="checkbox"/> Label |
| D2 Analysis mismatch COC vs label               | D14 Bubble is >6mm                            | R2 Refer to attached instruction                              |
| D3 Sample ID mismatch COC vs label              | D15 No trip blank in cooler                   | R3 Cancel the analysis  |
| D4 Sample ID is not indicated in _____          | D16 Preservation not indicated in _____       | R4 Use vial with smallest bubble first                        |
| D5 Container -[improper] [leaking] [broken]     | D17 Preservation mismatch COC vs label        | R5 Log-in with latest sampling date and time! 1 min           |
| D6 Date/Time is not indicated in _____          | D18 Insufficient chemical preservative        | R6 Adjust pH as necessary                                     |
| D7 Date/Time mismatch COC vs label              | D19 Insufficient Sample                       | R7 Filter and preserved as necessary                          |
| D8 Sample listed in COC is not received         | D20 No filtration info for dissolved analysis | R8 Informed Client  |
| D9 Sample received is not listed in COC         | D21 No sample for moisture determination      | R9 _____  |
| D10 No initial/date on corrections in COC/label | D22 _____                                     | R10 _____   |
| D11 Container count mismatch COC vs received    | D23 _____                                     | R11 _____   |
| D12 Container size mismatch COC vs received     | D24 _____                                     | R12 _____   |

**REVIEWS:**  
 Sample Labeling: JOCELYNE COLLIER  
 Date: 05/05/22  
 SRF: [Signature]  
 Date: 5/6/22  
 PM: [Signature]  
 Date: 5/5/22

## REPORTING CONVENTIONS

### DATA QUALIFIERS:

Lab Qualifier	AFCEE Qualifier	Description
J	F	Indicates that the analyte is positively identified and the result is less than RL but greater than MDL.
N		Indicates presumptive evidence of a compound.
B	B	Indicates that the analyte is found in the associated method blank as well as in the sample at above QC level.
E	J	Indicates that the result is above the maximum calibration range or estimated value.
*	*	Out of QC limit.

Note: The above qualifiers are used to flag the results unless the project requires a different set of qualification criteria.

### ACRONYMS AND ABBREVIATIONS:

CRDL	Contract Required Detection Limit
RL	Reporting Limit
MRL	Method Reporting Limit
PQL	Practical Quantitation Limit
MDL	Method Detection Limit
DO	Diluted out

### DATES

The date and time information for leaching and preparation reflect the beginning date and time of the procedure unless the method, protocol, or project specifically requires otherwise.

LABORATORY REPORT FOR

EUROFINS EATON ANALYTICAL

38001111

METHOD 5030B/8015B  
TOTAL PETROLEUM HYDROCARBONS BY PURGE AND TRAP

SDG#: 22E049



CASE NARRATIVE

Client : EUROFINS EATON ANALYTICAL

Project: 38001111

SDG : 22E049

METHOD 5030B/8015B  
TOTAL PETROLEUM HYDROCARBONS BY PURGE AND TRAP

A total of eight(8) water samples were received on 05/05/22 to be analyzed for Total Petroleum Hydrocarbons by Purge and Trap in accordance with Method 5030B/8015B and project specific requirements.

Holding Time

Samples were analyzed within the prescribed holding time.

Calibration

Multi-calibration points were generated to establish initial calibration (ICAL). ICAL was verified using a secondary source (ICV). Continuing calibration (CCV) verifications were carried out on a frequency specified by the project. All calibration requirements were within acceptance criteria. Refer to calibration summary forms of ICAL, ICV and CCV for details. MRL was analyzed as required by the project. Refer to MRL summary form for details.

Method Blank

Method blank was prepared and analyzed at the frequency required by the project. For this SDG, one(1) method blank was analyzed. VGH7E02B - result was compliant to project requirement. Refer to sample result summary form for details.

Lab Control Sample

Lab control sample was prepared and analyzed at a frequency required by the project. For this SDG, one(1) set of LCS/LCD was analyzed. VGH7E02L/VGH7E02C were within LCS limits. Refer to LCS summary form for details.

Matrix QC Sample

Matrix spike sample was prepared and analyzed at a frequency required by the project. For this SDG, one(1) set of MS/MSD was analyzed. Gasoline was within MS QC limits in E049-01M/E049-01S. Refer to Matrix QC summary form for details.

Surrogate

Surrogate was added on QC and field samples. All surrogate recoveries were within QC limits. Refer to sample result summary forms for details.

Sample Analysis

Samples were analyzed according to prescribed analytical procedures. Results were evaluated in accordance to project requirements. For this SDG, all quality control requirements were met.

LAB CHRONICLE  
TOTAL PETROLEUM HYDROCARBONS BY PURGE AND TRAP

Client : EUROFINS EATON ANALYTICAL  
 Project : 38001111  
 SDG NO. : 22E049  
 Instrument ID : H7

Client Sample ID	Laboratory Sample ID	Dilution Factor	% Moist	Analysis DateTime	Extraction DateTime	Sample Data FN	Calibration Data FN	Prep. Batch	Notes
									WATER
MBLK1W	VGH7E02B	1	NA	05/05/2212:15	05/05/2212:15	AE05005A	AE05004A	22VGH7E02	Method Blank
LCS1W	VGH7E02L	1	NA	05/05/2212:50	05/05/2212:50	AE05006A	AE05004A	22VGH7E02	Lab Control Sample (LCS)
LCD1W	VGH7E02C	1	NA	05/05/2213:24	05/05/2213:24	AE05007A	AE05004A	22VGH7E02	LCS Duplicate
380-1106-1	E049-01	1	NA	05/05/2219:17	05/05/2219:17	AE05017A	AE05016A	22VGH7E02	Field Sample
380-1106-1MS	E049-01M	1	NA	05/05/2219:51	05/05/2219:51	AE05018A	AE05016A	22VGH7E02	Matrix Spike Sample (MS)
380-1106-1MSD	E049-01S	1	NA	05/05/2220:25	05/05/2220:25	AE05019A	AE05016A	22VGH7E02	MS Duplicate (MSD)
380-1106-2	E049-02	1	NA	05/05/2221:00	05/05/2221:00	AE05020A	AE05016A	22VGH7E02	Field Sample
380-1124-1	E049-03	1	NA	05/05/2221:34	05/05/2221:34	AE05021A	AE05016A	22VGH7E02	Field Sample
380-1124-2	E049-04	1	NA	05/05/2222:08	05/05/2222:08	AE05022A	AE05016A	22VGH7E02	Field Sample
380-1130-1	E049-05	1	NA	05/05/2222:42	05/05/2222:42	AE05023A	AE05016A	22VGH7E02	Field Sample
380-1130-2	E049-06	1	NA	05/05/2223:16	05/05/2223:16	AE05024A	AE05016A	22VGH7E02	Field Sample
380-1127-1	E049-07	1	NA	05/05/2223:51	05/05/2223:51	AE05025A	AE05016A	22VGH7E02	Field Sample
380-1127-2	E049-08	1	NA	05/06/2200:25	05/06/2200:25	AE05026A	AE05016A	22VGH7E02	Field Sample

FN - Filename  
 % Moist - Percent Moisture





1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17

# SAMPLE RESULTS

METHOD 5030B/8015B  
TOTAL PETROLEUM HYDROCARBONS BY PURGE AND TRAP

```

=====
Client      : EUROFINS EATON ANALYTICAL   Date Collected: 05/02/22 09:30
Project     : 38001111                   Date Received: 05/05/22
Batch No.   : 22E049                     Date Extracted: 05/05/22 19:17
Sample ID   : 380-1106-1                 Date Analyzed: 05/05/22 19:17
Lab Samp ID : E049-01                    Dilution Factor: 1
Lab File ID : AE05017A                   Matrix: WATER
Ext Btch ID : 22VGH7E02                  % Moisture: NA
Calib. Ref. : AE05016A                   Instrument ID: H7
=====

```

PARAMETERS	RESULTS (mg/L)	RL (mg/L)	MDL (mg/L)	
GASOLINE	ND	0.020	0.010	
SURROGATE PARAMETERS	RESULT	SPK_AMT	%RECOVERY	QC LIMIT
Bromofluorobenzene	0.0386	0.0400	96	60-140

Notes:

Parameter H-C Range  
Gasoline C6-C10  
Reported ND at RL quantitated per pattern recognition.

Detection limits are reported relative to sample result significant figures.  
Sample Amount : 5ml Final Volume : 5ml  
Prepared by : SCerva Analyzed by : SCerva

METHOD 5030B/8015B  
TOTAL PETROLEUM HYDROCARBONS BY PURGE AND TRAP

```

=====
Client      : EUROFINS EATON ANALYTICAL   Date Collected: 05/02/22 09:30
Project     : 38001111                   Date Received: 05/05/22
Batch No.   : 22E049                     Date Extracted: 05/05/22 21:00
Sample ID   : 380-1106-2                 Date Analyzed: 05/05/22 21:00
Lab Samp ID : E049-02                    Dilution Factor: 1
Lab File ID : AE05020A                   Matrix: WATER
Ext Btch ID: 22VGH7E02                  % Moisture: NA
Calib. Ref.: AE05016A                   Instrument ID: H7
=====

```

PARAMETERS	RESULTS (mg/L)	RL (mg/L)	MDL (mg/L)	
GASOLINE	ND	0.020	0.010	
SURROGATE PARAMETERS	RESULT	SPK_AMT	%RECOVERY	QC LIMIT
Bromofluorobenzene	0.0339	0.0400	85	60-140

Notes:

Parameter H-C Range  
Gasoline C6-C10  
Reported ND at RL quantitated per pattern recognition.

Detection limits are reported relative to sample result significant figures.  
Sample Amount : 5ml Final Volume : 5ml  
Prepared by : SCerva Analyzed by : SCerva

METHOD 5030B/8015B  
TOTAL PETROLEUM HYDROCARBONS BY PURGE AND TRAP

```

=====
Client      : EUROFINS EATON ANALYTICAL   Date Collected: 05/02/22 10:23
Project    : 38001111                   Date Received: 05/05/22
Batch No.  : 22E049                      Date Extracted: 05/05/22 21:34
Sample ID  : 380-1124-1                 Date Analyzed: 05/05/22 21:34
Lab Samp ID: E049-03                    Dilution Factor: 1
Lab File ID: AE05021A                   Matrix: WATER
Ext Btch ID: 22VGH7E02                  % Moisture: NA
Calib. Ref.: AE05016A                   Instrument ID: H7
=====

```

PARAMETERS	RESULTS (mg/L)	RL (mg/L)	MDL (mg/L)	
GASOLINE	ND	0.020	0.010	
SURROGATE PARAMETERS	RESULT	SPK_AMT	%RECOVERY	QC LIMIT
Bromofluorobenzene	0.0317	0.0400	79	60-140

Notes:

Parameter H-C Range  
Gasoline C6-C10  
Reported ND at RL quantitated per pattern recognition.

Detection limits are reported relative to sample result significant figures.  
Sample Amount : 5ml Final Volume : 5ml  
Prepared by : SCerva Analyzed by : SCerva

METHOD 5030B/8015B  
TOTAL PETROLEUM HYDROCARBONS BY PURGE AND TRAP

```

=====
Client      : EUROFINS EATON ANALYTICAL   Date Collected: 05/02/22 10:23
Project    : 38001111                    Date Received: 05/05/22
Batch No.  : 22E049                      Date Extracted: 05/05/22 22:08
Sample ID  : 380-1124-2                  Date Analyzed: 05/05/22 22:08
Lab Samp ID: E049-04                    Dilution Factor: 1
Lab File ID: AE05022A                   Matrix: WATER
Ext Btch ID: 22VGH7E02                  % Moisture: NA
Calib. Ref.: AE05016A                   Instrument ID: H7
=====

```

PARAMETERS	RESULTS (mg/L)	RL (mg/L)	MDL (mg/L)	
GASOLINE	ND	0.020	0.010	
SURROGATE PARAMETERS	RESULT	SPK_AMT	%RECOVERY	QC LIMIT
Bromofluorobenzene	0.0296	0.0400	74	60-140

Notes:

Parameter H-C Range  
Gasoline C6-C10  
Reported ND at RL quantitated per pattern recognition.

Detection limits are reported relative to sample result significant figures.  
Sample Amount : 5ml Final Volume : 5ml  
Prepared by : SCerva Analyzed by : SCerva

METHOD 5030B/8015B  
TOTAL PETROLEUM HYDROCARBONS BY PURGE AND TRAP

```

=====
Client      : EUROFINS EATON ANALYTICAL   Date Collected: 05/02/22 10:30
Project     : 38001111                   Date Received: 05/05/22
Batch No.   : 22E049                     Date Extracted: 05/05/22 22:42
Sample ID   : 380-1130-1                 Date Analyzed: 05/05/22 22:42
Lab Samp ID: E049-05                     Dilution Factor: 1
Lab File ID: AE05023A                    Matrix: WATER
Ext Btch ID: 22VGH7E02                   % Moisture: NA
Calib. Ref.: AE05016A                    Instrument ID: H7
=====

```

PARAMETERS	RESULTS (mg/L)	RL (mg/L)	MDL (mg/L)	
GASOLINE	ND	0.020	0.010	
SURROGATE PARAMETERS	RESULT	SPK_AMT	%RECOVERY	QC LIMIT
Bromofluorobenzene	0.0310	0.0400	77	60-140

Notes:

Parameter H-C Range  
Gasoline C6-C10  
Reported ND at RL quantitated per pattern recognition.

Detection limits are reported relative to sample result significant figures.  
Sample Amount : 5ml Final Volume : 5ml  
Prepared by : SCerva Analyzed by : SCerva

METHOD 5030B/8015B  
TOTAL PETROLEUM HYDROCARBONS BY PURGE AND TRAP

```

=====
Client      : EUROFINS EATON ANALYTICAL   Date Collected: 05/02/22 10:30
Project     : 38001111                   Date Received: 05/05/22
Batch No.   : 22E049                     Date Extracted: 05/05/22 23:16
Sample ID   : 380-1130-2                 Date Analyzed: 05/05/22 23:16
Lab Samp ID: E049-06                     Dilution Factor: 1
Lab File ID: AE05024A                    Matrix: WATER
Ext Btch ID: 22VGH7E02                   % Moisture: NA
Calib. Ref.: AE05016A                    Instrument ID: H7
=====

```

PARAMETERS	RESULTS (mg/L)	RL (mg/L)	MDL (mg/L)	
GASOLINE	ND	0.020	0.010	
SURROGATE PARAMETERS	RESULT	SPK_AMT	%RECOVERY	QC LIMIT
Bromofluorobenzene	0.0335	0.0400	84	60-140

Notes:

Parameter H-C Range  
Gasoline C6-C10  
Reported ND at RL quantitated per pattern recognition.

Detection limits are reported relative to sample result significant figures.  
Sample Amount : 5ml Final Volume : 5ml  
Prepared by : SCerva Analyzed by : SCerva

METHOD 5030B/8015B  
TOTAL PETROLEUM HYDROCARBONS BY PURGE AND TRAP

```

=====
Client      : EUROFINS EATON ANALYTICAL   Date Collected: 05/02/22 10:57
Project     : 38001111                   Date Received: 05/05/22
Batch No.   : 22E049                     Date Extracted: 05/05/22 23:51
Sample ID   : 380-1127-1                 Date Analyzed: 05/05/22 23:51
Lab Samp ID: E049-07                     Dilution Factor: 1
Lab File ID: AE05025A                    Matrix: WATER
Ext Btch ID: 22VGH7E02                   % Moisture: NA
Calib. Ref.: AE05016A                    Instrument ID: H7
=====

```

PARAMETERS	RESULTS (mg/L)	RL (mg/L)	MDL (mg/L)
GASOLINE	ND	0.020	0.010

  

SURROGATE PARAMETERS	RESULT	SPK_AMT	%RECOVERY	QC LIMIT
Bromofluorobenzene	0.0337	0.0400	84	60-140

Notes:

Parameter H-C Range  
Gasoline C6-C10  
Reported ND at RL quantitated per pattern recognition.

Detection limits are reported relative to sample result significant figures.  
Sample Amount : 5ml Final Volume : 5ml  
Prepared by : SCerva Analyzed by : SCerva



METHOD 5030B/8015B  
TOTAL PETROLEUM HYDROCARBONS BY PURGE AND TRAP

```

=====
Client      : EUROFINS EATON ANALYTICAL   Date Collected: 05/02/22 10:57
Project     : 38001111                   Date Received: 05/05/22
Batch No.   : 22E049                     Date Extracted: 05/06/22 00:25
Sample ID   : 380-1127-2                 Date Analyzed: 05/06/22 00:25
Lab Samp ID: E049-08                    Dilution Factor: 1
Lab File ID: AE05026A                   Matrix: WATER
Ext Btch ID: 22VGH7E02                  % Moisture: NA
Calib. Ref.: AE05016A                   Instrument ID: H7
=====

```

PARAMETERS	RESULTS (mg/L)	RL (mg/L)	MDL (mg/L)	
GASOLINE	ND	0.020	0.010	
SURROGATE PARAMETERS	RESULT	SPK_AMT	%RECOVERY	QC LIMIT
Bromofluorobenzene	0.0334	0.0400	84	60-140

Notes:

Parameter H-C Range  
Gasoline C6-C10  
Reported ND at RL quantitated per pattern recognition.

Detection limits are reported relative to sample result significant figures.  
Sample Amount : 5ml Final Volume : 5ml  
Prepared by : SCerva Analyzed by : SCerva

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17

# QC SUMMARIES

METHOD 5030B/8015B  
TOTAL PETROLEUM HYDROCARBONS BY PURGE AND TRAP

```

=====
Client      : EUROFINS EATON ANALYTICAL   Date Collected: 05/05/22 12:15
Project     : 38001111                   Date Received: 05/05/22
Batch No.   : 22E049                     Date Extracted: 05/05/22 12:15
Sample ID   : MBLK1W                     Date Analyzed: 05/05/22 12:15
Lab Samp ID: VGH7E02B                    Dilution Factor: 1
Lab File ID: AE05005A                    Matrix: WATER
Ext Btch ID: 22VGH7E02                   % Moisture: NA
Calib. Ref.: AE05004A                    Instrument ID: H7
=====

```

PARAMETERS	RESULTS (mg/L)	RL (mg/L)	MDL (mg/L)	
GASOLINE	ND	0.020	0.010	
SURROGATE PARAMETERS	RESULT	SPK_AMT	%RECOVERY	QC LIMIT
Bromofluorobenzene	0.0362	0.0400	90	60-140

Notes:

Parameter H-C Range  
Gasoline C6-C10  
Reported ND at RL quantitated per pattern recognition.

Detection limits are reported relative to sample result significant figures.  
Sample Amount : 5ml Final Volume : 5ml  
Prepared by : SCerva Analyzed by : SCerva

EMAX QUALITY CONTROL DATA  
LAB CONTROL SAMPLE ANALYSIS

CLIENT : EUROFINS EATON ANALYTICAL  
PROJECT : 38001111  
BATCH NO. : 22E049  
METHOD : 5030B/8015B

```

=====
MATRIX      : WATER                               % MOISTURE:NA
DILUTION FACTOR: 1                               1
SAMPLE ID   : MBLK1W                             LCS1W
LAB SAMPLE ID : VGH7E02B                         VGH7E02L
LAB FILE ID  : AE05005A                         AE05006A
DATE PREPARED : 05/05/22 12:15                 05/05/22 12:50
DATE ANALYZED : 05/05/22 12:15                 05/05/22 12:50
PREP BATCH   : 22VGH7E02                       22VGH7E02
CALIBRATION REF: AE05004A                      AE05004A
=====
  
```

ACCESSION:

PARAMETERS	MBResult (mg/L)	SpikeAmt (mg/L)	LCSResult (mg/L)	LCSRec (%)	SpikeAmt (mg/L)	LCDResult (mg/L)	LCDRec (%)	RPD (%)	QCLimit (%)	MaxRPD (%)
Gasoline	ND	0.500	0.436	87	0.500	0.452	90	4	60-130	30

SURROGATE PARAMETER	SpikeAmt (mg/L)	LCSResult (mg/L)	LCSRec (%)	SpikeAmt (mg/L)	LCDResult (mg/L)	LCDRec (%)	QCLimit (%)
Bromofluorobenzene	0.0400	0.0437	109	0.0400	0.0451	113	70-130

MB: Method Blank sample LCS: Lab Control Sample LCD: Lab Control Sample Duplicate

EMAX QUALITY CONTROL DATA  
MS/MSD ANALYSIS

CLIENT : EUROFINS EATON ANALYTICAL  
PROJECT : 38001111  
BATCH NO. : 22E049  
METHOD : 5030B/8015B

```

=====
MATRIX      : WATER                               % MOISTURE:NA
DILUTION FACTOR: 1                               1
SAMPLE ID   : 380-1106-1                         380-1106-1MS
LAB SAMPLE ID : E049-01                          E049-01M
LAB FILE ID  : AE05017A                          AE05018A
DATE PREPARED : 05/05/22 19:17                   05/05/22 19:51
DATE ANALYZED : 05/05/22 19:17                   05/05/22 19:51
PREP BATCH   : 22VGH7E02                         22VGH7E02
CALIBRATION REF: AE05016A                        AE05016A
=====
  
```

ACCESSION:

PARAMETERS	PSResult (mg/L)	SpikeAmt (mg/L)	MSResult (mg/L)	MSRec (%)	SpikeAmt (mg/L)	MSDResult (mg/L)	MSDRec (%)	RPD (%)	QCLimit (%)	MaxRPD (%)
Gasoline	ND	0.500	0.450	90	0.500	0.467	93	4	50-130	30

SURROGATE PARAMETER	SpikeAmt (mg/L)	MSResult (mg/L)	MSRec (%)	SpikeAmt (mg/L)	MSDResult (mg/L)	MSDRec (%)	QCLimit (%)
Bromofluorobenzene	0.0400	0.0450	113	0.0400	0.0467	117	60-140

PS: Parent Sample MS: Matrix Spike MSD: Matrix Spike Duplicate

LABORATORY REPORT FOR

EUROFINS EATON ANALYTICAL

38001111

METHOD 3520C/8015B  
TOTAL PETROLEUM HYDROCARBONS BY EXTRACTION

SDG#: 22E049



CASE NARRATIVE

Client : EUROFINS EATON ANALYTICAL

Project: 38001111

SDG : 22E049

METHOD 3520C/8015B  
TOTAL PETROLEUM HYDROCARBONS BY EXTRACTION

A total of four(4) water samples were received on 05/05/22 to be analyzed for Total Petroleum Hydrocarbons by Extraction in accordance with Method 3520C/8015B and project specific requirements.

Holding Time

Samples were analyzed within the prescribed holding time.

Calibration

Multi-calibration points were generated to establish initial calibration (ICAL). ICAL was verified using a secondary source (ICV). Continuing calibration (CCV) verifications were carried out on a frequency specified by the project. All calibration requirements were within acceptance criteria. Refer to calibration summary forms of ICAL, ICV and CCV for details. MRL was analyzed as required by the project. Refer to MRL summary form for details.

Method Blank

Method blank was prepared and analyzed at the frequency required by the project. For this SDG, one(1) method blank was analyzed. DSE013WB - result was compliant to project requirement. Refer to sample result summary form for details.

Lab Control Sample

Lab control sample was prepared and analyzed at a frequency required by the project. For this SDG, one(1) LCS was analyzed. Percent recovery for Diesel was within LCS QC limits in DSE013WL. Refer to LCS summary form for details.

Matrix QC Sample

Matrix spike sample was prepared and analyzed at a frequency required by the project. For this SDG, one(1) set of MS/MSD was analyzed. Diesel was within MS QC limits in 22E049-05M/22E049-05S. Refer to Matrix QC summary form for details.

Surrogate

Surrogates were added on QC and field samples. All surrogate recoveries were within QC limits. Refer to sample result summary forms for details.

Sample Analysis

Samples were analyzed according to prescribed analytical procedures. Results were evaluated in accordance to project requirements. For this SDG, all quality control requirements were met.

LAB CHRONICLE  
TOTAL PETROLEUM HYDROCARBONS BY EXTRACTION

Client : EUROFINS EATON ANALYTICAL  
 Project : 38001111  
 SDG NO. : 22E049  
 Instrument ID : D5

Client Sample ID	Laboratory Sample ID	Dilution Factor	% Moist	Analysis DateTime	Extraction DateTime	Sample Data FN	Calibration Data FN	Prep. Batch	Notes
									WATER
MBLK1W	DSE013WB	1	NA	05/10/2215:29	05/09/2211:30	LE10010A	LE10004A	22DSE013W	Method Blank
LCS1W	DSE013WL	1	NA	05/10/2215:48	05/09/2211:30	LE10011A	LE10004A	22DSE013W	Lab Control Sample (LCS)
380-1106-1	E049-01	1	NA	05/10/2216:43	05/09/2211:30	LE10014A	LE10004A	22DSE013W	Field Sample
380-1124-1	E049-03	1	NA	05/10/2217:02	05/09/2211:30	LE10015A	LE10004A	22DSE013W	Field Sample
380-1130-1	E049-05	1	NA	05/10/2217:20	05/09/2211:30	LE10016A	LE10004A	22DSE013W	Field Sample
380-1130-1MS	E049-05M	1	NA	05/10/2217:39	05/09/2211:30	LE10017A	LE10004A	22DSE013W	Matrix Spike Sample (MS)
380-1130-1MSD	E049-05S	1	NA	05/10/2217:57	05/09/2211:30	LE10018A	LE10004A	22DSE013W	MS Duplicate (MSD)
380-1127-1	E049-07	1	NA	05/10/2219:29	05/09/2211:30	LE10023A	LE10004A	22DSE013W	Field Sample

FN - Filename  
 % Moist - Percent Moisture





1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17

# SAMPLE RESULTS

METHOD 3520C/8015B  
TOTAL PETROLEUM HYDROCARBONS BY EXTRACTION

```

=====
Client      : EUROFINS EATON ANALYTICAL   Date Collected: 05/02/22 09:30
Project     : 38001111                   Date Received: 05/05/22
Batch No.   : 22E049                     Date Extracted: 05/09/22 11:30
Sample ID   : 380-1106-1                 Date Analyzed: 05/10/22 16:43
Lab Samp ID: 22E049-01                   Dilution Factor: 1
Lab File ID: LE10014A                    Matrix: WATER
Ext Btch ID: 22DSE013W                   % Moisture: NA
Calib. Ref.: LE10004A                    Instrument ID: D5
=====

```

PARAMETERS	RESULTS (mg/L)	RL (mg/L)	MDL (mg/L)
Diesel	ND	0.026	0.013
Motor Oil	ND	0.052	0.026

  

SURROGATE PARAMETERS	RESULT	SPK_AMT	%RECOVERY	QC LIMIT
Bromobenzene	0.497	0.525	95	60-130
Hexacosane	0.125	0.131	96	60-130

Notes:  
Parameter H-C Range  
Diesel C10-C24  
Motor Oil C24-C36  
Reported ND at RL quantitated per pattern recognition.

Detection limits are reported relative to sample result significant figures.  
Sample Amount : 950ml Final Volume : 5ml  
Prepared by : PDreto Analyzed by : SDeeso

METHOD 3520C/8015B  
TOTAL PETROLEUM HYDROCARBONS BY EXTRACTION

```

=====
Client      : EUROFINS EATON ANALYTICAL   Date Collected: 05/02/22 10:23
Project     : 38001111                   Date Received: 05/05/22
Batch No.   : 22E049                     Date Extracted: 05/09/22 11:30
Sample ID   : 380-1124-1                 Date Analyzed: 05/10/22 17:02
Lab Samp ID: 22E049-03                   Dilution Factor: 1
Lab File ID: LE10015A                     Matrix: WATER
Ext Btch ID: 22DSE013W                    % Moisture: NA
Calib. Ref.: LE10004A                     Instrument ID: D5
=====

```

PARAMETERS	RESULTS (mg/L)	RL (mg/L)	MDL (mg/L)		
Diesel	ND	0.027	0.014		
Motor Oil	ND	0.055	0.027		
SURROGATE PARAMETERS	RESULT	SPK_AMT	%RECOVERY	QC LIMIT	
Bromobenzene	0.508	0.545	93	60-130	
Hexacosane	0.133	0.136	97	60-130	

Notes:

Parameter H-C Range  
Diesel C10-C24  
Motor Oil C24-C36

Reported ND at RL quantitated per pattern recognition.

Detection limits are reported relative to sample result significant figures.

Sample Amount : 920ml                      Final Volume : 5ml  
Prepared by : P0reto                        Analyzed by : SDeeso

METHOD 3520C/8015B  
TOTAL PETROLEUM HYDROCARBONS BY EXTRACTION

```

=====
Client      : EUROFINS EATON ANALYTICAL   Date Collected: 05/02/22 10:30
Project     : 38001111                   Date Received: 05/05/22
Batch No.   : 22E049                     Date Extracted: 05/09/22 11:30
Sample ID   : 380-1130-1                 Date Analyzed: 05/10/22 17:20
Lab Samp ID: 22E049-05                   Dilution Factor: 1
Lab File ID: LE10016A                     Matrix: WATER
Ext Btch ID: 22DSE013W                   % Moisture: NA
Calib. Ref.: LE10004A                     Instrument ID: D5
=====

```

PARAMETERS	RESULTS (mg/L)	RL (mg/L)	MDL (mg/L)		
Diesel	ND	0.027	0.014		
Motor Oil	ND	0.054	0.027		
SURROGATE PARAMETERS	RESULT	SPK_AMT	%RECOVERY	QC LIMIT	
Bromobenzene	0.516	0.540	96	60-130	
Hexacosane	0.131	0.135	97	60-130	

Notes:

Parameter H-C Range  
Diesel C10-C24  
Motor Oil C24-C36

Reported ND at RL quantitated per pattern recognition.

Detection limits are reported relative to sample result significant figures.

Sample Amount : 930ml                      Final Volume : 5ml  
Prepared by : POrto                              Analyzed by : SDeeso

METHOD 3520C/8015B  
TOTAL PETROLEUM HYDROCARBONS BY EXTRACTION

```

=====
Client      : EUROFINS EATON ANALYTICAL   Date Collected: 05/02/22 10:57
Project     : 38001111                   Date Received: 05/05/22
Batch No.   : 22E049                     Date Extracted: 05/09/22 11:30
Sample ID   : 380-1127-1                 Date Analyzed: 05/10/22 19:29
Lab Samp ID: 22E049-07                   Dilution Factor: 1
Lab File ID: LE10023A                    Matrix: WATER
Ext Btch ID: 22DSE013W                   % Moisture: NA
Calib. Ref.: LE10004A                    Instrument ID: D5
=====

```

PARAMETERS	RESULTS (mg/L)	RL (mg/L)	MDL (mg/L)	
Diesel	ND	0.028	0.014	
Motor Oil	ND	0.055	0.028	
SURROGATE PARAMETERS	RESULT	SPK_AMT	%RECOVERY	QC LIMIT
Bromobenzene	0.551	0.550	100	60-130
Hexacosane	0.131	0.138	95	60-130

Notes:

Parameter H-C Range  
Diesel C10-C24  
Motor Oil C24-C36

Reported ND at RL quantitated per pattern recognition.

Detection limits are reported relative to sample result significant figures.

Sample Amount : 910ml Final Volume : 5ml  
Prepared by : POrto Analyzed by : SDeeso

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17

# QC SUMMARIES

METHOD 3520C/8015B  
TOTAL PETROLEUM HYDROCARBONS BY EXTRACTION

```

=====
Client      : EUROFINS EATON ANALYTICAL   Date Collected: 05/09/22 11:30
Project    : 38001111                     Date Received: 05/09/22
Batch No.  : 22E049                       Date Extracted: 05/09/22 11:30
Sample ID  : MBLK1W                       Date Analyzed: 05/10/22 15:29
Lab Samp ID: DSE013WB                    Dilution Factor: 1
Lab File ID: LE10010A                    Matrix: WATER
Ext Btch ID: 22DSE013W                   % Moisture: NA
Calib. Ref.: LE10004A                    Instrument ID: D5
=====

```

PARAMETERS	RESULTS (mg/L)	RL (mg/L)	MDL (mg/L)	
Diesel	ND	0.025	0.012	
Motor Oil	ND	0.050	0.025	
SURROGATE PARAMETERS	RESULT	SPK_AMT	%RECOVERY	QC LIMIT
Bromobenzene	0.487	0.500	97	60-130
Hexacosane	0.123	0.125	99	60-130

Notes:

Parameter H-C Range  
Diesel C10-C24  
Motor Oil C24-C36

Reported ND at RL quantitated per pattern recognition.

Detection limits are reported relative to sample result significant figures.

Sample Amount : 1000ml                      Final Volume : 5ml  
Prepared by : POrto                              Analyzed by : SDeeso

EMAX QUALITY CONTROL DATA  
LAB CONTROL SAMPLE ANALYSIS

CLIENT : EUROFINS EATON ANALYTICAL  
PROJECT : 38001111  
BATCH NO. : 22E049  
METHOD : 3520C/8015B

=====

MATRIX	: WATER	% MOISTURE:NA
DILUTION FACTOR:	1	1
SAMPLE ID	: MBLK1W	LCS1W
LAB SAMPLE ID	: DSE013WB	DSE013WL
LAB FILE ID	: LE10010A	LE10011A
DATE PREPARED	: 05/09/22 11:30	05/09/22 11:30
DATE ANALYZED	: 05/10/22 15:29	05/10/22 15:48
PREP BATCH	: 22DSE013W	22DSE013W
CALIBRATION REF:	LE10004A	LE10004A

ACCESSION:

PARAMETERS	MBResult (mg/L)	SpikeAmt (mg/L)	LCSResult (mg/L)	LCSRec (%)	QCLimit (%)
Diesel	ND	2.50	2.45	98	50-130

SURROGATE PARAMETERS	SpikeAmt (mg/L)	LCSResult (mg/L)	LCSRec (%)	QCLimit (%)
Bromobenzene	0.500	0.518	104	60-130
Hexacosane	0.125	0.128	102	60-130

MB: Method Blank sample    LCS: Lab Control Sample



EMAX QUALITY CONTROL DATA  
MS/MSD ANALYSIS

CLIENT : EUROFINS EATON ANALYTICAL  
PROJECT : 38001111  
BATCH NO. : 22E049  
METHOD : 3520C/8015B

```

=====
MATRIX      : WATER                               % MOISTURE:NA
DILUTION FACTOR: 1                               1
SAMPLE ID   : 380-1130-1                          380-1130-1MS
LAB SAMPLE ID : 22E049-05                         22E049-05S
LAB FILE ID  : LE10016A                          LE10018A
DATE PREPARED : 05/09/22 11:30                   05/09/22 11:30
DATE ANALYZED : 05/10/22 17:20                   05/10/22 17:57
PREP BATCH   : 22DSE013W                         22DSE013W
CALIBRATION REF: LE10004A                        LE10004A
=====
  
```

ACCESSION:

PARAMETERS	PSResult (mg/L)	SpikeAmt (mg/L)	MSResult (mg/L)	MSRec (%)	SpikeAmt (mg/L)	MSDResult (mg/L)	MSDRec (%)	RPD (%)	QCLimit (%)	MaxRPD (%)
Diesel	ND	2.40	2.40	100	2.40	2.30	96	4	50-130	30

SURROGATE PARAMETERS	SpikeAmt (mg/L)	MSResult (mg/L)	MSRec (%)	SpikeAmt (mg/L)	MSDResult (mg/L)	MSDRec (%)	QCLimit (%)
Bromobenzene	0.480	0.480	100	0.480	0.486	101	60-130
Hexacosane	0.120	0.120	100	0.120	0.125	104	60-130

PS: Parent Sample MS: Matrix Spike MSD: Matrix Spike Duplicate



Eaton Analytical

# CHAIN OF CUSTODY RECORD

EUROFINS EATON ANALYTICAL USE ONLY

750 Royal Oaks Drive, Suite 100  
Monrovia, CA 91016-3629  
Phone: 626 386 1100  
Fax: 626 386 1101  
800 566 LABS (800 566 5227)

LOGIN COMMENTS:

SAMPLES CHECKED AGAINST COC BY: GR

SAMPLE TEMP RECEIVED AT:  
 Cotton / No California / Arizona  
 Monrovia

SAMPLES REC'D DAY OF COLLECTION?  (check for yes)

°C ( Compliance: 4 ± 2 °C )  
1.6 °C ( Compliance: 4 ± 2 °C )

CONDITION OF BLUE ICE: Frozen  Partially-Frozen  Thawed  No Ice   
METHOD OF SHIPMENT: Pick-Up / Walk-In  UPS / DHL / Area Fast / Top Line / Other

TO BE COMPLETED BY SAMPLER

COMPANY/AGENCY NAME: BWS HONOLULU		PROJECT CODE: RED HILL	COMPLIANCE SAMPLES <input type="checkbox"/>	NON-COMPLIANCE SAMPLES <input checked="" type="checkbox"/>
COG ID: Weekly TPH-8015_RED-HILL (2022)		SAMPLE GROUP: STD 1 wk <input checked="" type="checkbox"/> 3 day 2 day 1 day	Type of samples (circle one). ROUTINE SPECIAL CONFIRMATION (eg SDWA, Phase V, NPDES, FDA, ) <b>SEE ATTACHED BOTTLE ORDER FOR ANALYSES</b> <input checked="" type="checkbox"/> (check for yes), <b>OR</b> list ANALYSES REQUIRED (enter number of bottles sent for each test for each sample)	
SAMPLE DATE 05/02/22	SAMPLE ID Halawa Wells P1	CLIENT LAB ID HI0000331-023	SAMPLER COMMENTS Loc: 380 1127	
SAMPLE TIME 1051	MATRIX CFW	FIELD DATA	Temp Blank: _____ °C	
TAT requested: rush by adv notice only		FIELD DATA	380-1127 Chain of Custody	

\* MATRIX TYPES: RSW = Raw Surface Water    SEAW = Sea Water    BW = Bottled Water    SO = Soil  
 RGW = Raw Ground Water    WW = Waste Water    SW = Storm Water    SL = Sludge

SAMPLED BY 	PRINT NAME L. Bailey	COMPANY/TITLE Honolulu Board of Water Supply	DATE May 2, 2022	TIME
RELINQUISHED BY 	L. Bailey	Honolulu Board of Water Supply	3 May 2022	1200
RECEIVED BY 	G. BAUTNER	EEA	5/4/22	11:11
RELINQUISHED BY				
RECEIVED BY				

### Kit Order for Honolulu Board of Water Supply

Debbie L. Frank is your Eurofins Eaton Analytical, LLC Service Manager

750 Royal Oaks Drive, Suite 100  
 Monrovia, California 91016-3629  
 (626) 386-1100 FAX (866) 988-3757

Created Date & Time: 12/27/2021 12:07:03AM

**Note: Sampler Please return this paper with your samples**

Kit #: 308898

Created By: - [AutoGenerated]  
 Deliver By: 01/26/2022

STG: Bottle Orders

Ice Type: G  
 Pre Registered

Client ID: HONOLULU  
 Project Code: RED-FILL Bottle Orders  
 Group Name: Red-Hill Expanded List (Albuquerque+)  
 PO#/JOB#: C20525101 exp 05312023  
 Description: MOANALUA WELLS - Every 1 wee

**Ship Sample Kits to**  
 Honolulu Board of Water Supply  
 630 South Beretania Street  
 Chemistry Lab  
 Honolulu, HI 96843  
 Attn: Ron Fenstermacher  
 Phone: 808-748-5841  
 Fax: 808-550-5572

**Send Report to**  
 Honolulu Board of Water Supply  
 630 South Beretania Street  
 Public Service Bldg., Room 308  
 Honolulu, HI 96843  
 Attn: Erwin Kawata  
 Phone: 808-748-5091  
 Fax: 808-550-5018

**Billing Address**  
 Honolulu Board of Water Supply  
 630 South Beretania Street  
 Public Service Bldg., Room 308  
 Honolulu, HI 96843  
 Attn: Erwin Kawata  
 Phone: 808-748-5091  
 Fax: 808-550-5018

Sample Tests	Bottle Qty - Type [ preservative information ]	Total	UN DOT #
1 TPH 8015 Diesel and Motor Oil_C, TPH 8015 Jet Fuel 5_C, TPH 8015 Jet Fuel 8_C	1 - 1L amber glass [ 1 ml Thio 8% ]	9	
1 8015 Gas_C	3 - 40ml amber glass vial [ 1 drop Thio (8% ) ]	3	
1 8015 Gas_C TB	2 - 40ml amber glass vial [ 1 drop Thio (8% ) + H2O ]	2	
1 @VOASDWA-G-plus-plus-THC6-FBC	3 - 40ml amber glass vial [ 25mg AA+ H2O+40-drop-1:1 HCL ]	3	UN1789
<b>Sum Tests: 4</b>	<b>Sum Bottles: 17</b>		

**Comments**  
 STDMSMSD

SITE ID:  
 MOANALUA-WELLS (334-223-TP202)

SAMPLER:  
 Eight 1 LITER AMBER GLASS BOTTLES FOR 625 SERIES AND Nine 1 LITER AMBER GLASS BOTTLES FOR TPH 8015 SERIES. THIS IS A MSMSD SITE for 600 and 8000 series testing

SHIPPING:  
 Travel Blanks - TBAMTBE, VOASDWA - Prepare TBs in the VOA LAB.  
 Label Cooler on TOP and right below both Handles with Site description of contents ( use extra Container Labels)

ASM: Be sure to coordinate Follow-up as needed for any new detections in Field samples.  
 Acetone - follow-ups need to use EPA 624



eurofins

Eaton Analytical

# INTERNAL CHAIN OF CUSTODY RECORD

IEA Folder Number: 112

Eaton Analytical

SAMPLE TEMP RECEIVED:

Note: if samples are out of temperature range, let the ASMs know. ASMs will determine whether to proceed with analysis or not.

SAMPLES REC'D DAY OF COLLECTION? Yes / No

IR Gun ID = 049A (Observation = 1.9 °C) (Corr. Factor = -0.3 °C) (Final = 1.6 °C)

TYPE OF ICE: Real  Synthetic  No Ice  CONDITION OF ICE: Frozen  Partially Frozen  Thawed  N/A

METHOD OF SHIPMENT: Pick-Up / Walk-In (FedEx) UPS / DHL / Area Fast / Top Line / Other: \_\_\_\_\_

Compliance Acceptance Criteria:

- 1) Chemistry: >0, ≤6°C, not frozen (NELAP) (if received after 24 hrs of sample collection)
- 2) Microbiology, Distribution: < 10°C, not frozen (can be ≥10°C if received on ice the same day as sample collection, within 8 hours)
- 3) Microbiology, Surface Water: < 10°C (if received after 2 hours of sample collection)

If out of temperature range for both Chemistry and Microbiology samples and temperature does not confirm, then measure the temperature of each quadrant and record each temperature of the quadrants

1 = (Observation = _____ °C) (Corr. Factor = <u>-0.3</u> °C) (Final = _____ °C)	2 = (Observation = _____ °C) (Corr. Factor = <u>-0.3</u> °C) (Final = _____ °C)
3 = (Observation = _____ °C) (Corr. Factor = <u>-0.3</u> °C) (Final = _____ °C)	4 = (Observation = _____ °C) (Corr. Factor = <u>-0.3</u> °C) (Final = _____ °C)

4 Dioxin (1613 or 2,3,7,8 TCDD): must be between 0-4 °C, not frozen (if received after 24 hrs of sample collection)

5) pH Check. Manufacturer: \_\_\_\_\_ Lot Number: \_\_\_\_\_ pH strip type: 0 - 14 or \_\_\_\_\_ Expiration Date: \_\_\_\_\_ Results: \_\_\_\_\_

6) Chlorine check. Manufacturer: Sansafe. Lot No.: \_\_\_\_\_ Expiration Date: \_\_\_\_\_ Results: \_\_\_\_\_

7) VOA and Radon Headspace: \_\_\_\_\_ No Samples with Headspace: \_\_\_\_\_ Samples with Headspace (see below): \_\_\_\_\_  
Headspace Documentation (use additional VOC and Radon Internal COFC for additional bottles)

Samp ID	Boitle #	None/<6	>6mm	Test	Samp ID	Boitle #	None/<6	>6mm	Test

Note Sample IDs which have dissimilar headspace (i.e. potential sampling errors): \_\_\_\_\_

RECEIVED BY: SIGNATURE G. REITNER PRINT NAME G. REITNER COMPANY/TITLE Eurofins Eaton Analytical DATE 05/04/22 TIME 11:11

SAMPLES CHECKED AGAINST COG BY: SIGNATURE \_\_\_\_\_ PRINT NAME \_\_\_\_\_ COMPANY/TITLE Eurofins Eaton Analytical DATE \_\_\_\_\_ TIME \_\_\_\_\_





Eurofins Analytical

# INTERNAL CHAIN OF CUSTODY RECORD

EEA Folder Number:

1177

### SAMPLE TEMP RECEIVED:

Note: If samples are out of temperature range, let the ASMs know. ASMs will determine whether to proceed with analysis or not.

SAMPLES REC'D DAY OF COLLECTION? Yes / No

IR Gun ID = 649A (Observation = 4.4 °C) (Corr.Factor = -0.3 °C) (Final = 4.1 °C)

TYPE OF ICE: Real  Synthetic  No Ice  Condition of Ice: Frozen  Partially Frozen  Thawed  N/A

METHOD OF SHIPMENT: Pick-Up / Walk-In FedEx / UPS / DHL / Area Fast / Top Line / Other: \_\_\_\_\_

### Compliance Acceptance Criteria:

- 1) Chemistry: >0, ≤6 °C, not frozen (NELAP) (if received after 24 hrs of sample collection)
- 2) Microbiology, Distribution: < 10 °C, not frozen (can be ≥10 °C if received on ice the same day as sample collection, within 8 hours)
- 3) Microbiology, Surface Water: < 10 °C (if received after 2 hours of sample collection)

If out of temperature range for both Chemistry and Microbiology samples and temperature does not confirm, then measure the temperature of each quadrant and record each temperature of the quadrants

1 = (Observation = _____ °C) (Corr.Factor = <u>-0.3</u> °C) (Final = _____ °C)	2 = (Observation = _____ °C) (Corr.Factor = <u>-0.3</u> °C) (Final = _____ °C)
3 = (Observation = _____ °C) (Corr.Factor = <u>-0.3</u> °C) (Final = _____ °C)	4 = (Observation = _____ °C) (Corr.Factor = <u>-0.3</u> °C) (Final = _____ °C)

4 Dioxin (1613 or 2,3,7,8 TCDD): must be between 0-4 °C, not frozen (if received after 24 hrs of sample collection)

5) pH Check. Manufacturer: \_\_\_\_\_ Lot Number: \_\_\_\_\_ pH strip type: 0 - 14 or \_\_\_\_\_ Expiration Date \_\_\_\_\_ Results: \_\_\_\_\_

6) Chlorine check. Manufacturer: Sansafe. Lot No.: \_\_\_\_\_ Expiration Date: \_\_\_\_\_ Results \_\_\_\_\_

7) VOA and Radon Headspace:  No Samples with Headspace:  Samples with Headspace (see below): \_\_\_\_\_

Headspace Documentation (use additional VOC and Radon internal COFC for additional bottles)

Exempt from headspace concerns: Methods 615.4, HAA(6251,652), 605, SPME,@CH, 632LCMS, 656, 636, Anatoxin, LCMS methods using 40 ml vials, International clients:

Sample ID	Bottle #	None/<6	>6mm	Test	Sample ID	Bottle #	None/<6	>6mm	Test

Note Sample IDs which have dissimilar headspace (i.e. potential sampling errors): \_\_\_\_\_

RECEIVED BY: [Signature] SIGNATURE: G. REITNER PRINT NAME: \_\_\_\_\_ COMPANY/TITLE: Eurofins Ealon Analytical DATE: 05/04/22 TIME: 11:11

SAMPLES CHECKED AGAINST COC BY: \_\_\_\_\_ SIGNATURE: \_\_\_\_\_ PRINT NAME: \_\_\_\_\_ COMPANY/TITLE: Eurofins Ealon Analytical DATE: \_\_\_\_\_ TIME: \_\_\_\_\_





# INTERNAL CHAIN OF CUSTODY RECORD

Euron Analytical

EEA Folder Number:

1177

**SAMPLE TEMP RECEIVED:**

Note: If samples are out of temperature range, let the ASMs know. ASMs will determine whether to proceed with analysis or not.

SAMPLES REC'D DAY OF COLLECTION? Yes / No

IR Gun ID = 049A (Observation = 4.8 °C) (Corr.Factor = 0.3 °C) (Final = 4.5 °C)

TYPE OF ICE: Real  Synthetic  No Ice  Frozen  Partially Frozen  Thawed  N/A

METHOD OF SHIPMENT: Pick-Up / Walk-In **FedEx** / UPS / DHL / Area Fast / Top Line / Other: \_\_\_\_\_

**Compliance Acceptance Criteria:**

- 1) Chemistry: >0, ≤6°C, not frozen (NELAP) (If received after 24 hrs of sample collection)
- 2) Microbiology, Distribution: < 10°C, not frozen (can be ≥10°C if received on ice the same day as sample collection, within 8 hours)
- 3) Microbiology, Surface Water: < 10°C (If received after 2 hours of sample collection)

If out of temperature range for both Chemistry and Microbiology samples and temperature does not confirm, then measure the temperature of each quadrant and record each temperature of the quadrants

1 = (Observation = °C) (Corr.Factor = 0.3 °C) (Final = °C)	2 = (Observation = °C) (Corr.Factor = 0.3 °C) (Final = °C)
3 = (Observation = °C) (Corr.Factor = 0.3 °C) (Final = °C)	4 = (Observation = °C) (Corr.Factor = 0.3 °C) (Final = °C)

4 Dioxin (1613 or 2,3,7,8 TCDD): must be between 0-4 °C, not frozen (If received after 24 hrs of sample collection)

5) pH Check. Manufacturer: \_\_\_\_\_ Lot Number: \_\_\_\_\_ pH strip type: 0 - 14 or \_\_\_\_\_ Expiration Date: \_\_\_\_\_ Results: \_\_\_\_\_

6) Chlorine check. Manufacturer: Sansafe. Lot No.: \_\_\_\_\_ Expiration Date: \_\_\_\_\_ Results: \_\_\_\_\_

7) VOA and Radon Headspace:  No Samples with Headspace;  Samples with Headspace (see below): \_\_\_\_\_

Headspace Documentation (use additional VOC and Radon Internal COFC for additional bottles)

Exempt from headspace concerns: Methods 815.4, HAA(8251,852), 605, SPME, @CH, 632LCMS, 556, 536, Anatoxin, LCMS methods using 40 ml vials, International clients: None/<6 mm

Sample ID	Exempt	Test	Sample ID	Exempt	Test
None/<6	>6mm	Test	None/<6	>6mm	Test
None/<6	>6mm	Test	None/<6	>6mm	Test
None/<6	>6mm	Test	None/<6	>6mm	Test
None/<6	>6mm	Test	None/<6	>6mm	Test
None/<6	>6mm	Test	None/<6	>6mm	Test

Note Sample IDs which have dissimilar headspace (i.e. potential sampling errors): \_\_\_\_\_

RECEIVED BY:  PRINT NAME: **G. REITNER** COMPANY/TITLE: Eurofins Euron Analytical DATE: 05/04/22 TIME: 11:11

SAMPLES CHECKED AGAINST COC BY: \_\_\_\_\_ PRINT NAME: \_\_\_\_\_ COMPANY/TITLE: Eurofins Euron Analytical DATE: \_\_\_\_\_ TIME: \_\_\_\_\_





# INTERNAL CHAIN OF CUSTODY RECORD

Eaton Analytical

EEA Folder Number:

1127

### SAMPLE TEMP RECEIVED:

Note: If samples are out of temperature range, let the ASMs know. ASMs will determine whether to proceed with analysis or not.

SAMPLES REC'D DAY OF COLLECTION? Yes / No

IR Gun ID = 649A (Observation = 5.6 °C) (Corr.Factor = -0.3 °C) (Final = 5.3 °C)

TYPE OF ICE: Real  Synthetic  No Ice  Frozen  Partially Frozen  Thawed  N/A

METHOD OF SHIPMENT: Pick-Up / Walk-In FedEx / UPS / DHL / Area Fast / Top Line / Other: \_\_\_\_\_

### Compliance Acceptance Criteria:

- 1) Chemistry: >0, ≤6 °C, not frozen (NELAP) (if received after 24 hrs of sample collection)
- 2) Microbiology, Distribution: < 10 °C, not frozen (can be ≥10 °C if received on ice the same day as sample collection, within 8 hours)
- 3) Microbiology, Surface Water: < 10 °C (if received after 2 hours of sample collection)

If out of temperature range for both Chemistry and Microbiology samples and temperature does not confirm, then measure the temperature of each quadrant and record each temperature of the quadrants

1 = (Observation = _____ °C) (Corr.Factor = <u>-0.3</u> °C) (Final = _____ °C)	2 = (Observation = _____ °C) (Corr.Factor = <u>-0.3</u> °C) (Final = _____ °C)
3 = (Observation = _____ °C) (Corr.Factor = <u>-0.3</u> °C) (Final = _____ °C)	4 = (Observation = _____ °C) (Corr.Factor = <u>-0.3</u> °C) (Final = _____ °C)

4 Dioxin (1613 or 2,3,7,8 TCDD): must be between 0-4 °C, not frozen (if received after 24 hrs of sample collection)

5) pH Check, Manufacturer: \_\_\_\_\_ Lot Number: \_\_\_\_\_ pH strip type: 0 - 14 or \_\_\_\_\_ Expiration Date: \_\_\_\_\_ Results: \_\_\_\_\_

6) Chlorine check, Manufacturer: Sansafe, Lot No.: \_\_\_\_\_ Expiration Date: \_\_\_\_\_ Results: \_\_\_\_\_

7) VOA and Radon  No Samples with Headspace:  Samples with Headspace (see below):

Headspace: Headspace Documentation (use additional VOC and Radon Internal COFC for additional bottles)

Exempt from headspace concerns: Methods 815.4, HAA(8251,852), 605, SPME, @CH, 532LCMS, 556, 558, Anatoxin, LCMS methods using 40 ml vials, international clients:

Sample ID	Bottle #	None/<6	>6mm	Test	Sample ID	Bottle #	None/<6	>6mm	Test

Note Sample IDs which have dissimilar headspace (i.e. potential sampling errors):

RECEIVED BY: [Signature] SIGNATURE PRINT NAME: G. REITNER COMPANY/TITLE: Eurofins Eaton Analytical DATE: 05/04/22 TIME: 11:11

SAMPLES CHECKED AGAINST COG BY: \_\_\_\_\_ SIGNATURE PRINT NAME: \_\_\_\_\_ COMPANY/TITLE: Eurofins Eaton Analytical DATE: \_\_\_\_\_ TIME: \_\_\_\_\_



# INTERNAL CHAIN OF CUSTODY RECORD

**eurolfins** | **Eaton Analytical**

EEA Folder Number: \_\_\_\_\_

SAMPLE TEMP RECEIVED:  
 Note: If samples are out of temperature range, let the ASMs know. ASMs will determine whether to proceed with analysis or not.  
 SAMPLES REC'D DAY OF COLLECTION? Yes / No

IR Gun ID = 649A (Observation = 5.5 °C) (Corr.Factor = -0.3 °C) (Final = 5.2 °C)

TYPE OF ICE: Real \_\_\_\_\_ Synthetic  No-ice \_\_\_\_\_

CONDITION OF ICE: Frozen \_\_\_\_\_ Partially Frozen \_\_\_\_\_ Thawed \_\_\_\_\_ N/A \_\_\_\_\_

METHOD OF SHIPMENT: Pick-Up / Walk-In **FedEx** / UPS / DHL / Area Fast / Top Line / Other: \_\_\_\_\_

Compliance Acceptance Criteria:

- 1) Chemistry: >0, ≤6°C, not frozen (NELAP) (If received after 24 hrs of sample collection)
- 2) Microbiology, Distribution: < 10°C, not frozen (can be ≥10°C if received on ice the same day as sample collection, within 8 hours)
- 3) Microbiology, Surface Water: < 10°C (If received after 2, hours of sample collection)

If out of temperature range for both Chemistry and Microbiology samples and temperature does not confirm, then measure the temperature of each quadrant and record each temperature of the quadrants

1 = (Observation = _____ °C) (Corr.Factor = <u>-0.3</u> °C) (Final = _____ °C)	2 = (Observation = _____ °C) (Corr.Factor = <u>-0.3</u> °C) (Final = _____ °C)
3 = (Observation = _____ °C) (Corr.Factor = <u>-0.3</u> °C) (Final = _____ °C)	4 = (Observation = _____ °C) (Corr.Factor = <u>-0.3</u> °C) (Final = _____ °C)

4 Dioxin (1613 or 2,3,7,8 TCDD): must be between 0-4 °C, not frozen (If received after 24 hrs of sample collection)

5) pH Check. Manufacturer: \_\_\_\_\_ Lot Number: \_\_\_\_\_ pH strip type: 0 - 14 or \_\_\_\_\_ Expiration Date \_\_\_\_\_ Results: \_\_\_\_\_

6) Chlorine check. Manufacturer: Sansafe. Lot No.: \_\_\_\_\_ Expiration Date: \_\_\_\_\_ Results: \_\_\_\_\_

7) VOA and Radon Headspace: \_\_\_\_\_ No Samples with Headspace: \_\_\_\_\_ Samples with Headspace (see below): \_\_\_\_\_

Headspace Documentation (use additional VOC and Radon internal COFC for additional bottles):

Exempt from headspace concerns: Methods 515.4, HAA(6251,652), 505, SPME, @CH, 532LCMS, 556, 536, Anatoxin, LCMS methods using 40 ml vials, International clients:

Samp ID	Bottle #	None/<6	>8mm	Test	Samp ID	Bottle #	None/<6	>8mm	Test

Note Sample IDs which have dissimilar headspace (i.e. potential sampling errors): \_\_\_\_\_

RECEIVED BY: \_\_\_\_\_ SIGNATURE: [Signature] PRINT NAME: **G. REITNER** COMPANY/TITLE: **Eurolfins Eaton Analytical** DATE: **05/04/22** TIME: **11:11**

SAMPLES CHECKED AGAINST COG BY: \_\_\_\_\_ SIGNATURE: \_\_\_\_\_ PRINT NAME: **Eurolfins Eaton Analytical** COMPANY/TITLE: **Eurolfins Eaton Analytical** DATE: \_\_\_\_\_ TIME: \_\_\_\_\_





ORIGIN ID:HIKA (808) 748-5840 SHIP DATE: 03MAY22  
 BWS-CHEM-LAB ACTWGT: 58.00 LB  
 HONOLULU BOARD OF WATER SUPPLY CAD: 100205419/NET4490  
 630 S. BERETANIA ST. BILL. RECIPIENT  
 CHEMICAL LABORATORY  
 HONOLULU, HI 96843  
 UNITED STATES US

TO

EUROFINS EATON ANALYTICAL, INC  
 750 ROYAL OAKS DR  
 SUITE 100  
 MONROVIA CA 91016 REF  
 (626) 386-1178 INV

577J5M1BD6JFE4A



WED - 04 MAY 10:30A  
 PRIORITY OVERNIGHT

1 of 5  
 TRK# 7767 5848 4403  
 # MASTER #

**WZ WHPA**  
 91016  
 CA-US BUR



After printing this label:  
 1. Use the 'Print' button on this page to print your label to your laser or inkjet printer.  
 2. Fold the printed page along the horizontal line.  
 3. Place label in shipping pouch and affix it to your shipment so that the barcode portion of the label can be read and scanned.

**Warning:** Use only the printed original label for shipping. Using a photocopy of this label for shipping purposes is fraudulent and could result in additional billing charges, along with the cancellation of your FedEx account number.  
 Use of this system constitutes your agreement to the service conditions in the current FedEx Service Guide, available on fedex.com. FedEx will be responsible for any claim in excess of \$100 per package, whether the result of loss, damage, delay, non-delivery, misdelivery, or misinformation, unless you declare a higher value, pay an additional charge, document your actual loss and file a timely claim. Limitations found in the current FedEx Service Guide apply. Your right to recover from FedEx for any loss, including incidental, consequential, or special is limited to the greater of \$100 or the attorney's fees, costs, and other forms of damage whether direct, incidental, consequential, or special is limited to the greater of \$100 or the authorized declared value. Recovery cannot exceed actual documented loss. Maximum for items of extraordinary value is \$1,000, e.g. jewelry, precious metals, negotiable instruments and other items listed in our Service Guide. Written claims must be filed within strict time limits, see current FedEx Service Guide.

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14
- 15
- 16
- 17

# Login Sample Receipt Checklist

Client: City & County of Honolulu

Job Number: 380-1127-1

**Login Number: 1127**

**List Number: 1**

**Creator: Ngo, Theodore**

**List Source: Eurofins Eaton Monrovia**

Question	Answer	Comment
The cooler's custody seal, if present, is intact.	N/A	
Sample custody seals, if present, are intact.	N/A	
Samples were received on ice.	True	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
There are no discrepancies between the containers received and the COC.	True	
Samples are received within Holding Time (excluding tests with immediate HTs)	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
Containers requiring zero headspace have no headspace or bubble is <6mm (1/4").	N/A	
Samples do not require splitting or compositing.	True	
Container provided by EEA	True	