


750 Royal Oaks Drive, Suite 100
Monrovia, California 91016-3629
Tel: (626) 386-1100
Fax: (866) 988-3757
1 800 566 LABS (1 800 566 5227)

Laboratory Report

for

Honolulu Board of Water Supply
630 South Beretania Street
Public Service Bldg." Room 308
Honolulu, HI 96843
Attention: Erwin Kawata
Fax: 808-550-5018



Utah ELCP CA00006

DEB: Debbie L Frank
Project Manager

Report: 997287
Project: RED-HILL
Group: Weekly TPH-8015_RED-HILL (2022) - EMAX

* Accredited in accordance with **TNI 2016** and **ISO/IEC 17025:2017**.

* Laboratory certifies that the test results meet all **TNI 2016** and **ISO/IEC 17025:2017** requirements unless noted under the individual analysis.

* As applicable, this report consists of the cover page, State Certification List, ISO 17025 Accredited Method List, Acknowledgement of Samples Received, Comments, Hits Report, Data Report, QC Summary, QC Report and Regulatory Forms.

* Test results relate only to the sample(s) tested.

* Test results apply to the sample(s) as received, unless otherwise noted in the comments report (ISO/IEC 17025:2017).

* This report shall not be reproduced except in full, without the written approval of the laboratory.

* This report includes ISO/IEC 17025 and non-ISO 17025 accredited methods.

STATE CERTIFICATION LIST

State	Certification Number	State	Certification Number
Alabama	41060	Montana	Cert 0035
Arizona	AZ0778	Nebraska	NE-OS-21-13
Arkansas	CA00006	Nevada	CA00006
California	2813	New Hampshire *	2959
Colorado	CA00006	New Jersey *	CA 008
Connecticut	PH-0107	New Mexico	CA00006
Delaware	CA 006	New York *	11320
Florida *	E871024	North Carolina	06701
Georgia	947	North Dakota	R-009
Guam	21-008R	Ohio - 537.1	87786
Hawaii	CA00006	Oregon *	4034
Idaho	CA00006	Pennsylvania *	68-00565
Illinois	200033	Puerto Rico	CA00006
Indiana	C-CA-01	Rhode Island	LAO00326
Iowa – Asbestos	413	South Carolina	87016
Kansas *	E-10268	South Dakota	CA11320
Kentucky	90107	Tennessee	TN02839
Louisiana *	LA008	Texas *	T104704230-20-18
Maine	CA00006	Utah (Primary AB) *	CA00006
Maryland	224	Vermont	VT0114
Marianas Islands	MP0004	Virginia *	460260
Massachusetts	M-CA006	Washington	C838
Michigan	9906	EPA Region 5	CA00006
Mississippi	CA00006	Los Angeles County Sanitation Districts	10264

* NELAP/TNI Recognized Accreditation Bodies

ISO/IEC 17025:2017 Accredited Method List

The test listed below are accredited and met the requirements of ISO/IEC 17025 as verify by A2LA.

Refer to our certificates and scope of accreditations (no. 5890-1 and 5890-2) found at:

<https://www.eurofinsus.com/Eaton>

Test(s)	Method(s)	Potable Water *	Waste Water
Enterococci	Enterolert	x	x
Escherichia coli (Enumeration)	SM 9221 B.1 SM 9221 F	x	
Fecal Coliform (P/A and Enumeration)	SM 9221 C (MTF/EC), SM 9221 E (MTF/EC)	x	x
Fecal Streptococci and Enterococci	SM 9230 B	x	x
Heterotrophic Bacteria	SM 9215 B	x	
Legionella	Legiolert®	x	
Pseudomonas aeruginosa	Idexx Pseudalert	x	
Total Coliform (P/A and Enumeration)	SM 9221A, SM 9221B, SM 9221 C	x	x
Total Coliform, Total Coliform with Chlorine Present	SM 9221 B	x	x
Total Coliform/E. coli (P/A and Enumeration, Idexx Colilert, Idexx Colilert 18, Colisure)	SM 9223	x	
Total Microcystins and Nodularins	EPA 546	X	
Yeast and Mold	SM 9610	x	
1,2,3-Trichloropropane (TCP) at 5 PPT	CA SRL 524M-TCP	x	
1,4-Dioxane	EPA 522	x	
2,3,7,8-TCDD	Modified EPA 1613 B	x	
Acrylamide	+ LCMS 2440)	x	
Algal Toxins/Microcys in	+ LCMS 3570	x	
Alkalinity	SM 2320B	x	x
Ammonia	EPA 350.1, SM 4500-NH3 H		x
Asbestos	EPA 100.2	x	x
Bicarbonate Alkalinity as HCO3	SM 2330 B	x	x
BOD/CBOD	SM 5210 B		x
Bromate	+ LCMS- 2447	x	
Carbonate as CO3	SM 2330 B	x	x
Carbonyls	EPA 556	x	x
Chemical Oxygen Demand	EPA 410.4, SM 5220D		x
Chlorinated Acids	EPA 515.4	x	
Chlorine Dioxide	Palin Test Chlordio X Plus, SM 4500-CLO2 D	x	
Chlorine, Free, Combined, Total Residual, Chloramines	SM 4500-Cl G	x	
Color	SM2120B	x	
Conductivity	EPA 120.1, SM 2510B	x	x
Corrosivity (Langelier Index), Carbonate as CO3, Hydroxide as OH Calculated	SM 2330 B	x	
Cyanide (Amenable)	SM 4500-CN G	x	x
Cyanide (Free)	SM 4500CN F	x	x
Cyanide (Total)	EPA 335.4	x	x
Cyanogen Chloride (Screen)	+ 335 Mod (WC-24467)	x	
Diquat and Paraquat	EPA 549.2	x	
DBP and HAA	SM 6251 B	x	
Dissolved Organic Carbon	SM 5310 C	x	
Dissolved Oxygen	SM 4500-O G		x
EDB/DCBP/TCP	EPA 504.1	x	
EDB/DBCP and Disinfection Byproducts	EPA 551.1	x	
EDTA and NTA	+ WC-2454	x	
Endothall	EPA 548.1, +(LCMS-2445)	x	
Fluoride	SM 4500F C	x	x
Glyphosate	EPA 547	x	
Glyphosate and AMPA	+ LCMS-3618	x	
Gross Alpha and Gross Beta	EPA 900.0	x	x

Test(s)	Method(s)	Potable Water *	Waste Water
Gross Alpha coprecipitation	SM 7110 C	x	x
Hardness	SM 2340 B	x	x
Hexavalent Chromium	EPA 218.6,	x	x
Hexavalent Chromium	EPA 218.7,	x	
Hexavalent Chromium	SM 3500-Cr B		x
Inorganic Anions and DBPs	EPA 300.0	x	x
Norganic Anions and DBPs	EPA 300.1	x	
Kjeldahl Nitrogen	EPA 351.2		x
Metals	EPA 200.7, EPA200.8	x	x
Nitrosamines	EEA-Agilent 521.1 (GCMS-24250)	x	
Nitrate/Nitrite Nitrogen	EPA 353.2	x	x
Odor	SM2150B	x	
Organohalide Pesticides and PCB	EPA 505	x	
Ortho Phosphate	SM 4500P E	x	
Oxyhalides Disinfect ion Byproducts	EPA 317.0	x	
Perchlorate	EPA 331.0	x	
Perchlorate (Low and High Levels)	EPA 314.0	x	
Perfluorinated Alkyl Acids	EPA 533, EPA 537, EPA 537.1	x	
PPCP and EDC	+ LCMS-2443	x	
pH	EPA 150.1 SM 4500-H+ B	x	x
Phenolics – Low Level	+WC 2493 (EPA 420.2 and EPA 420.4 MOD)	x	x
Phenylurea Pesticides/Herbicides	+ LCMS-2448	x	
Radium-226, Radium-228	GA Tech (Rad-2374)	x	
Radon-222	SM 7500RN	x	
Residue (Filterable)	SM 2540C	x	x
Residue (Non-Filterable)	SM 2540D		x
Residue (Total)	SM 2540B		x
Residue (Volatile)	EPA 160.4		x
Semi-Volatile Compounds	EPA 525.2	x	
Silica	SM 4500-SiO2 C	x	x
Sulfide	SM 4500-S D		x
Sulfite	SM 4500-SO3 B	x	x
Surfactants	SM 5540C	x	x
Taste and Odor	SM 6040 E	x	
Total Organic Carbon	SM 5310 C	x	x
Total Phenols	EPA 420.1		x
Total Phenols	EPA 420.4	x	x
Triazine Pesticides and their Degradates	+ LCMS-3617	x	
Turbidity	EPA 180.1	x	x
Uranium by ICP/MS	EPA 200.8	x	
UV 254 Organic Constituents	SM 5910B	x	
VOCs	EPA 524.2	x	
VOCs	+(GCMS 2412) by EPA 524.2 modified	x	

(*) includes: Bottled Water, Drinking Water and Water as Component of Food & Beverage.

(+) In-House Method

Acknowledgement of Samples Received

Addr: **Honolulu Board of Water Supply**
630 South Beretania Street
Public Service Bldg." Room 308
Honolulu, HI 96843

Attn: Erwin Kawata
Phone: 808-748-5091

Client ID: HONOLULU
Folder #: 997287
Project: RED-HILL
Sample Group: Weekly TPH-8015_RED-HILL (2022)
- EMAX
Project Manager: Debbie L Frank
Phone: (626) 386-1149
PO #: C20525101 exp 05312023

The following samples were received from you on **April 06, 2022 at 1404**. They have been scheduled for the tests listed below each sample. If this information is incorrect, please contact your service representative. Thank you for using Eurofins Eaton Analytical, LLC.

Sample #	Sample ID	Sample Date
<u>202204061363</u>	MOANALUA WELLS (331-223-TP202)	04/04/2022 1034
	(SUB)Gas Fraction Hydrocarbons TPH 8015 Diesel and Motor Oil	
<u>202204061364</u>	TB:MOANALUA WELLS (331-223-TP202)	04/04/2022 1034
	(UB)Gas Fraction Hydrocarbons	

Test Description



Eaton Analytical

CHAIN OF CUSTODY RECORD

EUROFINS EATON ANALYTICAL USE ONLY:

750 Royal Oaks Drive, Suite 100
 Monrovia, CA 91016-3629
 Phone: 626 386 1100
 Fax: 626 386 1101
 800 566 LABS (800 566 5227)

LOGIN COMMENTS:

SAMPLES CHECKED AGAINST COC BY: GR

SAMPLE TEMP RECEIVED AT:
 Colton / No. California / Arizona
 Monrovia

SAMPLES LOGGED IN BY: GR

SAMPLES REC'D DAY OF COLLECTION? (check for yes)

3.7 °C (Compliance: 4 ± 2 °C)

Partially Frozen Thawed Wet Ice No Ice

CONDITION OF BLUE ICE: Frozen Partially Frozen Thawed Wet Ice No Ice

METHOD OF SHIPMENT: Pick-Up / Walk-In / **FedEx** / UPS / DHL / Area Fast / Top Line / Other: _____

TO BE COMPLETED BY SAMPLER:

COMPANY/AGENCY NAME: HONOLULU BOARD OF WATER SUPPLY	PROJECT CODE: RED HILL-Weekly	COMPLIANCE SAMPLES <input type="checkbox"/> NON-COMPLIANCE SAMPLES <input checked="" type="checkbox"/> X - Requires state forms REGULATION INVOLVED:	(check for yes)
EEA CLIENT CODE: COC ID:	SAMPLE GROUP: 2Q2022	Type of samples (circle one): ROUTINE SPECIAL CONFIRMATION (eg. SDWA, Phase V, NPDES, FDA....)	(check for yes)

TAT requested:	RUSH	STD	1 wk	3 day	2 day	1 day	MATRIX	CLIENT LAB ID	SAMPLE ID	SAMPLE DATE	SAMPLE TIME	FIELD DATA	FIELD DATA	Red Hill	SAMPLER COMMENTS
										4/4/22	1084			X	
							CFW	HI0000331-223							

* MATRIX TYPES: RSW = Raw Surface Water CFW = Chlor(am)inated Finished Water SEAW = Sea Water BW = Bottled Water SO = Soil
 RGW = Raw Ground Water FW = Other Finished Water WW = Waste Water SW = Storm Water SL = Sludge

SAMPLED BY:	PRINT NAME	COMPANY/TITLE	DATE	TIME
[Redacted]	EJ	BWS HONOLULU	4/4/22	1034
RELINQUISHED BY:	EJ	BWS HONOLULU	4/5/22	1200
RECEIVED BY:	G. PETERER	BWA	04/06/2022	14:04
RELINQUISHED BY:				
RECEIVED BY:				



INTERNAL CHAIN OF CUSTODY RECORD

Eaton Analytical

EEA Folder Number: 097287

SAMPLE TEMP RECEIVED:
Notes: If samples are out of temperature ranges, let the ASMs know. ASMs will determine whether to proceed with analysis or not.
SAMPLES REC'D DAY OF COLLECTION? Yes / No

IR Gun ID = 649A (Observation = 4.0 °C) (Corr. Factor = 0.3 °C) (Final = 3.7 °C)

TYPE OF ICE: Real Synthetic No Ice Frozen Partially Frozen Thawed N/A

METHOD OF SHIPMENT: Pick-Up / Walk-In (FedEx) / UPS / DHL / Area Fast / Top Line / Other: _____

Compliance Acceptance Criteria:

- 1) Chemistry: >0, ≤ 6°C, not frozen (NELAP) (if received after 24 hrs of sample collection)
- 2) Microbiology, Distribution: < 10°C, not frozen (can be ≥ 10°C if received on ice the same day as sample collection, within 8 hours)
- 3) Microbiology, Surface Water: < 10°C (if received after 2 hours of sample collection)

If out of temperature ranges for both Chemistry and Microbiology samples and temperature does not confirm, then measure the temperature of each quadrant and record each temperature of the quadrants

1 = (Observations) °C (Corr. Factor) °C (Final) °C	2 = (Observations) °C (Corr. Factor) °C (Final) °C
3 = (Observations) °C (Corr. Factor) °C (Final) °C	4 = (Observations) °C (Corr. Factor) °C (Final) °C

- 4) Dioxin (1613 or 2,3,7,8 TCDD): must be between 0-4 °C, not frozen (if received after 24 hrs of sample collection)
- 5) pH Check. Manufacturer: _____ Lot Number: _____ pH strip type: 0 - 14 or _____ Expiration Date _____ Results: _____
- 6) Chlorine check. Manufacturer: Sansafe. Lot No.: _____ Expiration Date: _____ Results: _____

VOA and Radon
No Samples with Headspace: Samples with Headspace (see below):

Headspace Documentation (use additional VOC and Radon Internal COFC for additional bottles)


Exempt from headspace concerns: Methods 516-4, HAA(0201,552), 505, SPME, @CH, 542LCMS, 558, 559, Anatoxin, LCM's methods using 40 ml vials, International clients:

Sample ID	Bottle #	None/<8	>8mm	Test	Sample ID	Bottle #	None/<8	>8mm	Test

Note Sample IDs which have dissimilar headspace (i.e. potential sampling errors): _____

RECEIVED BY: [Signature] PRINT NAME: Eurofins Eaton Analytical DATE: 04.06.2022 TIME: 14:04

SAMPLES CHECKED AGAINST COC BY: [Signature] PRINT NAME: Eurofins Eaton Analytical DATE: _____ TIME: _____



Eaton Analytical

INTERNAL CHAIN OF CUSTODY RECORD

IR Gun ID = 649A (Observation = 5.0 °C) (Corr.Factor = 0.3 °C) (Final = 4.7 °C)

TYPE OF ICE: Real Synthetic No Ice Frozen Partially Frozen Thawed N/A

METHOD OF SHIPMENT: Pick-Up / Walk-In (FedEx) UPS / DHL / Area Fast / Top Line / Other: _____

Compliance Acceptance Criteria:

- 1) Chemistry: >0, ≤6°C, not frozen (NELAP) (If received after 24 hrs of sample collection)
- 2) Microbiology, Distribution: < 10°C, not frozen (can be ≥10°C if received on ice the same day as sample collection, within 8 hours)
- 3) Microbiology, Surface Water: < 10°C (If received after 2 hours of sample collection)

If out of temperature range for both Chemistry and Microbiology samples and temperature does not confirm, then measure the temperature of each quadrant and record each temperature of the quadrant

1 - (Observation) °C	(Corr.Factor) °C	(Final) °C	2 - (Observation) °C	(Corr.Factor) °C	(Final) °C
3 - (Observation) °C	(Corr.Factor) °C	(Final) °C	4 - (Observation) °C	(Corr.Factor) °C	(Final) °C

4) Dioxin (1613 or 2,3,7,8 TCDD): must be between 0-4 °C, not frozen (If received after 24 hrs of sample collection) Results: _____

5) pH Check. Manufacturer: _____ Lot Number: _____ pH strip type: 0 - 14 or _____ Expiration Date: _____ Results: _____

6) Chlorine check. Manufacturer: Sansafe. Lot No.: _____ Expiration Date: _____ Results: _____

7) VOA and Radon Headspace: _____ No Samples with Headspace (see below): _____ Samples with Headspace (see below): _____

Headspace Documentation (use additional VOC and Radon Internal COFC for additional bottles): _____ International clients: _____

Exempt from headspace concerns: Methods 515-4, HAA(6251,652), 505, SP ME, @CH, 642LCMS, 656, 658, Anatoxin, LCMS methods using 40 ml vials, International clients:	Test	Test	Test	Test	Test
Samp ID	Bottle #	None/<6	>6mm	None/<6	>6mm

Note Sample IDs which have dissimilar headspace (i.e. potential sampling errors): _____

SIGNATURE	PRINT NAME	COMPANY/TITLE	DATE	TIME
	E. REITNER	Eurofins Eaton Analytical	04.06.2022	14:04
SIGNATURE	PRINT NAME	COMPANY/TITLE	DATE	TIME
		Eurofins Eaton Analytical		

ORIGIN ID:HIKA (808) 748-5840
 BWS CHEMILAB
 HONOLULU BOARD OF WATER SUPPLY
 630 S. BERETANIA ST
 CHEMICAL LABORATORY
 HONOLULU, HI 96843
 UNITED STATES US

SHIP DATE: 05APR22
 ACTWGT: 58.00 LB
 CAD: 100205419/NET/4460

BILL RECIPIENT



TO

EUROFINS EATON ANALYTICAL, INC
 750 ROYAL OAKS DR
 SUITE 100
 MONROVIA CA 91016

56D.J2/BDF9/FE4A

(626) 386-1178 REF:
 INV:
 PO:

DEPT:



J2210222010501uv

3 of 5


MPS# 7764 9990 6334
 0253
 Mst# 7764 9990 6518

WED - 06 APR 10:30A
 PRIORITY OVERNIGHT

0201

WZ WHPA

91016
 CA-US BUR



After printing this label:

1. Use the 'Print' button on this page to print your label to your laser or inkjet printer.
2. Fold the printed page along the horizontal line.
3. Place label in shipping pouch and affix it to your shipment so that the barcode portion of the label can be read and scanned.

Warning: Use only the printed original label for shipping. Using a photocopy of this label for shipping purposes is fraudulent and could result in additional billing charges, along with the cancellation of your FedEx account number. Use of this system constitutes your agreement to the service conditions in the current FedEx Service Guide, available on fedex.com. FedEx will not be responsible for any claim in excess of \$100 per package, whether the result of loss, damage, delay, non-delivery, misdelivery, or misinformation, unless you declare a higher value, pay an additional charge, document your actual loss and file a timely claim. Limitations found in the current FedEx Service Guide apply. Your right to recover from FedEx for any loss, including intrinsic value of the package, loss of sales, income interest, profit, attorney's fees, costs, and other forms of damage whether direct, incidental, consequential, or special is limited to the greater of \$100 or the authorized declared value. Recovery cannot exceed actual documented loss. Maximum for items of extraordinary value is \$1,000, e.g. jewelry, precious metals, negotiable instruments and other items listed in our ServiceGuide. Written claims must be filed within strict time limits, see current FedEx Service Guide.

Tel: (626) 386-1100
Fax: (866) 988-3757
1 800 566 LABS (1 800 566 5227)

Laboratory Comments

Report: 997287
Project: RED-HILL
Group: Weekly TPH-8015_RED-HILL (2022)
- EMAX

Honolulu Board of Water Supply
Erwin Kawata
630 South Beretania Street
Public Service Bldg." Room 308
Honolulu, HI 96843

Folder Comments

Analytical results for TPH Gas, Diesel, and Motor Oil are submitted by EMAX Laboratories, Inc., Torrance, CA

ND reporting (subcontract lab reports)

MDL is listed due to report format restrictions; it is not used in reporting.
Analytical results reported as ND, are ND at the RL.

COC Deviation

Testing performed per updated weekly project specification.



Eaton Analytical

Tel: (626) 386-1100
Fax: (866) 988-3757
1 800 566 LABS (1 800 566 5227)

Laboratory Hits

Report: 997287
Project: RED-HILL
Group: Weekly TPH-8015_RED-HILL (2022)
- EMAX

Honolulu Board of Water Supply
Erwin Kawata
630 South Beretania Street
Public Service Bldg." Room 308
Honolulu, HI 96843

Samples Received on:
04/06/2022 1404

Analyzed	Analyte	Sample ID	Result	HI Limit	Units	MRL
----------	---------	-----------	--------	----------	-------	-----

SUMMARY OF POSITIVE DATA ONLY

Tel: (626) 386-1100
 Fax: (626) 988-3757
 1 800 566 LABS (1 800 566 5227)

Laboratory Data

Report: 997287
Project: RED-HILL
Group: Weekly TPH-8015_RED-HILL (2022)
 - EMAX

Honolulu Board of Water Supply
 Erwin Kawata
 630 South Beretania Street
 Public Service Bldg." Room 308
 Honolulu, HI 96843

Samples Received on:
 04/06/2022 1404

Prepped	Analyzed	Prep Batch	Analytical Batch	Method	Analyte	Result	Units	MRL	Dilution
<u>MOANALUA WELLS (331-223-TP202) (202204061363)</u>						Sampled on 04/04/2022 1034			
SW 8015B - (SUB)Gas Fraction Hydrocarbons									
04/11/22	04/11/22 15:03			(SW 8015B)	(SUB)Gas Fraction Hydrocarbons	ND	mg/L	0.02	1
SW 8015B - TPH 8015 Diesel and Motor Oil									
04/11/22	04/13/22 20:30			(SW 8015B)	TPH Diesel	ND	mg/L	0.026	1
04/11/22	04/13/22 20:30			(SW 8015B)	TPH Motor Oil	ND	mg/L	0.052	1
<u>TB:MOANALUA WELLS (331-223-TP202) (202204061364)</u>						Sampled on 04/04/2022 1034			
SW 8015B - (SUB)Gas Fraction Hydrocarbons									
04/11/22	04/11/22 16:57			(SW 8015B)	(SUB)Gas Fraction Hydrocarbons	ND	mg/L	0.02	1

Rounding on totals after summation.
 (c) - indicates calculated results. Analysis is a calculated result. Reported results are not rounded until the final step before reporting. Therefore methods that use a test result with further calculation may have slight differences in final result than the component analyses.



3051 Fujita Street
Torrance, CA 90505
Tel: (310)-618-8889

Date: 04-20-2022
EMAX Batch No.: 22D084

Attn: Jackie Contreras

Eurofins Eaton Analytical
750 Royal Oaks Dr., Suite 100
Monrovia, CA 91016-3629

Subject: Laboratory Report
Project: 997287

Enclosed is the Laboratory report for samples received on 04/08/22.
The data reported relate only to samples listed below :

Sample ID	Control #	Col Date	Matrix	Analysis
202204061363	D084-01	04/04/22	WATER	TPH GASOLINE TPH DIESEL & MOTOR OIL
202204061364	D084-02	04/04/22	WATER	TPH GASOLINE
202204061363MS	D084-01M	04/04/22	WATER	TPH GASOLINE TPH DIESEL
202204061363MSD	D084-01S	04/04/22	WATER	TPH GASOLINE TPH DIESEL

The results are summarized on the following pages.

Please feel free to call if you have any questions concerning these results.


Sincerely yours,

Caspar J. Pang
Laboratory Director

This report is confidential and intended solely for the use of the individual or entity to whom it is addressed. This report shall not be reproduced except in full or without the written approval of EMAX.

EMAX certifies that results included in this report meets all TNI & DOD requirements unless noted in the Case Narrative.

NELAP Accredited Certificate Number CA002912021-19
ANAB Accredited DoD ELAP and ISO/IEC 17025 Certificate Number L2278 Testing
California ELAP Accredited Certificate Number 2672



Eaton Analytical

Ship To:
EMAX Laboratories, Inc.
3051 Fujita St.
Torrance, CA 90505

Phone: 310-618-8889 Fax: 310-618-0818

Folder #: 997287
Report Due: 04/08/2022

Sample ID: 202204061363
Client Sample ID for reference onl: MOANALUA WELLS (331-223-TP202)

Sample type: SW 8015B
Prep Method: EPA 5030C
EPA 3550B

Method: SW 8015B
Analysis Requested: (SUB)Gas Fraction Hydrocarbons
TPH 8015 Diesel and Motor Oil

Sample ID: 202204061364
Client Sample ID for reference onl: TB:MOANALUA WELLS (331-223-TP202)

Sample type: SW 8015B
Prep Method: EPA 5030C

Method: SW 8015B
Analysis Requested: (SUB)Gas Fraction Hydrocarbons

Relinquished by: *ABT* Sample Control: *G. PEINER* Date: *4/7/22* Time: _____

Received by: *Jason Tapia* Date: *4/7/22* Time: *14:39*

Relinquished by: *Jason Tapia* Sample Control Date: *4/7/22* Time: *16:22*

Received by: *JR* Date: *04/08/22* Time: *18:03*

NOTIFICATION REQUIRED IF RECEIVED OUTSIDE OF 0-6 CELSIUS

An Acknowledgement of Receipt is requested to attn: Jackie Contreras

TEMP C 4.4/13.9

A 3.1/2.0

A 2.0/1.5

22D084

Submittal Form

Date: 4/7/2022

*REPORTING REQUIREMENTS: Do Not Combine Reports with any other samples submitted under different Folder Numbers! Report & Invoice must have the Folder # 997287 Job # 1000014

Report all quality control data according to Method. Include dates analyzed. Date extracted (if extracted) and Method reference on the report. Results must have Complete data & QC with Approval Signature.

Reports: Jackie Contreras Sub-Contracting Administrator
EMAIL TO: Eaton-MonroviaSubContract@eurofinset.com
Eurofins Eaton Analytical, LLC 750 Royal Oaks Drive, Suite 100, Monrovia, CA 91016
Phone (626) 386-1165 Fax (626) 386-1122
Invoices to: Eurofins Eaton Analytical, LLC
Accounts Payable 2425 New Holland Pike, Lancaster, PA 17605

Provide in each Report the Specified State Certification # and Exp Date for requested tests + matrix.

Samples from: HAWAII

4 or 3 containers per sample for MS/MSD batch QC. Low level RL reporting only

Sample Date & Time Matrix: 04/04/22 1034 DW
Clip Code: PWSID
Static ID: JLS

Sample Date & Time Matrix: 04/04/22 1034 DW
Clip Code: PWSID
Static ID: JLS

Sample Date & Time Matrix: 04/04/22 1034 DW
Clip Code: PWSID
Static ID: JLS

Sample Date & Time Matrix: 04/04/22 1034 DW
Clip Code: PWSID
Static ID: JLS

Type of Delivery	Airbill / Tracking Number	ECN <u>22-0084</u>
<input type="checkbox"/> Fedex <input type="checkbox"/> UPS <input type="checkbox"/> GSO <input type="checkbox"/> Others		Recipient <u>Tyler Kokasa</u>
<input type="checkbox"/> EMAX Courier <input checked="" type="checkbox"/> Client Delivery		Date <u>4/18/22</u> Time <u>18:03</u>

COC INSPECTION

<input checked="" type="checkbox"/> Client Name	<input checked="" type="checkbox"/> Client PM/FC	<input type="checkbox"/> Sampler Name	<input checked="" type="checkbox"/> Sampling Date/Time	<input checked="" type="checkbox"/> Sample ID	<input checked="" type="checkbox"/> Matrix
<input checked="" type="checkbox"/> Address	<input checked="" type="checkbox"/> Tel # / Fax #	<input checked="" type="checkbox"/> Courier Signature	<input checked="" type="checkbox"/> Analysis Required	<input type="checkbox"/> Preservative (if any)	<input checked="" type="checkbox"/> TAT
Safety Issues (if any)	<input type="checkbox"/> High concentrations expected	<input type="checkbox"/> From Superfund Site	<input type="checkbox"/> Rad screening required		

Note: _____

PACKAGING INSPECTION

Container <u>Correction</u>	<input checked="" type="checkbox"/> Cooler	<input type="checkbox"/> Box	<input type="checkbox"/> Other
Condition <u>FACTW</u>	<input type="checkbox"/> Custody Seal	<input type="checkbox"/> Intact	<input type="checkbox"/> Damaged
Packaging <u>FACTW</u>	<input checked="" type="checkbox"/> Bubble Pack	<input type="checkbox"/> Styrofoam	<input type="checkbox"/> Popcorn
Temperatures <u>-0.5</u>	<input checked="" type="checkbox"/> Cooler <u>19.4/2.9</u> °C	<input checked="" type="checkbox"/> Cooler <u>23.1/2.6</u> °C	<input type="checkbox"/> Cooler 3 _____ °C
(Cool, ≤6 °C but not frozen)	<input type="checkbox"/> Cooler 6 _____ °C	<input type="checkbox"/> Cooler 7 _____ °C	<input checked="" type="checkbox"/> Cooler <u>42.0/1.5</u> °C
Thermometer: <u>A - S/N 210583479</u>	<u>B - S/N _____</u>	<u>C - S/N 210271399</u>	<u>D - S/N _____</u>

Comments: Temperature is out of range. PM was informed IMMEDIATELY.

Note: _____

DISCREPANCIES

LabSampleID	LabSampleContainerID	Code	ClientSample Label ID / Information	Corrective Action
1	4-12	D1	Jet fuels not mentioned on COC	R1
1	8, 10-12	D16		R8
1	10, 11, 12	D2	label states Analysis is TPH 815, COC states TPH 8015	MB 4/14/22
2	13, 14	D7	two dates on label - 04/04/22 and 2/2/22	
1, 2	1-14	D13	for TPH 8015 and Gas ¹²⁸ 04/11	

pH holding time requirement for water samples is 15 mins. Water samples for pH analysis are received beyond 15 minutes from sampling time.

NOTES/OBSERVATIONS:

SAMPLE MATRIX IS DRINKING WATER? YES NO

- LEGEND:**
- | | | |
|--|---|--|
| <p>Code Description-Sample Management</p> <p>D1 Analysis is not indicated in <u>COC</u></p> <p>D2 Analysis mismatch COC vs <u>label</u></p> <p>D3 Sample ID mismatch COC vs label</p> <p>D4 Sample ID is not indicated in _____</p> <p>D5 Container -[improper] [leaking] [broken]</p> <p>D6 Date/Time is not indicated in _____</p> <p>D7 <u>Date/Time</u> mismatch COC vs label</p> <p>D8 Sample listed in COC is not received</p> <p>D9 Sample received is not listed in COC</p> <p>D10 <u>No initial/date</u> on corrections in COC <u>label</u></p> <p>D11 Container count mismatch COC vs received</p> <p>D12 Container size mismatch COC vs received</p> | <p>Code Description-Sample Management</p> <p>D13 Out of Holding Time</p> <p>D14 Bubble is >6mm</p> <p>D15 No trip blank in cooler</p> <p>D16 Preservation not indicated in _____</p> <p>D17 Preservation mismatch COC vs label</p> <p>D18 Insufficient chemical preservative</p> <p>D19 Insufficient Sample</p> <p>D20 No filtration info for dissolved analysis</p> <p>D21 No sample for moisture determination</p> <p>D22 _____</p> <p>D23 _____</p> <p>D24 _____</p> | <p><input type="checkbox"/> Continue to next page.</p> <p>Code Description-Sample Management</p> <p>R1 Proceed as indicated in <u>COC</u> <input type="checkbox"/> Label</p> <p>R2 Refer to attached instruction</p> <p>R3 Cancel the analysis</p> <p>R4 Use vial with smallest bubble first</p> <p>R5 Log-in with latest sampling date and time+1 min</p> <p>R6 Adjust pH as necessary</p> <p>R7 Filter and preserved as necessary</p> <p>R8 <u>Informed Client</u></p> <p>R9 _____</p> <p>R10 _____</p> <p>R11 _____</p> <p>R12 _____</p> |
|--|---|--|

REVIEWS:

Sample Labeling <u>JHorn</u>	SRF <u>Cyber</u>	PM <u>MB</u>
Date <u>4/10/22</u>	Date <u>4/11/22</u>	Date <u>4/11/22</u>
<u>JL 4/11/22</u>		
<u>4/11/22</u>		

REPORTING CONVENTIONS

DATA QUALIFIERS:

Lab Qualifier	AFCEE Qualifier	Description
J	F	Indicates that the analyte is positively identified and the result is less than RL but greater than MDL.
N		Indicates presumptive evidence of a compound.
B	B	Indicates that the analyte is found in the associated method blank as well as in the sample at above QC level.
E	J	Indicates that the result is above the maximum calibration range or estimated value.
*	*	Out of QC limit.

Note: The above qualifiers are used to flag the results unless the project requires a different set of qualification criteria.

ACRONYMS AND ABBREVIATIONS:

CRDL	Contract Required Detection Limit
RL	Reporting Limit
MRL	Method Reporting Limit
PQL	Practical Quantitation Limit
MDL	Method Detection Limit
DO	Diluted out

DATES

The date and time information for leaching and preparation reflect the beginning date and time of the procedure unless the method, protocol, or project specifically requires otherwise.

LABORATORY REPORT FOR

EUROFINS EATON ANALYTICAL

997287

METHOD 5030B/8015B
TOTAL PETROLEUM HYDROCARBONS BY PURGE AND TRAP

SDG#: 22D084

CASE NARRATIVE

Client : EUROFINS EATON ANALYTICAL

Project: 997287

SDG : 22D084

METHOD 5030B/8015B TOTAL PETROLEUM HYDROCARBONS BY PURGE AND TRAP

A total of two(2) water samples were received on 04/08/22 to be analyzed for Total Petroleum Hydrocarbons by Purge and Trap in accordance with Method 5030B/8015B and project specific requirements.

Holding Time

Samples were analyzed within the prescribed holding time.

Calibration

Multi-calibration points were generated to establish initial calibration (ICAL). ICAL was verified using a secondary source (ICV). Continuing calibration (CCV) verifications were carried out on a frequency specified by the project. All calibration requirements were within acceptance criteria. Refer to calibration summary forms of ICAL, ICV and CCV for details. MRL was analyzed as required by the project. Refer to MRL summary form for details.

Method Blank

Method blank was prepared and analyzed at the frequency required by the project. For this SDG, one(1) method blank was analyzed. VG55D05B - result was compliant to project requirement. Refer to sample result summary form for details.

Lab Control Sample

Lab control sample was prepared and analyzed at a frequency required by the project. For this SDG, one(1) set of LCS/LCD was analyzed. VG55D05L/VG55D05C were within LCS limits. Refer to LCS summary form for details.

Matrix QC Sample

Matrix spike sample was prepared and analyzed at a frequency required by the project. For this SDG, one(1) set of MS/MSD was analyzed. Gasoline was within MS QC limits in D084-01M/D084-01S. Refer to Matrix QC summary form for details.

Surrogate

Surrogate was added on QC and field samples. All surrogate recoveries were within QC limits. Refer to sample result summary forms for details.

Sample Analysis

Samples were analyzed according to prescribed analytical procedures. Results were evaluated in accordance to project requirements. For this SDG, all quality control requirements were met.

LAB CHRONICLE
TOTAL PETROLEUM HYDROCARBONS BY PURGE AND TRAP

Client : EUROFINS EATON ANALYTICAL
Project : 997287

SDG NO. : 22D084
Instrument ID : GCT055

Client Sample ID	Laboratory Sample ID	Dilution Factor	% Moist	Analysis DateTime	Extraction DateTime	Sample Data FN	Calibration Data FN	Prep. Batch	Notes
MBLK1W	VG55D05B	1	NA	04/11/2213:10	04/11/2213:10	UD11006A	UD11004A	22VG55D05	Method Blank
LCS1W	VG55D05L	1	NA	04/11/2213:48	04/11/2213:48	UD11007A	UD11004A	22VG55D05	Lab Control Sample (LCS)
LCD1W	VG55D05C	1	NA	04/11/2214:25	04/11/2214:25	UD11008A	UD11004A	22VG55D05	LCS Duplicate
202204061363	D084-01	1	NA	04/11/2215:03	04/11/2215:03	UD11009A	UD11004A	22VG55D05	Field Sample
202204061363MS	D084-01M	1	NA	04/11/2215:41	04/11/2215:41	UD11010A	UD11004A	22VG55D05	Matrix Spike Sample (MS)
202204061363MSD	D084-01S	1	NA	04/11/2216:19	04/11/2216:19	UD11011A	UD11004A	22VG55D05	MS Duplicate (MSD)
202204061364	D084-02	1	NA	04/11/2216:57	04/11/2216:57	UD11012A	UD11004A	22VG55D05	Field Sample

FN - Filename
% Moist - Percent Moisture

SAMPLE RESULTS

METHOD 5030B/8015B
TOTAL PETROLEUM HYDROCARBONS BY PURGE AND TRAP

```

=====
Client      : EUROFINS EATON ANALYTICAL   Date Collected: 04/04/22 10:34
Project     : 997287                     Date Received: 04/08/22
Batch No.   : 22D084                     Date Extracted: 04/11/22 15:03
Sample ID   : 202204061363              Date Analyzed: 04/11/22 15:03
Lab Samp ID: D084-01                    Dilution Factor: 1
Lab File ID: UD11009A                    Matrix: WATER
Ext Btch ID: 22VG55D05                  % Moisture: NA
Calib. Ref.: UD11004A                   Instrument ID: 55
=====

```

PARAMETERS	RESULTS (mg/L)	RL (mg/L)	MDL (mg/L)		
GASOLINE	ND	0.020	0.010		
SURROGATE PARAMETERS	RESULT	SPK_AMT	%RECOVERY	QC LIMIT	
Bromofluorobenzene	0.0341	0.0400	85	60-140	

Notes:

Parameter H-C Range
Gasoline C6-C10
Reported ND at RL quantitated per pattern recognition.

Detection limits are reported relative to sample result significant figures.
Sample Amount : 5ml Final Volume : 5ml
Prepared by : SCerva Analyzed by : SCerva

METHOD 5030B/8015B
TOTAL PETROLEUM HYDROCARBONS BY PURGE AND TRAP

```

=====
Client      : EUROFINS EATON ANALYTICAL   Date Collected: 04/04/22 10:34
Project     : 997287                     Date Received: 04/08/22
Batch No.  : 22D084                     Date Extracted: 04/11/22 16:57
Sample ID  : 202204061364               Date Analyzed: 04/11/22 16:57
Lab Samp ID: D084-02                   Dilution Factor: 1
Lab File ID: UD11012A                  Matrix: WATER
Ext Btch ID: 22VG55D05                 % Moisture: NA
Calib. Ref.: UD11004A                 Instrument ID: 55
=====

```

PARAMETERS	RESULTS (mg/L)	RL (mg/L)	MDL (mg/L)		
GASOLINE	ND	0.020	0.010		
SURROGATE PARAMETERS	RESULT	SPK_AMT	%RECOVERY	QC LIMIT	
Bromofluorobenzene	0.0353	0.0400	88	60-140	

Notes:

Parameter H-C Range
Gasoline C6-C10
Reported ND at RL quantitated per pattern recognition.

Detection limits are reported relative to sample result significant figures.
Sample Amount : 5ml Final Volume : 5ml
Prepared by : SCerva Analyzed by : SCerva

QC SUMMARIES

EMAX QUALITY CONTROL DATA
LAB CONTROL SAMPLE ANALYSIS

CLIENT : EUROFINS EATON ANALYTICAL
PROJECT : 997287
BATCH NO. : 22D084
METHOD : 5030B/8015B

```

=====
MATRIX      : WATER                               % MOISTURE:NA
DILUTION FACTOR: 1                               1
SAMPLE ID   : MBLK1W                             LCS1W         LCD1W
LAB SAMPLE ID : VG55D05B                         VG55D05L     VG55D05C
LAB FILE ID  : UD11006A                         UD11007A     UD11008A
DATE PREPARED : 04/11/22 13:10                 04/11/22 13:48 04/11/22 14:25
DATE ANALYZED : 04/11/22 13:10                 04/11/22 13:48 04/11/22 14:25
PREP BATCH   : 22VG55D05                       22VG55D05    22VG55D05
CALIBRATION REF: UD11004A                       UD11004A     UD11004A
  
```

ACCESSION:

PARAMETERS	MBResult (mg/L)	SpikeAmt (mg/L)	LCSResult (mg/L)	LCSRec (%)	SpikeAmt (mg/L)	LCDResult (mg/L)	LCDRec (%)	RPD (%)	QCLimit (%)	MaxRPD (%)
Gasoline	ND	0.500	0.487	97	0.500	0.501	100	3	60-130	30

SURROGATE PARAMETER	SpikeAmt (mg/L)	LCSResult (mg/L)	LCSRec (%)	SpikeAmt (mg/L)	LCDResult (mg/L)	LCDRec (%)	QCLimit (%)
Bromofluorobenzene	0.0400	0.0470	118	0.0400	0.0474	119	70-130

MB: Method Blank sample LCS: Lab Control Sample LCD: Lab Control Sample Duplicate

EMAX QUALITY CONTROL DATA
MS/MSD ANALYSIS

CLIENT : EUROFINS EATON ANALYTICAL
PROJECT : 997287
BATCH NO. : 22D084
METHOD : 5030B/8015B

```

=====
MATRIX      : WATER                               % MOISTURE:NA
DILUTION FACTOR: 1                               1
SAMPLE ID   : 202204061363                       202204061363MS 202204061363MSD
LAB SAMPLE ID : D084-01                          D084-01M      D084-01S
LAB FILE ID  : UD11009A                          UD11010A      UD11011A
DATE PREPARED : 04/11/22 15:03                   04/11/22 15:41 04/11/22 16:19
DATE ANALYZED : 04/11/22 15:03                   04/11/22 15:41 04/11/22 16:19
PREP BATCH   : 22VG55D05                         22VG55D05     22VG55D05
CALIBRATION REF: UD11004A                        UD11004A      UD11004A
  
```

ACCESSION:

PARAMETERS	PSResult (mg/L)	SpikeAmt (mg/L)	MSResult (mg/L)	MSRec (%)	SpikeAmt (mg/L)	MSDResult (mg/L)	MSDRec (%)	RPD (%)	QCLimit (%)	MaxRPD (%)
Gasoline	ND	0.500	0.462	92	0.500	0.463	93	0	50-130	30

SURROGATE PARAMETER	SpikeAmt (mg/L)	MSResult (mg/L)	MSRec (%)	SpikeAmt (mg/L)	MSDResult (mg/L)	MSDRec (%)	QCLimit (%)
Bromofluorobenzene	0.0400	0.0456	114	0.0400	0.0459	115	60-140

PS: Parent Sample MS: Matrix Spike MSD: Matrix Spike Duplicate

LABORATORY REPORT FOR

EUROFINS EATON ANALYTICAL

997287

METHOD 3520C/8015B
TOTAL PETROLEUM HYDROCARBONS BY EXTRACTION

SDG#: 22D084

CASE NARRATIVE

Client : EUROFINS EATON ANALYTICAL

Project: 997287

SDG : 22D084

METHOD 3520C/8015B TOTAL PETROLEUM HYDROCARBONS BY EXTRACTION

One(1) water sample was received on 04/08/22 to be analyzed for Total Petroleum Hydrocarbons by Extraction in accordance with Method 3520C/8015B and project specific requirements.

Holding Time

The sample was analyzed within the prescribed holding time.

Calibration

Multi-calibration points were generated to establish initial calibration (ICAL). ICAL was verified using a secondary source (ICV). Continuing calibration (CCV) verifications were carried out on a frequency specified by the project. All calibration requirements were within acceptance criteria. Refer to calibration summary forms of ICAL, ICV and CCV for details. MRL was analyzed as required by the project. Refer to MRL summary form for details.

Method Blank

Method blank was prepared and analyzed at the frequency required by the project. For this SDG, one(1) method blank was analyzed. DSD010WB - result was compliant to project requirement. Refer to sample result summary form for details.

Lab Control Sample

Lab control sample was prepared and analyzed at a frequency required by the project. For this SDG, one(1) LCS was analyzed. Percent recovery for Diesel was within LCS QC limits in DSD010WL. Refer to LCS summary form for details.

Matrix QC Sample

Matrix spike sample was prepared and analyzed at a frequency required by the project. For this SDG, one(1) set of MS/MSD was analyzed. Diesel was within MS QC limits in 22D084-01M/22D084-01S. Refer to Matrix QC summary form for details.

Surrogate

Surrogates were added on QC and field samples. All surrogate recoveries were within QC limits. Refer to sample result summary forms for details.

Sample Analysis

The sample was analyzed according to prescribed analytical procedures. Results were evaluated in accordance to project requirements. For this SDG, all quality control requirements were met.

LAB CHRONICLE
TOTAL PETROLEUM HYDROCARBONS BY EXTRACTION

Client : EUROFINS EATON ANALYTICAL
 Project : 997287
 SDG NO. : 22D084
 Instrument ID : D5

Client Sample ID	Laboratory Sample ID	Dilution Factor	% Moist	Analysis DateTime	Extraction DateTime	Sample Data FN	Calibration Data FN	Prep. Batch	Notes
MBLK1W	DSD010WB	1	NA	04/12/2213:21	04/11/2211:15	LD12008A	LD12004A	22DSD010W	Method Blank
LCS1W	DSD010WL	1	NA	04/12/2213:40	04/11/2211:15	LD12009A	LD12004A	22DSD010W	Lab Control Sample (LCS)
202204061363MS	D084-01M	1	NA	04/12/2214:16	04/11/2211:15	LD12011A	LD12004A	22DSD010W	Matrix Spike Sample (MS)
202204061363MSD	D084-01S	1	NA	04/12/2214:35	04/11/2211:15	LD12012A	LD12004A	22DSD010W	MS Duplicate (MSD)
202204061363	D084-01	1	NA	04/13/2220:30	04/11/2211:15	LD13027A	LD13017A	22DSD010W	Field Sample

FN - Filename
 % Moist - Percent Moisture

SAMPLE RESULTS

METHOD 3520C/8015B
TOTAL PETROLEUM HYDROCARBONS BY EXTRACTION

```

=====
Client      : EUROFINS EATON ANALYTICAL   Date Collected: 04/04/22 10:34
Project     : 997287                     Date Received: 04/08/22
Batch No.   : 22D084                     Date Extracted: 04/11/22 11:15
Sample ID   : 202204061363              Date Analyzed: 04/13/22 20:30
Lab Samp ID : 22D084-01                 Dilution Factor: 1
Lab File ID : LD13027A                  Matrix: WATER
Ext Btch ID : 22DSD010W                 % Moisture: NA
Calib. Ref.: LD13017A                  Instrument ID: D5
=====

```

PARAMETERS	RESULTS (mg/L)	RL (mg/L)	MDL (mg/L)	
Diesel	ND	0.026	0.013	
Motor Oil	ND	0.052	0.026	
SURROGATE PARAMETERS	RESULT	SPK_AMT	%RECOVERY	QC LIMIT
Bromobenzene	0.339	0.525	65	60-130
Hexacosane	0.139	0.131	106	60-130

Notes:
Parameter H-C Range
Diesel C10-C24
Motor Oil C24-C36
Reported ND at RL quantitated per pattern recognition.

Detection limits are reported relative to sample result significant figures.
Sample Amount : 950ml Final Volume : 5ml
Prepared by : JMuert Analyzed by : SDeeso

QC SUMMARIES

METHOD 3520C/8015B
TOTAL PETROLEUM HYDROCARBONS BY EXTRACTION

```

=====
Client      : EUROFINS EATON ANALYTICAL   Date Collected: 04/11/22 11:15
Project     : 997287                     Date Received: 04/11/22
Batch No.   : 22D084                     Date Extracted: 04/11/22 11:15
Sample ID   : MBLK1W                     Date Analyzed: 04/12/22 13:21
Lab Samp ID : DSD010WB                   Dilution Factor: 1
Lab File ID : LD12008A                   Matrix: WATER
Ext Btch ID : 22DSD010W                  % Moisture: NA
Calib. Ref. : LD12004A                   Instrument ID: D5
=====

```

PARAMETERS	RESULTS (mg/L)	RL (mg/L)	MDL (mg/L)
Diesel	ND	0.025	0.012
Motor Oil	ND	0.050	0.025

SURROGATE PARAMETERS	RESULT	SPK_AMT	%RECOVERY	QC LIMIT
Bromobenzene	0.396	0.500	79	60-130
Hexacosane	0.117	0.125	94	60-130

Notes:

Parameter H-C Range
Diesel C10-C24
Motor Oil C24-C36

Reported ND at RL quantitated per pattern recognition.

Detection limits are reported relative to sample result significant figures.

Sample Amount : 1000ml Final Volume : 5ml
Prepared by : JMuert Analyzed by : SDeeso

EMAX QUALITY CONTROL DATA
LAB CONTROL SAMPLE ANALYSIS

CLIENT : EUROFINS EATON ANALYTICAL
PROJECT : 997287
BATCH NO. : 22D084
METHOD : 3520C/8015B

MATRIX : WATER % MOISTURE:NA
DILUTION FACTOR: 1 1
SAMPLE ID : MBLK1W LCS1W
LAB SAMPLE ID : DSD010WB DSD010WL
LAB FILE ID : LD12008A LD12009A
DATE PREPARED : 04/11/22 11:15 04/11/22 11:15
DATE ANALYZED : 04/12/22 13:21 04/12/22 13:40
PREP BATCH : 22DSD010W 22DSD010W
CALIBRATION REF: LD12004A LD12004A

ACCESSION:

PARAMETERS	MBResult (mg/L)	SpikeAmt (mg/L)	LCSResult (mg/L)	LCSRec (%)	QCLimit (%)
Diesel	ND	2.50	2.54	102	50-130

SURROGATE PARAMETERS	SpikeAmt (mg/L)	LCSResult (mg/L)	LCSRec (%)	QCLimit (%)
Bromobenzene	0.500	0.433	87	60-130
Hexacosane	0.125	0.132	106	60-130

MB: Method Blank sample LCS: Lab Control Sample

EMAX QUALITY CONTROL DATA
MS/MSD ANALYSIS

CLIENT : EUROFINS EATON ANALYTICAL
PROJECT : 997287
BATCH NO. : 22D084
METHOD : 3520C/8015B

```

=====
MATRIX      : WATER                                % MOISTURE:NA
DILUTION FACTOR: 1                                1
SAMPLE ID   : 202204061363                        202204061363MSD
LAB SAMPLE ID : 22D084-01                          22D084-01S
LAB FILE ID  : LD13027A                            LD12012A
DATE PREPARED : 04/11/22 11:15                    04/11/22 11:15
DATE ANALYZED : 04/13/22 20:30                    04/12/22 14:35
PREP BATCH   : 22DSD010W                          22DSD010W
CALIBRATION REF: LD13017A                          LD12004A
=====
  
```

ACCESSION:

PARAMETERS	PSResult (mg/L)	SpikeAmt (mg/L)	MSResult (mg/L)	MSRec (%)	SpikeAmt (mg/L)	MSDResult (mg/L)	MSDRec (%)	RPD (%)	QCLimit (%)	MaxRPD (%)
Diesel	ND	2.58	2.60	101	2.60	2.78	107	7	50-130	30

SURROGATE PARAMETERS	SpikeAmt (mg/L)	MSResult (mg/L)	MSRec (%)	SpikeAmt (mg/L)	MSDResult (mg/L)	MSDRec (%)	QCLimit (%)
Bromobenzene	0.515	0.393	76	0.520	0.422	81	60-130
Hexacosane	0.129	0.139	108	0.130	0.149	115	60-130

PS: Parent Sample MS; Matrix Spike MSD; Matrix Spike Duplicate